TWO SECTIONS JANUARY, 1937 SECTION 2

S·A·E JOURNAL

Index to Volumes 38 and 39

JANUARY-DECEMBER, 1936

Society of Automotive Engineers, Inc.
Twenty-Nine West Thirty-Ninth Street
New York City

S. A. E. JOURNAL

INDEX TO VOLUMES 38 AND 39, JANUARY-DECEMBER, 1936

Entries preceded by two letters refer to the general editorial section which has a separate series of page numbers for each issue.

Entries not preceded by such letters refer to the Transactions section which has consecutive page numbers throughout Volumes 38 and 39.

The following table indicates the pages contained in each monthly issue:

January Jn 13-32, 1-44, 33-40	May My 17-36, 161-216, 37-44	September Se 13-24, 333-380, 25-28
February Fe 15-32, 45-80, 33-66	June Je 13-32, 217-256, 33-34	October Oc 13-24, 381-424, 25-34
March Mr 13-24, 81-116, 25-44	July Jl 13-32, 257-296, 33-56	November No 13-24, 425-468, 25-52
April Ap 13-24, 117-160, 25-29	August Ag 13-24, 297-332, 25-31	December De 17-32, 469-516, 33-40

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

Author Index

Author	Title of Paper	Page
Adams, Burnham	Aircraft Engine Requirements	(N) Jn 29
Adams, Jr., Ernest A.	The Textile Industry	(N) Jn 27
Ainsley, W. G., C. M. Larson and M. Fairlie	Cylinder Wear and Piston-Ring Sticking Tendencies of Automobile, Bus and Aircraft Engines	(N) Fe 36, 52 (D) Mr 32
Aitken, Murray	The Motorbus in Modern Transportation	(N) Je 33
Alden, C. R.	Development High-Speed Diesel-Engine Fuel-Injection Pumps	(N) Jl 36, 42
Aldrin, Maj. Edwin E. and H. E. Buc	A New High-Octane Blending Agent	(P) 333
Allen, E. L.	Design and Construction of the New Cord Body	(N) Fe 37, 54 (D) Mr 34
Allen, Edmund T.	Fuel Economy – The Operator's Viewpoint	(N) Fe 39, 64 (D) Mr 38 (P) 189
Allen, Ted E.	The A.A.A. Contest Board and Its Functions	(N) Jl 46
Anderson, P. A.	Air-Cooled Radial Aircraft-Engine Installation	(N) Jl 35, 44 (P) 341
Antonsen, Auker K.	Machining of Large Cast Diesel Engine Crankshafts	(N) My 18
Arnold, Harmon W.	Essentials of the Modern Motor Car	(N) Jl 31
Baker, C. F. and E. Martin	The Development of a Constant-Speed Control, Part II	(N) Jl 36, 52
Baldeschweiler, E. L., G. M. Maverick and J. E. Neudeck	Deposits in White Metal Carburetors	(D) Jn 34
Ball, John K., R. J. Minshall and F. P. Laudan	Problems in the Design and Construction of Large Aircraft	(N) No 40, 48
Banzi, Joe	Midget Racing	(N) Je 22
Barber, E. M. and B. A. Kulason	The Correlation of Car and Fuel Vapor-Locking Characteristics	(N) Jl 34, 41 (P) 351
Barrie, Allan A.	Modern Aids to Aerial Navigation	(N) Mr 21 (N) Se 27
Bartholomew, Earl	Fuels for Today's and Tomorrow's Engines	(N) Jn 26 (N) Mr 40
Bartholomew, Earl	Tractor Engine Fuels	(N) My 31 (N) Je 32
Batt, William L.	The Need of Unity in the Engineering Professions	(N) My 33
Bauer, Walter C.	Recent Developments in Automotive Filters	(N) Jn 28
Beal, Robert W.	Crankcase Oil Temperature Control	(N) Jl 30
Beall, A. L.	A Brief Analysis of the Automotive Lubrication System	(N) Jl 25, 36
Beall, A. L.	Selection of Oils for High-Output Aircraft Engines	(N) No 37, 39
Beard, M. Gould	Some Problems in Testing Planes for Airline Operation	(N) No 16, 39
Becker, C. F.	Gasoline Knock Testing	(N) Jn 38
Bedford, Lieut. S. R.	The Application of Small Diesel Engines to Naval Use	(N) Oc 31
Benedict, R. R., R. A. Rose and G. C. Wilson	Photo-Electric Combustion Analysis	(N) Jl 35, 41 (P) 459
Berlin, Don R.	Stressed-Skin Structures for Aircraft	(N) Jl 37, 44 (P) 444
Bernhardt, I. M.	Preventive Maintenance	(N) Jn 27 (N) Se 25
Binns, George W. and A. D. Meals	Modern Centerless and Cylindrical Grinding Practice	(N) Mr 24 (N) Se 27

Engineering Lib
Direct

Author	Title of Paper	Page
Bistrom, F. V.	The Design and Construction of Frameless Tank Trailers for Bulk Handling	(N) Mr 21 (N) Se 26
Blackwood, A. J.	Some Recent Observations on American and European Diesels	(N) De 19
Blanchard, Harold and Lee Oldfield	Review of the New Models	(N) Jn 26
Boerlage, G. D. and B. J. J. Gravesteyn	Cylinder Wear in Diesel Engines	(N) Fe 36, 52 (D) Mr 32 (P) 197
Bollner, Lieut. Com. R. L.	General March of Naval Engineering	(N) Oc 31
Bonta, Frank N.	An Elementary Introduction to the Analysis of the Automobile Steering Geometry	(N) Jn 39
Bowman, A. K.	Equipment Necessary for Long Distance Air Transportation	(N) Fe 29
Boyer, R. L.	The Constant-Pressure Fuel Injection for Diesel Engines	(N) Jl 37, 42
Brattain, Paul H.	Building Passenger Traffic for Airlines	(N) Je 20
Brede, O. M.	Service Problems from Manufacturer and Operator Viewpoints	(P) 55
Brooks, Donald B.	The Precision of Knock Rating	(P) Oc 22
Brown, Lowell H.	Economics of Streamlining in Heavy Transportation	(N) Jl 20, 34 (P) 516
Brown, Lowell H.	Reliability of Wind-Tunnel Testing	(N) Jl 20, 34 (P) 516
Brown, R. N.	Tooling of the Packard 120 Cylinder-Block	(N) My 20 (N) Jl 39
Brown, Roy W.	Air Springs – Tomorrow's Ride	(N) Fe 24, 35 (D) Mr 31 (P) 126
Buc, H. E. and Maj. Edwin E. Aldrin	A New High-Octane Blending Agent	(P) 333
Burgess, C. P.	Aeronautics in Naval Architecture	(N) Fe 29
Burnett, R. S.	Standards Road to Profits	(N) Jn 29, 39
Burns, Brucé	Aircraft Spotwelding	(N) No 36, 39
Burwell, A. W.	Lubrication	(N) Jn 28
Cadwell, Sidney M.	Recent Developments in the Rubber Industry	(N) Ap 25
Caldwell, F. W., E. Martin and T. B. Rhines	Constant Speed Propeller Performance, Part I	(N) Jl 36, 50
Calingaert, George, S. D. Heron and Ralph Stair	Sapphire and Other New Combustion-Chamber Window Materials	(N) Jl 34, 41 (P) 448
Campbell, Arch F.	Economic Place of Automotive Oil Engine	(N) No 19, 21
Cass, Robert	Current Trends in Motor Transport Vehicles	(N) Je 33
Chapman, E. S.	Manufacture of Elliptical Skirted Pistons	(N) My 20 (N) Jl 39 (P) 441
Chase, Herbert	Cars of Today and Tomorrow	(N) Mr 22
Chase, Herbert	Tomorrow's Barouche	(N) Fe 35, 51 (D) Mr 32
Chatfield, Charles H.	Trends in Aircraft Design	(N) Je 23
Chesnutt, Ralph C.	Diesel or Gasoline – Which Engine Will You Have?	(N) My 32 (N) Je 32
Christmas, Maj. John K.	Mechanization and Automotive Ordnance	(N) My 30 (N) Je 31
Clayden, A. Ludlow	Fuel Value of Liquefied Gases	(N) Ap 21
Comfort, John	Polymer Gasoline	(N) Fe 30
Connell, Lieut. Com. B. J.	Historic First Attempts to Fly the Pacific	(N) Mr 21
Conner, Maj.-Gen. Fox	C.C.C. Motor Equipment and Its Maintenance	(N) My 36
Crawford, R. F.	Problems Facing Air Transport Industry	(N) De 31
Cumming, William J.	The Practical Side of Engine Lubrication	(N) Jn 28 (N) Mr 44
Cunnington, George R.	Practical Noise Treatment of Automobile Bodies	(N) Jl 23, 34 (P) 388 (D) 385
D'Alleva, B A. and W. G. Lovell	Relation of Exhaust Gas Composition to Air-Fuel Ratio	(N) Fe 39, 60 (D) Mr 37 (P) 90
Damon, R. S.	Problems in Airline Operation	(N) Jl 46 (N) No 20, 21
Davidson, W. J.	An Automobile Engineer Looks at the Safety Problem	(N) Je 21
Dedo, H. H.	Fuels for Today's and Tomorrow's Engines	(N) Mr 23
DeLaval Crow, T. C. and Alain Madle	New Departure Transitorq Transmission	(N) My 39
DeMott, Richard H.	Requisites for Successful Sales Engineers	(N) Ap 21
Dennis, Fred L.	Safety	(N) Jn 39
Diehl, W. F.	Theory of Cathode Ray Oscillograph	(N) Mr 22

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

Author	Title of Paper	Page
Dodds, E. M.	Development and Application of the Cathode-Ray Engine Indicator	(N) Jl 34, 41 (P) 487
Dupuy, Lieut. A. E.	Testing Aircraft Engines and the Relation to Performance in Operation	(N) Fe 30
Eason, M. A.	History of Electrical Equipment	(N) No 30
Eberhardt, J. E., R. L. Hershey and H. C. Hottel	Thermodynamic Properties of the Working Fluid in Internal-Combustion Engines	(N) Jl 35, 42 (P) 409
Edgerton, J. C.	Flight in the Sub-Stratosphere	(N) Je 20 (P) 484
Ellis, Dr. O. W.	Alloy Steels	(N) Ap 20
Engle, George S.	Features of Bus-Line Maintenance	(N) Jn 27 (N) Se 25
Everett, H. A. and J. J. Mikita	The Effect of Detonation in Oil Consumption	(N) Jl 24 (N) Se 18
Fageol, Frank R.	Safety in Body Design Through Chassisless Construction	(N) Jl 22, 35 (P) 480
Fairlie, M., C. M. Larson and W. G. Ainsley	Cylinder Wear and Piston-Ring Sticking Tendencies of Automobile, Bus and Aircraft Engines	(N) Fe 36, 52 (D) Mr 32
Faulkner, F. L.	The Operator's Woes on Lubrication	(N) Fe 16, 33 (D) Mr 25 (P) 133
Fishleigh, Clarence T. and Walter T.	The Car of the Future	(N) Jl 14, 33 (P) Oc 13
Fishleigh, Walter T. and Clarence T.	The Car of the Future	(N) Jl 14, 33 (P) Oc 13
Foresman, S. T.	The Influence of Balancing on Today's Automobile	(N) My 20 (N) Jl 38
Fox, J. C.	The Place of Die Castings in Automotive Design	(N) Fe 37, 54 (D) Mr 35
Frehse, A. W.	Some Thoughts on Present-Day Automobile Transmissions	(P) Jn 13
Freng, R. T.	Radio Beams in Modern Aerial Navigation	(N) De 32
Frey, Julien	Gasoline as the Automobile Engine Knows It	(N) Mr 24
Gazley, Richard C.	Factory Facilities and Federal Regulations	(N) No 40, 46
Geschelin, Joseph	Behind the Scenes in the Development of Future Automobiles	(N) Ap 27
Geschelin, Joseph	What's New in the New Cars	(N) De 32
Gibbs, Jack A.	Strength Tests of Model Monocoque Fuselages in Torsion, Bending and Combined Loading	(N) Jl 30
Goodman, W. B.	High-Performance and High-Powered Aircraft	(N) Jn 27
Goodman, W. B.	Modern Aircraft-Engine Developments	(N) Jn 27 (N) Se 26
Gordon, A. B.	Bronze Surfacing	(N) Je 22
Gosselin, Hubert A.	Aviation Across the Pacific	(N) De 33
Goudard, M. Maurice	Automotive Development in France	(N) Jl 31
Graham, Louis A.	Mechanical Variable-Speed Transmissions	(N) Jn 28 (N) Se 26 (P) 224
Graham, Louis A.	What Variable Speed Transmissions Must Do	(N) Jn 28 (N) Se 26 (P) 224
Gravesteyn, B. J. J. and G. D. Boerlage	Cylinder Wear in Diesel Engines	(N) Fe 36, 52 (D) Mr 32 (P) 197
Gray, Alexander	Stresses and Strains of the Automotive Parts Business by a Scot	(N) Fe 31
Gregor, Henrick	Design and Construction of Large Diesels for Submarine Use	(N) My 36
Grimes, Henry D.	Transforming Variables into Constants in the Manufacture of Woolens and Worsteds	(N) Jn 27 (N) Se 26
Griswold, W. R.	Suspensions	(N) Fe 24 (D) Mr 31
Gronmeyer, G. E.	Boulder Dam Project	(N) Jn 29
Hale, J. E.	When Is a Truck Tire Overloaded	(P) 25
Hall, E. S.	Adaptability of Round-Engine Mechanisms to Diesels	(N) De 32
Halsey, Maxwell	Building Safety and Facility into the Roadway	(N) Ap 26
Hamilton, Prof. Erwin H	Some Recent Developments in Airplane Engines	(N) Ap 25
Hamilton, W. A.	Carburetor Icing in Airline Operation	(N) Fe 40, 66 (D) Mr 38
Hansen, K. L.	Modern Arc Welding and Its Application	(N) Ap 29
Heaton, Arthur B.	Bus-Garage Design, Location and Operation	(N) Jn 27 (N) Se 25
Heldt, P. M.	Engine Roughness – Its Cause and Cure	(N) Fe 38, 56 (D) Mr 35 (P) 47
Hendrickson, N. E.	Fundamentals of Recent Spring-Suspension Developments	(N) Jn 40
Hense, Vernon	The Latest Heat Treatment Methods Used on Transmission Gears	(N) Mr 41
Hepburn, Ralph	High Speed Racing and What It Means to the Automotive Industry	(N) De 33

Author	Title of Paper	Page
Hering, Charles E.	Gasoline and Lubricating Oil	(N) My 40
Herman, Fred W.	Manufacturing Phases of Metal-Aircraft Construction	(N) Jl 37, 44 (P) 394
Heron, S. D., George Calingaert and Ralph Stair	Sapphire and Other New Combustion-Chamber Window Materials	(N) Jl 34, 41 (P) 448
Herrington, Col. A. W. S.	Variable Transportation Problems in the World	(N) No 20, 21
Hershey, R. L., J. E. Eberhardt and H. C. Hottel	Thermodynamic Properties of the Working Fluid in Internal-Combustion Engines	(N) Jl 35, 42 (P) 409
Hetzel, T. B. and P. H. Schweitzer	Cetane Rating of Diesel Fuels	(N) Fe 21, 34 (D) Mr 29 (P) 206
Hibbard, Hall L.	Design of Two-Engined Aircraft	(N) Mr 21 (P) 324
Hill, A. M.	Elements of Motorbus Operation	(N) Mr 23 (N) Se 27
Hinkley, C. C.	Elementary Theory of the Diesel Engine	(N) My 33
Hoey, W. B.	Thermo Setting Molding Practice	(N) De 31
Hoffman, Paul G.	Engineers Have Active Role in Future Highway Safety	(N) Jl 15, 36 (P) Ag 13
Holman, G. B.	Tariffs	(N) De 17
Hook, George T.	How State Regulation Has Affected Truck Design Development	(N) Jl 18, 34 (P) Se 13
Hope, Lawrence F. and Ewald J. Wolff	Production Balancing Practice	(N) My 19 (N) Jl 39
Horger, O. J.	Photo-Elastic Studies and Fatigue Tests of Axles	(N) Oc 32
Hottel, H. C., R. L. Hershey and J. E. Eberhardt	Thermodynamic Properties of the Working Fluid in Internal-Combustion Engines	(N) Jl 35, 42 (P) 409
Houghton, Howard A.	Designing for the Use of Aluminum Alloy Forgings and Extrusions in Aircraft Production	(N) No 40, 42
House, Lawrence	Aircraft Engine Requirements	(N) Jn 29
Huckle, Myron S. and Harold V. Nutt	Heat Rejection from Diesel Engines	(N) Jl 37, 42 (P) 483
Hunt, John H.	What Every Engineer Should Know About Patents	(N) Je 33
Hutchinson, Ernest A.	Requirements of Safe Motor Vehicle Operation	(N) Fe 29
Insley, Robert	Aircraft Engine Piston Ring and Cylinder Wear	(N) Fe 36, 52 (D) Mr 32
Insley, Robert	Recent Developments in Aircraft Engines	(N) Je 23
Jacklin, H. M.	Human Reactions to Vibration	(N) Jl 14, 33 (P) 401
Jehle, Ferdinand	Some Applications of Your College Training to Engineering	(N) My 40
Johnson, J. O.	Late Developments in Precision Gages	(N) Je 34
Johnson, Pyke	World Developments in Highways	(N) De 30
Johnson, Jr., Stephen	Sales Engineering Involves Cooperation and Facts	(N) Ap 21 (P) 233
Johnson, Jr., Stephen	Trend in Air-Brake Design	(N) No 28
Johnston, E. L.	Problems of Radical Body Design	(N) Fe 37, 54 (D) Mr 34
Jones, C. S.	Commercial Flying	(N) No 29
Jouett, Col. John H.	The Problem of the Private Plane Manufacturer	(N) No 27
Keeler, Prof. Leonard	Modern Methods of Crime Detection	(N) My 39
Kelley, T. R.	Operation and Engineering Problems of the Injection Engine	(N) My 33 (N) Jl 30
Kettering, C. F.	American Automotive Industry	(N) Jl 31
Killick, V. W.	Effect of Car Design Changes on Traffic Safety	(N) No 26
Kishline, Floyd F.	The Development of Superchargers and High Compression Engines	(N) Ag 22
Klein, Lieut. F. D.	Future Possibilities of 100-Octane Aircraft-Engine Fuel	(N) Jl 38 (P) 304
Knocke, Louis T.	Necessity of Experimental Activity in Engine Design	(N) No 31
Koppen, Otto	Airplane Design Needs for Unskilled Pilots	(N) Fe 38, 56 (D) Mr 36 (P) 69
Koppen, Otto	Smart Airplanes for Dumb Pilots	(N) Fe 38, 56 (D) Mr 36 (P) 69
Kreml, Lieut. Franklin M.	Traffic Law Enforcement	(N) Ap 20
Kreusser, O. T.	An Objective View of the Automotive Industry	(N) Fe 18, 34
Kubaugh, L. M.	Mechanical Rubber Goods Other Than Tires	(N) Ap 25
Kulason, B. A. and E. M. Barber	The Correlation of Car and Fuel Vapor-Locking Characteristics	(N) Jl 34, 41 (P) 351

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

Author	Title of Paper	Page
Kuttner, Julius	Aids to Commercial Efficiency in Diesel Research	(N) Mr 41 (N) Ap 21 (N) Se 27
LaFehr, F. E.	The Demands of Modern Engines for Modern Lubrication	(N) Ap 28
Land, E. H.	Elimination of Glare	(N) Jl 16, 35 (N) Ag 15
Land, E. H.	Polaroid	(N) Jl 16, 35 (N) Ag 15
LaRowe, H. K.	Lubrication of the Chassis Problems Involved in Procurement, Selection and Use	(N) Jn 28 (N) Mr 44
Larson, C. M., W. G. Ainsley and M. Fairlie	Cylinder Wear and Piston-Ring Sticking Tendencies of Automobile, Bus and Aircraft Engines	(N) Fe 36, 52 (D) Mr 32
Larson, E. I.	Characteristics of Die and Electrode Material in Resistance Welding	(N) Je 22
Laudan, F. P., R. J. Minshall and John K. Ball	Problems in the Design and Construction of Large Aircraft	(N) No 40, 48
Lefferts, E. B.	Can Traffic Accidents Be Reduced?	(N) Fe 29
Lerner, Morris R.	Diesel Engines in Transportation	(N) My 40
Leslie, John C.	Some Practical Gasoline and Oil Problems in Transpacific Flying	(N) Jn 38 (N) My 33
Locke, Dean J.	Application of Production-Line Methods to Maintenance	(N) Jn 27
Loomis, Lieut. F. Kent	Submarines	(N) My 36
Lougee, E. F.	Modern Plastics	(N) Ap 20
Lovell, W. G. and B. A. D'Alleva	Relation of Exhaust Gas Composition to Air-Fuel Ratio	(N) Fe 39, 60 (D) Mr 37 (P) 90
Lürenbaum, Karl	Vibration of Crankshaft-Propeller System	(N) Jl 38, 44 (P) 469
Lyman, A. A.	Diesel Engines for Trucks and Buses	(N) Ap 27
MacCoull, Neil and G. T. Stanton	The Measurement of Engine Knock by Electro-Acoustic Instruments	(P) 70
MacGregor, J. R.	Diesel Fuels—Significance of Ignition Characteristics	(N) Fe 21, 35 (D) Mr 29 (P) 217
Madle, Alain and T. C. DeLaval Crow	New Departure Transitorq Transmission	(N) My 39
Marriott, J. S.	The Government's Interest in Commercial Aviation	(N) Mr 41 (N) Se 27
Marsh, Burton W.	Engineering Aspects of Accident Prevention	(N) Fe 30
Marshall, A. G.	Recent European Developments in Diesel Fuel Research	(N) No 29
Martin, E. and C. F. Baker	The Development of a Constant-Speed Control, Part II	(N) Jl 36, 52
Martin, E., F. W. Caldwell and T. B. Rhines	Constant Speed Propeller Performance, Part I	(N) Jl 36, 50
Matson, Capt. Joseph M.	Development of the C.C.C. Motor Shop	(N) My 36
Maverick, G. M., E. L. Baldeschweiler and J. E. Neudeck	Deposits in White Metal Carburetors	(D) Jn 34
McCabe, John	The Inspection of Buick Production Gears	(N) Mr 41
McCarroll, R. H.	Laminated Safety Glass	(N) My 20 (N) Jl 39 (P) 292
McClintock, Miller	What Automotive Engineers Can Do About Highway Safety	(N) Fe 19, 34 (D) Mr 28 (P) Ap 13
McCune, Joseph C.	Factors in the Brake Problem of High Speed Diesel Trains as Related to Automotive Practice	(N) Ap 25
Meals, A. D.	Precision Cylindrical Grinding	(N) Mr 24 (N) Se 27
Meals, A. D. and George W. Binns	Modern Centerless and Cylindrical Grinding Practice	(N) Mr 24 (N) Se 27
Mercer, George J.	Body Designing Procedure	(N) Jl 20, 35 (P) 358
Merriman, M. E.	Bringing Italian Skies Down to the Earth	(P) 11
Merriman, M. E.	Development of the Italian Schneider Cup Engine	(N) Je 34
Messigner, C. R.	Standardization in Farm Equipment	(N) My 30
Meyers, George I.	Boeing School Aeronautic Training System	(N) De 31
Midgley, Thomas	Research, the Key to Future Development	(N) Ap 28
Mikita, J. J. and H. A. Everett	The Effect of Detonation in Oil Consumption	(N) Jl 24 (N) Se 18
Milburn, Lessiter C.	The Design and Development of the Martin Clipper Ships	(N) Ap 20
Miller, Maj. L. A.	Military Automotive Equipment and Testing Apparatus	(N) Fe 31
Minshall, R. J., John K. Ball and F. P. Laudan	Problems in the Design and Construction of Large Aircraft	(N) No 40, 48
Mock, F. C.	Engine Types and Requirements for Preparation of Fuels	(N) Jl 38, 52 (P) 257
Monteith, C. N.	This Airplane Business—What We Have and What We Lack	(N) Jl 30

Author	Title of Paper	Page
Neely, George L.	Extreme-Pressure Lubricants Testing	(N) Jn 39 (P) 293
Neudeck, J. E., E. L. Baldeschweiler and G. M. Maverick	Deposits in White Metal Carburetors	(D) Jn 34
Norris, R. F.	A Discussion of Passenger-Car Air Filters	(N) No 19, 21
Norris, R. F.	Noise Suppression	(N) De 32
Northrup, Amos	The Motor Car Produced Under Ideal Conditions	(N) Fe 35, 51 (N) Mr 23 (D) Mr 32
Nutt, Harold V. and Myron S. Huckle	Heat Rejection from Diesel Engines	(N) Jl 37, 42 (P) 483
Ogden, Eric	Physiological Considerations in Driving Safely	(N) No 26
Ohlson, B. E.	Olsen Methods of Balancing	(N) My 19 (N) Jl 39
Oldfield, Lee	Vanderbilt Cup Race	(N) No 28
Oldfield, Lee and Harold Blanchard	Review of the New Models	(N) Jn 26
Olsen, Jr., G. F.	Distillation and Treatment of Modern Gasolines	(N) Jn 28
Orr, J. M.	Safety in Motor-Vehicle Operation and Maintenance	(N) Jl 18, 34 (P) 313
Parkinson, John S.	The Ear as a Noise-Measuring Instrument	(N) Jl 23, 33 (P) 381
Parsons, C. P.	Auxiliary Automotive Equipment Used in Servicing Oil Wells	(N) No 18, 21
Patterson, W. A.	A Survey of Air Transportation	(N) Jl 36, 48 (P) 387
Paul, W. H.	Fuel Requirements of Automotive Vehicles	(N) Oc 26
Pennoyer, Jr., Com. F. W.	Maintenance and Overhaul of Naval Aircraft	(N) No 15, 39
Peterson, C. D.	Heavy-Duty Transmissions	(N) My 40
Pilsbury, Arthur	Some Salt Bed Speed Records and Their Making	(N) Jl 46
Pioch, W. F.	How Ford V-8 Crankshafts Are Cast and Machined	(N) My 18 (N) Jl 38 (P) My 21
Platt, Maurice	What European Car Designers Are Doing Today	(N) Jn 26
Potter, Nick	Modern Boat Design	(N) Mr 41
Pratt, Perry	Fuel Economy and the Truck Owner	(N) Jl 30
Pratt, Perry	Knock Rating of Diesel Fuels	(N) Fe 30
Preble, T. L.	Principles of Fleet Operation	(N) Jn 29
Prescott, Ford	Trends in Aircraft	(N) No 29
Price, Nathan C.	Small-Plane Powerplant-Developments	(N) Jn 27 (N) Mr 44
Prudden, George H.	Large-Production Economies from Small-Production Tools	(N) No 40, 44
Rassweiler, Gerald M. and Lloyd Withrow	Slow Motion Shows Knocking and Non-Knocking Explosions	(N) Jl 35, 41 (N) No 30 (P) 297
Raymond, Arthur E.	Designing to Please the Air Traveler	(N) No 40, 48
Rendel, T. B.	Diesel Fuel-Knock Testing	(N) Jn 38
Rendel, T. B.	Report of the Volunteer Group for Compression-Ignition Fuel Research	(N) Fe 21, 34 (D) Mr 29 (P) 225
Rhines, T. B., F. W. Caldwell and E. Martin	Constant Speed Propeller Performance, Part I	(N) Jl 36, 50
Roettiger, E. L.	Tractors and Industrial Power Equipment in Highway Maintenance and Construction	(N) My 29 (N) Je 31
Rodgers, Ted V.	The Trucking Industry	(N) De 40
Rogers, John L.	The I.C.C. Motor Carrier Act	(N) Mr 23
Roper, V. J.	Safe Seeing—Safe Driving	(N) Mr 21
Rose, Mauri	Racing and Its Contribution to the Automotive Industry	(N) No 28
Rose, R. A., G. C. Wilson and R. R. Benedict	Photo-Electric Combustion Analysis	(N) Jl 35, 41 (P) 459
Rose, Rowland	Scientific Design and Construction of Commercial Bodies	(N) Oc 31
Rosen, C. G. A.	The American Picture—Diesel Fuel Research	(N) No 29
Rothrock, A. M.	A Visual Study of Air-Flow, Fuel Spray, and Flame Formation in a Displacer-Piston, Compression-Ignition Engine	(N) Jl 37, 42
Rothrock, A. M.	The Visualization of Combustion in Aircraft Diesel Engines	(N) Mr 24
Round, George A.	Qualities of Solvent Processed Oils	(N) Fe 30
Rumely, V. P.	Custom Building Production Cars	(N) Fe 37, 56 (D) Mr 35
Ryder, Ambrose	Economics of Accident Prevention	(N) Fe 30
Saint-Gaudens, Homer	Beauty and Automobiles	(N) Mr 23 (N) Se 26
Saunders, L. P.	Radiator Development and Car Cooling	(N) Ap 21 (P) 498
Scaife, A. J.	A Study of the Economical Loading and Operation of Motor Trucks	(P) 1

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

Author	Title of Paper	Page
Schelp, Helmut	Alcohol Blends in Gasoline	(N) My 39
Schenck, R. B.	Metallurgy of Transmission Gears	(N) Fe 37, 56 (D) Mr 35 (P) Je 13
Scherger, T. A. and S. W. Sparrow	Cylinder Wear, Where and Why	(N) Fe 36, 52 (D) Mr 32 (P) 117
Schildhauer, C. H.	Operating Problems of Flying Boats	(N) My 33 (N) No 35, 39
Schrader, H. F.	Automotive Applications of Cathode Ray Oscillograph	(N) Mr 22
Schreiber, Martin	Modern Practice with Diesels in America and Europe	(N) De 39
Schwartz, S. C.	Testing of Lubricating Oils—Methods and Their Significance	(N) Jn 28
Schweitzer, P. H. and T. B. Hetzel	Cetane Rating of Diesel Fuels	(N) Fe 21, 34 (D) Mr 29 (P) 206
Scott, J. G.	Activities of Bureau of Motor Carriers	(N) De 40
Shaw, S. B.	Automotive Fleet Maintenance Problems on the Pacific Coast	(N) Jn 38
Shawl, R. I.	Gasoline vs. Kerosene for Tractor Fuel	(N) My 32 (N) Je 32
Sherman, D. W.	The Chassis Frame—Its Functions and Means for Increasing Efficiency	(N) Jl 23, 33 (P) 451
Shidle, Norman G.	Looking at the Future Through 1937 Design Trends	(N) De 33
Sidoti, Lieut.-Com. Juan	Air and Ground Transportation in Argentina	(N) Fe 30
Slater, John G.	Thermo Plastic Molding Practice	(N) De 31
Smith, W. Herbert	Design and Construction of the Lincoln-Zephyr	(N) Jl 31
Soucek, Lieut. V. H.	Naval Aircraft Engines	(N) Oc 31
Sparrow, S. W. and T. A. Scherger	Cylinder Wear, Where and Why	(N) Fe 36, 52 (D) Mr 32 (P) 117
Speed, F. R.	The Influence of High Octane Gasoline on Engine Design	(N) Fe 18, 34 (N) Ap 25
Stair, Ralph, George Calingaert and S. D. Heron	Sapphire and Other New Combustion-Chamber Window Materials	(N) Jl 34, 41 (P) 448
Stannard, Charles	Functions of Gears from an Engineering Standpoint	(N) Mr 41
Stanton, G. T. and Neil MacCoull	The Measurement of Engine Knock by Electro-Acoustic Instruments	(P) 70
Stevens, Capt. Albert W.	Man's Farthest Aloft	(N) Fe 31
Stout, W. B.	Functional Answers to Art Problems	(N) Fe 51 (D) Mr 32
Stout, William B.	Having Fun in Research	(N) Je 21
Stout, William B.	Progress Through Research	(N) No 27
Sweigert, R. L.	Thermodynamics of Volume Distribution	(N) Fe 39, 62 (D) Mr 37
Taub, Alex	Bridging the Gap between Designer and Machine Tool Man	(N) Mr 22
Taub, Alex	Fuel Consumption Problems	(N) Fe 38, 56 (D) Mr 35 (P) 66
Taylor, E. S.	Eliminating Crankshaft Torsional Vibration in Radial Aircraft Engines	(N) Fe 39, 66 (D) Mr 38 (P) 81
Taylor, Morris P.	The Effect of Gas Pressure on Piston Friction	(N) Fe 36, 52 (D) Mr 32 (P) 200
Teetor, Macy O.	Cylinder Temperature	(N) Jl 24, 36 (P) 328
Teetor, Ralph	S.A.E. Obligations Are Opportunities to Live Up to Best Traditions	(P) Mr 13
Teetor, Ralph and John A. C. Warner	Progress of Automotive Design	(N) Ap 29 (N) My 34 (N) Oc 26 (N) No 28, 30
Templeton, H. C.	Manufacture of Automotive Fabrics	(N) Jn 27
Thomas, James Shelby	What the Machine Has Done to Mankind	(N) De 20 (P) De 22
Tomlinson, D. W.	Reaching Toward the Stratosphere	(N) Mr 40
Towle, Capt. H. Ledyard	Growth of Streamlining	(N) Mr 23
Triplett, Tom A.	X-Rays and Gamma Rays – Their Industrial Application	(N) No 40, 44
Twining, E. S.	Research in Spark Plugs for Maximum Performance	(N) Jl 46
Tyler, John M.	Aircraft-Engine Installation Vibration Problems	(N) No 38, 40
Uhl, H. J.	Effect of Lubrication on Maintenance Cost	(N) Jn 27 (N) Se 25
Vail, D. J.	The Development of "Proferall" Cast Camshafts	(N) My 18 (N) Jl 38 (P) 288
Van Deventer, F. M.	Carbon Monoxide in Moving Vehicles	(N) Ap 26
Veal, C. B.	Cooperation – The Keystone of S.A.E. Research	(N) Jn 29, 39
Veal, C. B.	Getting By	(N) Je 20
Veal, C. B.	Opportunities for Young Engineers of Today	(N) My 40
Veal, C. B.	Rating Aviation Fuels – in Full-Scale Aircraft Engines	(N) Fe 40, 66 (D) Mr 38 (P) 161

Author	Title of Paper	Page
Vincent, E. T.	Early Development and Possible Future Trend of Diesels	(N) Ap 28
Von Hake, R. A.	Tooling a Medium Sized Airplane Factory	(N) No 35, 39
Wagner, Richard	The Effect of Gasoline Volatility on Engine Performance	(N) Fe 30
Ward, Jr., J. Carlton	Typical Plant Layout, Facilities, and Method for Production of Modern High-Powered Air-Cooled Radial Aircraft Engines	(N) No 38, 40
Warner, John A. C.	Automotive Engineering Conquers the World	(N) Jn 26
Warner, John A. C. and Ralph Teetor	Progress of Automotive Design	(N) Ap 29 (N) My 34 (N) Oc 26 (N) No 28, 30
Watson, R. A.	Bearings on Racing Cars	(N) Je 23
Watson, R. A.	The Use and Development of Crankshaft and Connecting Rod Bearings	(N) Ap 27
Weaver, Francis S.	Periodic Tune-Up of Modern Engines as a Factor of Operating Cost	(N) Oc 26
Weaver, H. G.	The Customer's Viewpoint in Relation to the Automobile	(N) Fe 20 (D) Mr 28
Weick, Fred E.	Everyman's Airplane – A Move Toward Simpler Flying	(N) Fe 38, 56 (D) Mr 36 (P) 176
Wells, J. P.	Modern Machine Cutting-Tool Requirements	(N) My 20 (N) Jl 39
Wetstein, E. L.	Steel for the Automotive Industry	(N) My 20
Wheeler, P. R.	The Clamp-Ring Safety Brake or Automatic Back-Stop	(N) My 40
White, A. E.	Metallurgical Trends in the Automotive Industry	(N) Fe 17, 33 (D) Mr 27
Widney, S. Ward	Spring, Tire and Shock Absorber Testing Development	(N) Fe 30 (P) 99
Williams, C. G.	Cylinder Wear in Gasoline Engines	(N) Fe 36, 52 (D) Mr 32 (N) Jl 24 (P) 191
Wilson, Al G.	The Value of the Chassis Dynamometer in Tune-Up Work	(N) Oc 26
Wilson, C. E.	Engineering versus Boondoggling	(N) Jn 40
Wilson, G. C., R. A. Rose and R. R. Benedict	Photo-Electric Combustion Analysis	(N) Jl 35, 41 (P) 459
Winegar, C. A.	Human Relationship in Industry	(N) My 39
Withrow, Lloyd and Gerald M. Rassweiler	Slow Motion Shows Knocking and Non-Knocking Explosions	(N) Jl 35, 41 (N) No 30 (P) 297
Wolf, Austin M.	Engineering Developments for 1936	(N) Jn 26, 29
Wolf, Austin M.	Futuristically Speaking	(N) Fe 35, 51 (D) Mr 32
Wolf, Austin M.	The Construction and Operation of Six-Wheel Trucks	(N) My 26 (P) 362
Wolf, Austin M.	Trends in 1937 Car Design	(N) No 13 (N) De 18, 30, 32 (P) 425
Wolff, Ewald J. and Lawrence F. Hope	Production Balancing Practice	(N) My 19 (N) Jl 39
Wood, Donald H.	Engine Nacelles and Propellers and Airplane Performance	(N) Fe 38, 60 (D) Mr 36 (P) 148
Wood, Gar	Evolution of the Miss America X	(N) Fe 29
Wood, H.	Liquid-Cooled Aero Engines	(N) Jl 37, 44 (P) 267 (D) 400
Woodward, L. W.	Developments in Ball Bearing Machines	(N) Ap 27
Wooler, E.	Anti-Friction-Bearing Applications in Passenger Cars, Trucks and Buses	(N) Jn 39
Young, F. M.	Care and Servicing of Engine Cooling Systems	(N) No 20, 21
Young, F. M.	Cooling Streamliners	(N) Jl 36, 42 (P) 393
Young, F. M.	Factors Affecting Cooling-System Design and Maintenance	(N) Jn 26, 40
Young, Raymond W.	Air-Cooled Radial Aircraft-Engine Performance Possibilities	(N) Fe 39, 64 (D) Mr 38 (N) My 30 (N) Je 31 (P) 234
Zand, Stephen J.	Airplane Acoustics as Applied to Motor Vehicles	(N) Jl 23, 34
Zand, Stephen J.	Soundproofing of Transport Airplanes	(N) My 40
Zimmerman, C. H.	The Study of Spinning Characteristics of Airplanes in N.A.C.A. Free-Spinning Wind Tunnel	(N) Mr 24

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

Discusser Index

Discusser	Page
Abbott, Ernest J.	385
Ainsley, W. G.	224, 232
Aldrin, Maj. Edwin E.	265
Barnard, Daniel P.	265
Bartholomew, Earl	97
Biggar, P. E.	224
Bixby, L. A.	Jn 20
Blanchard, Donald	323
Brettel, Clinton	145
Breuer, J. P.	Jn 20
Bull, A. W.	38
Cadwell, Sidney M.	38
Calingaert, George	Jn 34
Campbell, Kenneth	286
Coleman, Alfred F.	147
Cumming, Wm. J.	323
Darrow, Burgess	44
Davis, E. F.	Jn 19
Debbink, Henry L.	146
DeJuhasz, K. J.	216, 232
Dickinson, H. C.	96, Jn 35
Doolittle, J. H.	311, 357
DuBois, Ralph N.	24
Edgar, Graham	Jn 34
Faulkner, F. L.	43
Fenner, D. C.	380
Gerrish, Harold C.	98
Gregory, A. T.	264
Harrison, R. E. W.	292
Heron, S. D.	310
Hetzel, T. B.	216, 232
Hirshfield, C. F.	408
Hudson Motor Car Company	291
Huff, Leo	41
Keese, B. W.	Jn 21
Klein, Lieut. F. D.	287, 312
Lautzenhiser, Fred B.	8
LeMesurier, L. J.	215
Lundquist, W. G.	478
Mathews, H. O.	323
Maxon, C. R.	Jn 35
Mock, Frank C.	256, 266
Newton, L. V.	8, 43, 143
Norris, R. F.	385, 393
Padgett, J. E.	Jn 20
Parkins, W. A.	287
Ransome, S. M.	Jn 20
Reid, Elliott G.	188
Scaife, A. J.	10
Schlesman, C. H.	214
Schweitzer, P. H.	216, 223
Smith, K. D.	39
Smith, T. C.	43
Spring, Frank S.	188
Springer, B. L.	188
Stansfield, R.	215
Tea, C. A.	408
Tilley, N. N.	24
Towes, Gustave P.	265
Trimble, H. M.	311
Upson, Ralph H.	187
Vincent, Edward T.	214
Voss, Fred	98
Welch, R. G.	407
White, S. O.	Jn 18
Wirth, E. O.	Jn 35
Worth, W.	287

Subject Index

A

Accelerometers, Riding-Quality Measurement — Page
- Contact type — Ag 17
- Integrating — Ag 20
- Three-dimensional — Jl 14, Jl 33; Ag 19; 403, 405, 407, 408
- Vibrometer compared with — Ag 16

Accidents and Accident Prevention
- Aircraft
  - Causes analyzed — Fe 40, Fe 66; Mr 39; 161, 177, 182, 184; 261, 265; Jl 52
  - Control system effects — 184
  - Commercial vs. private — No 27
  - Decrease — Jl 48, Jl 56
  - Engine factors — 161
  - Fuel volatility effects — 261, 265, Jl 52
  - Ice formation — Fe 40, Fe 66; Mr 39
  - Landing factor — 177
  - Stalling factor — 182
- Automobile
  - Engineers Have Active Role in Future Highway Safety — Jl 13, Jl 15, Jl 36; Ag 13
  - Highway Safety – The New Dynamic — Jl 13, Jl 15, Jl 36; Ag 13
  - Safety in Motor-Vehicle Operation and Maintenance — Jl 18, Jl 34; 313
  - What Automotive Engineers can do About Highway Safety — Fe 19, Fe 34; Mr 28; Ap 13
  - Carbon monoxide factor — Ap 26; No 26
  - Causes analyzed — Fe 19, Fe 20, Fe 29, Fe 34; Mr 21, 99, 103, 107, 108, Mr 28, Mr 29; Ap 14, Ap 15, Ap 16, Ap 19, Ap 26; Jl 13, Jl 15, Jl 16, Jl 18, Jl 34, Jl 36; Ag 14, 313, 316; No 26
  - Cost — 322
  - Design factors
    - Body — No 13, 436, 439; De 18
    - Brakes — Fe 20; Mr 29; Jl 18; 316, 317
    - Engine mounting — Ap 19; Oc 14
    - Engine power — 322
    - Future predicted — Fe 35
    - Headlighting — Mr 21; Jl 18; 316, 317, 318, 321
    - Horn — 317
    - Importance of — Fe 21; Mr 29; Ap 15; Jl 18; 316, 323
    - Progress — Jl 15, Jl 36; Ag 13; De 32, De 33
    - Rear-view mirror — 317
    - Riding qualities — 99, 103, 107, 108; Jl 18; 321
    - Roadability — Jl 18; 321
    - Steering system — Ap 19; Jl 18; 317, 321
    - Streamlining — No 26
    - Tail-light — 317
    - Tires — Ap 19; No 26
    - Ventilation — Jl 18; 321
    - Visibility — Fe 29; Jl 18; 321
    - Wheel alignment — 317
    - Windshields — Ap 19; 317

Accidents and Accident Prevention (Concluded) — Page
- Driver responsibility — Fe 29; Ap 14, Ap 15, Ap 26; Jl 13, Jl 15, Jl 16, Jl 18, Jl 26, Jl 34, Jl 36; Ag 13, Ag 14, Ag 16; 313, 314, 322, 323; No 26
- Motorcoach and motor-truck compared with — 315
- Preventives
  - Driver licensing — Fe 20; Mr 28; Jl 13, Jl 15, Jl 16, Jl 18; Ag 14, 322
  - Inspections — Jn 39; Fe 21; Mr 29; Ap 20; Jl 18, Jl 36; Ag 15, 322
  - Law enforcement — Fe 29; Ap 19, Ap 20; Jl 36; Ag 15; 322
  - Legislation — Jn 39; Fe 20; Mr. 28, Mr 29; Jl 15, Jl 18; Ag 14; 322
  - Maintenance — Jl 34; 317, 318
- Road factor — Ap 14, Ap 16, Ap 26; Jl 13, Jl 15, Jl 18, Jl 36; Ag 14; 314, 318, 322
- Speed factor — Fe 19, Fe 20, Fe 34; Mr 28, Mr 29; Ap 14, Ap 16; Jl 18; 314, 315, 318, 323; No 26
- Statistics — Jl 16; Ag 13, Ag 15, 313, 316, 323
- Time of day factor — Fe 20; Mr 29; Jl 18; 317
- Traffic control factor — Jl 15, Jl 18; Ag 14; 322
- Vehicle age factor — Jl 18; 323

Industrial, statistics — 314
Marine, Diesel engine effects — Oc 31
Motorcoach
- Automobile compared with — 315
- Design factors
  - Frameless vs. conventional — Jl 35; 482
  - Shock absorption ability — 482
- Loading effects — 108
- Preventives
  - Driver selection and training — 318
  - Inspections — 323
  - Legislation — 323

Motor-truck
- Automobile compared with — 315
- Design factors
  - Body — 316
  - Cab — 315; Se 14
  - Camel-back vs. conventional — Se 14
  - Importance of — 317
  - List of — 315
- Driver responsibility — Fe 20, Fe 21, Fe 34; Mr 28, Mr 29; Ap 15; 319, 320
- Preventives
  - Driver selection and training — 315, 318, 319, 320, 323
  - Maintenance — 56, 65
- Report forms — 318
- Statistics — 319, 320

S.A.E. efforts against — Fe 19, Fe 23; Ap 13; Jl 26; 313; Oc 27; No 18

Aeronautical Chamber of Commerce, S.A.E. Cooperation with — 162; Se 19; Oc 18; No 14

Air Cleaners
- Air-fuel mixture ratios affected by — 511
- Engine wear reduced by — 122; No 19, No 21
- Oil type — No 19, No 21, 429; 511
- Testing — Jn 30; Je 29
- Tractor — Jn 30; Je 29

PAGE

Air Transport Association of America, S.A.E. Cooperation with Se 19; Oc 18; No 14

Aircraft Design and Construction
- AIRPLANE DESIGN NEEDS FOR UNSKILLED PILOTS 69
- DESIGN OF TWO-ENGINED AIRCRAFT Mr 21; 324
- EVERYMAN'S AIRPLANE—A MOVE TOWARD SIMPLER FLYING Fe 38, Fe 58; Mr 36; 176
- SMART AIRPLANES FOR DUMB PILOTS 69, Fe 38, Fe 58; Mr 36
- Airfoil, auxiliary, fixed 176, 177, 181
- Airworthiness requirements Mr 41; Se 27
- Altitude effects Mr 40; Je 20; 485, 486
- Aluminum used in Jl 44; Se 19; 394; No 14, 444, No 40, No 42
- Appearance, functional effect on 69
- Biplane, nacelle location 158
- Bolt and nut standardization 266
- Cabin
  - Comfort facilities No 40, No 48
  - Heating 486
  - Pressure compartments Je 20; 485
  - Sleepers No 50
  - Ventilation Je 20; 485, 486
- Center of gravity Fe 58; Mr 36; 181, 187, 188; 332
- Commercial, passenger transport Je 23; Jl 50
- Controls
  - Elevator, limited 181, 182
  - Privately-owned, requirements for 69, Fe 38, Fe 58; Mr 36; 177, 182, 184, 188
  - Three vs. two Fe 38; Mr 36; 177, 184, 188
- Design requirements Fe 30, 69, Fe 38, Fe 58; Mr 21, Mr 40, Mr 41; My 33, 176; Je 23; Jl 37, Jl 44, Jl 50; Se 27; 395; 444, No 27, No 40, No 48
- Fins, twin 332
- Flying boat
  - Design described Ap 20, Ap 27; My 33
  - Wings Ap 27
- Fuselage
  - Construction types 394; 445
  - Cross section shape Mr 21; 325
  - Drag affected by Mr 21; 325
  - Location 325
  - Metal 394; 445
- Hardware standardization Je 30; De 28
- Improvements desired Jl 30
- Landing gear
  - Nose wheel vs. tail wheel Mr 36; 177, 187
  - Privately-owned, requirements for Fe 38; Mr 36; 177, 187
  - Three-wheel tricycle type Fe 38, Fe 58; Mr 21, Mr 36; Je 33; 176, 177, 187, 188; 324
  - Weight 181
- Makes
  - Boeing 394
  - Curtiss 178, 179
  - Douglas Jl 44; 394, 395
  - Fairchild 185
  - Fokker 185
  - Howard Hughes 325
  - Hudson Fe 37, Fe 56
  - Langley 185
  - Lockheed 394
  - Martin Clipper Ap 20, Ap 27; My 33
  - Mignet 185
  - Stout Skycar Mr 36; 179, 187, 188
  - Weick Fe 38, Fe 58; Mr 36; 176
- Metal
  - MANUFACTURING PHASES OF METAL-AIRCRAFT CONSTRUCTION Jl 37, Jl 44; 394
  - STRESSED-SKIN STRUCTURES FOR AIRCRAFT Jl 37, Jl 44; 444
  - Construction types Jl 44; 394; No 16, 445
  - Corrosion prevention 395, 399
  - Design requirements Jl 37, Jl 44; 395; 444
  - Life of Jl 37, Jl 44; 458
  - Production Jl 37, Jl 44; Se 19; 394; No 14, 444, No 36, No 39, No 40, No 42, No 44
  - Strength 458
  - Stresses 447
- Multi-engine design Mr 21; 324
- Nacelle location, stability affected by Mr 21; 332
- Plastics used in Jl 44
- Privately-owned
  - Bureau of Air Commerce Fe 38; Mr 36; 176; No 27, No 30

PAGE

Aircraft Design and Construction (Continued)
- Design requirements 69, Fe 38, Fe 58; Mr 36; 176; No 27
- Engine requirements Mr 44
- Production
  - Bureau of Air Commerce supervision Oc 18; No 14, No 40, No 46
  - Cost, types compared Jl 44; 444
  - Inspection Jl 37; Oc 18, 399; No 14, No 40, No 46
  - Metal
    - Assembly Jl 37, Jl 44; 396, 399; 445, 446
    - Casting Jl 44; 395, 399
    - Cost Jl 44; 444
    - Design requirements Jl 37, Jl 44; 395; 444
    - Drop hammer used Se 19; No 36, No 40, No 44
    - Extrusions 395; 445, No 40, No 42
    - Flanging 396; 444
    - Forging Jl 44; Se 19; 395, 399; No 40, No 42
    - Forming 394, 396; 444
    - Heat treatment 394, 396; 446
    - Riveting Jl 44; 396; 445, 446
    - Tooling Jl 37; 395; No 35, No 36, No 39
    - Welding Jl 44; Se 19; 398, 399; No 14, 447, No 36, No 39
  - Quantity production No 40, No 46
  - Size effects No 40, No 48
  - Tooling Jl 37; 395; No 35, No 36, No 39
  - Wood No 14
- Propellers
  - Blades, number of 344
  - Drag affected by Fe 38; 149, 160
  - Hub, flexible Jl 38; 447
  - Location 149
  - Makes, Hamilton 284, Jl 36, Jl 52
  - Mounting, nose affected by My 40
  - Pitch setting Fe 60; Mr 36; 154, 158
  - Reduction gearing
    - Design 267, 269, 270
    - Vibration affected by 81, 83
  - Shafts
    - Drag affected by Fe 38; 160
    - Hollow Je 34
    - Standardization Je 32
  - Variable-pitch
    - Automatic Mr 21; 284, Jl 36, Jl 50, Jl 52; 324; No 16, No 17, No 39; De 33
    - Carburetion relation to De 33
    - Ceiling affected by No 17
    - Constant-speed Mr 21; 284, Jl 36, Jl 50, Jl 52; 324; No 16, No 17, No 39; De 33
    - Control methods Jl 50
    - Pitch setting 284; No 16, No 39
    - Take off affected by Mr 21; 324; No 17
    - Vibration affected by 81, 82
    - Weight 284
  - Vibration affected by 81, 82, 83
  - Weight 284
- Pusher type merits Mr 36; 158; 176, 187
- Research, cooperative Jl 48
- Rigidity, vibration affected by 344
- Rudders, twin 332
- Size trends No 40, No 48
- Standardization Je 30; 266; De 28
- Steel, stainless Jl 44
- Tail surfaces, cantilever Mr 21; 332
- Testing
  - Bureau of Air Commerce Mr 41; Oc 18; No 14, No 40, No 46
  - Production inspection Jl 37; Oc 18, 399; No 14, No 40, No 46
  - Time required for No 17
- Tractor type merits Mr 36; 158; 187
- Transoceanic design requirements Ap 20, Ap 27; My 33
- Weight
  - Altitude effects 485
  - Landing gear 181
  - Performance affected by 181; 332
- Wings
  - Ailerons, slot-lip Mr 36; 177, 182, 187, 188
  - Area, performance affected by 327
  - Aspect ratio, performance affected by 327
  - Boundary layer control Mr 21; 324
  - Flaps
    - Fowler Mr 21; 324
    - Glide path affected by Fe 38; Mr 36; 183, 187, 188

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Aircraft Design and Construction (Concluded)

- Junker 324
- Slotted Fe 38; Mr 36; 183, 187, 188
- Stability affected by 177, 182
- Trailing edge Mr 21; 324
- Flying boat Ap 27
- Metal
  - Construction types Jl 44; 394; No 16, 445
  - Monocoque Jl 44; 394, 395, 399; No 16, 445
  - Shear webs 394; 445
  - Stiffeners 445
  - Stress distribution 447
- Privately owned aircraft Fe 38; Mr 36; 176, 177, 181, 183, 187, 188
- Slotted, spinning affected by 181
- Stabilizer, lateral Ap 27
- Strength-weight ratio Ap 27
- Wood, production methods No 14

(See also Accidents and Accident Prevention, Aircraft; Aircraft Operation and Performance; Aviation; Engines, Aircraft; and Instruments, Aircraft)

Aircraft Operation and Performance

- FLIGHT IN THE SUB-STRATOSPHERE Je 20; 484
- Altitude effects
  - Commercial Mr 24; Jl 50
  - Design Mr 40; Je 20; 485
  - Drag 156
  - Flight length 324
  - Physiological Mr 40; Je 20; 484
  - Speed Mr 40; 325, 327, 332; 486
  - Stratospheric advantages Fe 31; Je 20; 484
  - Sub-stratospheric advantages Mr 40; Je 20; 484
  - Temperature 486
- Ceiling
  - Propeller effects 324; No 17
  - Weight effects 332
  - Wing effects 327
- Climb
  - Drag effects 152
  - Weight effects 332
  - Wing effects 327
- Control, force required for 69, Fe 38, Fe 58, Fe 60; Mr 36
- Cost, privately owned No 27
- Drag
  - Altitude effects 156
  - Climb affected by 152
  - Fuselage effects Mr 21; 325
  - Interference 149
  - Nacelle effects 152, 155
  - Propeller effects Fe 38; 149, 160
  - Testing 150
- Efficiency, propulsive
  - Calculation 153, 155, 156
  - Engine mounting effects Fe 38; 160
  - Propeller effects Fe 38, Fe 60; Mr 36; 154, 158, 160
  - Speed relation to 157
  - Trends Fe 38; 157
- Flight range, altitude effects 324
- Flying boat Ap 27; My 33; No 35, No 39
- Ground handling Mr 21; 324; No 20; De 31
- Landing
  - Difficulty 177, 182
  - Drift 179
  - Flaps, slotted, effects Fe 38; Mr 36; 183, 187, 188
  - High-speed 180
  - Landing gear effects Mr 21; 179, 180
  - Two-control 186
- Lighter-than-air, balloon stratosphere flight Fe 31
- Maintenance
  - Design factors Oc 18; No 16, No 39
  - Equipment and methods No 16, No 39
  - Service stops No 20
- Makes
  - Douglas 190
  - Lockheed 324, 325, 327, 332
  - Martin Clipper Ap 27; My 33
- Noise
  - Measurement standardization Je 29
  - Propeller My 40
  - Reduction progress My 40; Jl 23, Jl 34
- Oscillations, damping requirements 69, Fe 38, Fe 58; Mr 36
- Parasol monoplane 185
- Payload
  - Fuel consumption relation to Fe 39; 190
  - Fuel type effects, octane number Jl 54; 309
  - Transoceanic Ap 27

PAGE

Aircraft Operation and Performance (Continued)

- Physiological effects
  - Altitude Mr 40; Je 20; 484
  - Fatigue 484
- Piloting
  - Blind Mr 21
  - Training My 33; No 30; De 31
- Privately-owned
  - Cost No 27
  - Usage extent Jl 30
- Propellers
  - Efficiency
    - Calculation 153, 155, 156
    - Pitch effects Mr 36; 154, 158
  - Flutter causes 472
  - Fractures, vibration effects Jl 38; 470, 472, 474
  - Makes
    - Hedder 473
    - Heine 469, 473
    - HKW 473
    - Schwarz 469, 473
  - Noise, speed effects My 40
  - Power requirements 284; 341
  - Stresses, vibration effects 474
  - Thrust 284
  - Variable-pitch
    - Engine speed relation to 284
    - Power requirements 284; 341
    - Thrust 284
  - Vibration
    - Air forces, effects of 472
    - Blade number effects 344
    - Engine effects 472, 473, 474, 478, 479
    - Forms 471
    - Fractures caused by Jl 38; 470, 471, 472, 474
    - Frequencies 472, 473, 476
    - Prevention, flexible hub Jl 38; 477
    - Resonance effects 473, 476, 479
    - Stresses due to 474
- Speed
  - Altitude effects Mr 40; 325, 327, 332; 486
  - Commercial Jl 50; 387
  - Engine drag effects Fe 38; 156, 157
  - Flight length relation to 324
  - Propulsive efficiency relation to 157
  - Weight effects 332
  - Wing effects
    - Area 327
    - Aspect ratio 327
    - Loading increased by 324
- Spinning
  - Control methods Mr 24
  - Elevator, limited, effects 181, 182
  - Wing, slotted, effects 181
- Stability
  - Airfoil, auxiliary, effects 176, 177, 181
  - Center of gravity effects 322
  - Fin, twin, effects 332
  - Nacelle location effects Mr 21; 332
  - Privately-owned aircraft Fe 38; Mr 36; 181, 187
  - Rudder, twin, effects 332
  - Wing effects
    - Ailerons, slot-lip Mr 36; 177, 182, 188
    - Flaps 177, 182
- Stresses
  - Propeller 474
  - Wings, metal 447
- Take-off
  - Center of gravity effects Fe 58; Mr 36; 188
  - Design relation to Mr 21
  - Landing gear effects Mr 32; 324
  - Propeller effects, constant-speed Mr 21; 324; No 17
  - Wing effects
    - Boundary layer control Mr 21; 324
    - Flaps Mr 21; 324
- Testing
  - Drag 150
  - Noise Je 29
  - Vibration 342; 471, 476
- Transoceanic Mr 21; Ap 27; My 33; No 35, No 39
- Vibration
  - Engine effects 344; No 14, No 35, No 38, No 48; 472, 473, 474, 478, 479
  - Factors affecting 344; No 38, No 40
  - Human tolerance for 343
  - Propeller Jl 38; 471, 472, 473, 474, 476, 477, 478, 479

PAGE

Aircraft Operation and Performance (Concluded)
- Stresses due to 474
- Testing 342; 471, 476
- Wing loads, speed relation to 324

(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aviation; Engines, Aircraft; and Instruments, Aircraft)

Aluminum and Aluminum Alloys
- Aircraft use of Jl 44; Se 19; 394; No 14, 444, No 40, No 42
- Alclad 395, 399
- Anodic treatment Fe 53, Fe 55; Mr 32; Jl 39; 399; 450
- Body use, motorcoach 482
- Cadmium plating Mr 32
- Casting Fe 37, Fe 55; Jl 44; 395, 399
- Chemical composition 441
- Clyinder heads 72; 426
- Engine, aircraft, use 237; 246; 269
- Forging Jl 44; Se 19; 395, 399; No 40, No 42
- Heat treatment 394, 396; 446
- Motorcoach use Oc 31; 482
- Physical properties 394, 395, 397; 442
- Pistons Fe 53; Mr 32; 237, 246; Jl 39; 427, 441, 442, 450
- Rivets 396; 446
- Welding Jl 44; Se 19; 398, 399; No 14, 447, No 36, No 39

American Association of State Highway Officials 10; 365

American Society of Mechanical Engineers Mr 24; Ap 21; My 33; No 27

American Standards Association Jn 31; Fe 44; Je 28, Je 29; 266; Ag 22; Se 22

American Welding Society Fe 56

Army
- Aviation
  - Detonation testing 163, 172; 304; 334
  - Engine requirements No 30
  - Fuel research 304
  - Pilot training No 30
- Ordnance mechanization My 30; Je 31
- S.A.E., cooperation with 163, 172
- Tank progress My 30; Je 31

Automobile Design and Construction
- THE CAR OF THE FUTURE Jl 14, Jl 33; Oc 13
- THE FUTURE CAR – WHAT AND WHEN Jl 14, Jl 33; Oc 13
- TRENDS IN 1937 CAR DESIGN No 13, 425; De 17, De 30, De 32
- Accessibility De 19
- Appearance
  - Functional effects Mr 23
  - Sales value 359
  - Streamlining effects Jl 14; Oc 15
- Body and chassis unit construction Fe 35, Fe 37, Fe 51, Fe 54; Mr 34; Jl 22, Jl 35; Oc 14; 481, 483
- Bumpers
  - Progress 345
  - Standardization Je 28
- Cost trends Mr 15
- Custom-built Fe 37, Fe 56; Mr 35
- Electrical equipment standardization Jn 31; Je 32; De 29
- Equipment progress 345
- Engine mounting, rear
  - Future predicted De 32
  - Merits Fe 35, Fe 37, Fe 51, Fe 54, Fe 55; Mr 34; Jl 14; Oc 14; De 18
  - Future predicted Fe 35, Fe 51; Mr 22, Mr 23, Mr 32; Jl 14, Jl 33; Oc 13
- Horns, progress 435
- License plates Jl 47; 511
- Light car, French development Jl 31
- Makes
  - Auburn 434
  - Buick 431, 432, 433, 434, 435, 436, 437, 438, 439
  - Cadillac 431, 432, 433, 434, 435, 436, 437, 438, 439
  - Chevrolet 425, 432, 434, 435, 437, 438, 439; De 18
  - Chrysler My 39; 431, 432, 433, 434, 435, 436, 437, 438, 439, 440; De 18
  - Cord Fe 37, Fe 54; Mr 23, Mr 34; 432, 438, 439
  - De Soto 431, 432, 434, 435, 436, 437, 438, 439
  - Dodge 431, 432, 434, 436, 437, 439
  - Ford My 20; Jl 39; 434; De 19
  - Graham 431, 432, 434, 436, 437, 438
  - Hudson 425, 431, 433, 434, 435, 436, 437, 438, 439
  - La Salle 425, 431, 432, 433, 434, 435, 436, 437, 438
  - Lafayette 425, 431
  - Lincoln Mr 23; 433, 434, 435, 436, 437, 438, 440
  - Nash 431, 434, 435, 437, 438, 439
  - Oldsmobile 425, 431, 432, 433, 434, 435, 436, 437, 438
  - Packard 425, 431, 432, 434, 435, 437, 438, 439, 440
  - Plymouth 431, 432, 436, 439
  - Pontiac 425, 432, 433, 434, 435, 436, 437, 438, 439
  - S.I.A. Jl 31
  - Stout Scarab Fe 24, Fe 37, Fe 52, Fe 54; Mr 23, Mr 31, Mr 32, Mr 34; 131
  - Studebaker 431, 432, 433, 435, 436, 437, 438, 439, 440
  - Terraplane 425, 431, 433, 435, 436, 437, 438, 439
  - Willys 425, 434, 436, 437, 438, 439
- Production
  - Die casting Fe 37, Fe 55; Mr 35; De 18
  - Scheduling Fe 37, Fe 56; Mr 35
  - Time required Fe 37, Fe 56
- Progress Fe 18; Ap 27; My 34; Je 33; Ag 13; No 13, 425; De 17, De 18, De 30, De 32, De 33
- Propeller shafts, progress No 13, 432
- Racing influence on No 28
- Radio, progress in 436
- Rating Je 23
- Selling points 359
- Steels used in Fe 17, Fe 33; Mr 27
- Streamlining
  - Appearance Jl 14; Oc 15
  - Bottom enclosure Oc 15
  - Fuel consumption affected by Fe 56, Fe 58; Mr 35; Jl 14; Oc 15
  - Merits Se 26
  - Noise affected by Jl 23; 386
  - Progress Fe 35, Fe 51, Fe 52; Mr 32; 425; De 18
  - Rating formula Fe 52; Mr 32
  - Testing, wind tunnel Jl 34; 516
- Style effects Jl 14; Oc 13
- Testing, streamlining
  - RELIABILITY OF WIND-TUNNEL TESTING Jl 20, Jl 34; 516
- Treads 433
- Weight
  - Body-chassis unit construction effects Jl 22, Jl 35; 481, 483
  - Reduction needed Mr 36
  - Trends 425
- Weight distribution, riding-qualities affected by Ag 20
- Wheel enclosure Oc 14
- Wheelbases 424

(See also Accidents and Accident Prevention, Automobile; Automobile Operation and Performance; Axles; Bodies; Brakes; Clutches; Engine Design and Construction; Finishes; Foreign Design and Operation; Frames; Gears; Generators; Headlighting; Legislation; Motorcoach Design and Construction; Motor-Truck Design and Construction; Production; Racing; Riding-Qualities; Shock-Absorbers; Springs, Suspension; Steering Systems; Tires and Rims; Transmissions; Universal Joints and Wheels)

Automobile Manufacturers Association Jl 18, Jl 20

Automobile Operation and Performance
- Driver
  - Carbon monoxide effects on Ap 26; No 26
  - Skill testing Jl 17, Jl 26
- Grade climbing ability, speed relation to 510
- Life of Mr 15
- Lubricant types required Fe 17; 141, 143, 145
- Maintenance
  - Equipment and methods Je 22
  - Inspection, legal requirement for Jn 39; Fe 21, Fe 42; Mr 29; Ap 20; Jl 36; Ag 15, 317
  - Spring, suspension, repairing 109
- Noise
  - THE EAR AS A NOISE-MEASURING INSTRUMENT Jl 23, Jl 33; 381
  - Amount present Jl 23; 384, 386, 389, 392, 393
  - Annoyance factors Jl 23, Jl 33; 383, 385, 387
  - Criteria
    - Decibel scale 382, 385
    - Ear Jl 23, Jl 33; 381, 385, 392, 393
  - Measurement standardization Je 29
  - Reduction
    - Absorption materials Jl 23, Jl 34; 389, 391, 393
    - Body panel damping Jl 23, Jl 33; 384, 392, 393
    - Body panel isolation 386

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Automobile Operation and Performance (Concluded)
- Design Jl 23, Jl 34
- Extent possible Jl 23; 384, 386, 392
- Road surface effects Jl 23; 386
- Sources Jl 23, Jl 34; 386
- Speed effects 386, 389
- Streamlining effects Jl 23; 386
- Testing Jl 23, Jl 33, Jl 34; 383, 384, 385, 387, 388, 389, 392, 393
- Windage effects 386
- Speed
  - Congestion relation to Fe 34; Ap 14
  - Cooling affected by 498, 508, 509, 510, 511
  - Fuel consumption affected by 66, Fe 38
  - Grade climbing ability relation to 510
  - Heat loss affected by 498, 508, 510
  - Noise affected by 386, 389
  - Riding-qualities affected by Jl 14; Ag 21; 406, 407
- Testing, noise Jl 23, Jl 33, Jl 34; 383, 384, 385, 387, 388, 389, 392, 393
- Usage extent 322
- Wear, riding-qualities affected by 102, 107, 108, 110
- Wind resistance, bottom enclosure effects Oc 15

(See also Accidents and Accident Prevention, Automobile; Automobile Design and Construction; Axles; Bodies; Brakes; Clutches; Engine Operation and Performance; Finishes; Fleet Operation; Foreign Design and Operation; Frames; Gears; Generators; Governors; Headlighting; Legislation; Lubricants and Lubrication; Motorcoach Operation and Performance; Motor-Truck Operation and Performance; Racing; Riding-Qualities; Shock-Absorbers; Springs, Suspension; Steering-Systems; Tires and Rims; Transmissions; Universal Joints and Wheels)

Automotive Industry
- Progress Fe 18, Fe 34; My 34; Je 21; Oc 26; No 28, No 30
- Sales
  - Accident and congestion effects Ag 13
  - Engineer's qualifications Ap 22; 233
  - Exports No 20, No 21
- Value of Jn 26

Automotive Parts and Equipment Manufacturers, Inc. Fe 31

Aviation
- Air mail rates Jl 36
- Airport location De 31
- Airways, Federal system Se 27
- Bendix Trophy Fe 24
- Army
  - Detonation testing 163, 172; 304; 334
  - Engine requirements No 30
  - Fuel research 304
  - Pilot training No 30
- Commercial
  - A Survey of Air Transportation Jl 36, Jl 48; 387
  - Altitude Mr 24; Jl 50
  - Design requirements Je 23; Jl 50
  - Express Jl 36; 387
  - Flying boat use Ap 27; My 33; No 35, No 39
  - Hostess functions No 15
  - Passenger transport Je 20; Jl 36, Jl 48; 387
  - Profits Jl 30
  - Progress Jl 36, Jl 48; 387; De 31
  - Railroad, competition with Jl 50; 387
  - Research Jl 48
  - Scheduling No 21
  - Selling Je 20; Jl 30; 387
  - Speed Je 23; Jl 50; 387
- Guggenheim, Daniel, medal Fe 18
- Hangar design Jl 50
- History Mr 21
- Manly Memorial Medal Fe 21
- Navy 163; No 14, No 15, No 16, No 39
- Radio progress Mr 21; Se 27; De 32
- Traffic control Mr 41; Se 27
- Transoceanic
  - Flying boat use Ap 27; My 33; No 35, No 39
  - Fuel requirements Ap 27
  - History Mr 21
  - Island bases My 33; No 35, No 39
  - Payload Ap 27
- Weather reports Fe 29
- Wind tunnel research Mr 24; Jl 30
- Wright Brothers Medal Fe 24; Se 19; Oc 18; No 15

(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aircraft Operation and Performance; Engines, Aircraft and Instruments, Aircraft)

Axles
- Fatigue points Oc 33
- Front, progress 433

PAGE

Axles (Concluded)
- Maintenance, failure prevention through 58
- Motorcoach, progress 440
- Motor-Truck
  - Progress 440
  - Strength requirements 36
- Progress No 13, 432, 433, 440
- Rear
  - Differentials, inter-axle 366, 368, 371, 373, 375
  - Lubrication
    - Extreme-pressure lubricants Mr 26; 137, 145, 146; Se 25; No 23, No 28
    - Load carrying capacity requirements No 23
  - Progress No 13, 432, 440
  - Six wheel vehicles
    - Construction types My 36; 365, 370, 371, 372, 374, 375
    - Differentials, inter-axle 366, 368, 371, 373, 375
- Reduction gears, hypoid No 13, 432
- Reduction ratio
  - Cooling affected by 511
  - Dual 366, 367, 373, 374; 440
- Six wheel vehicles, rear
  - Construction types My 36; 365, 370, 371, 372, 374, 375
  - Differentials, inter-axle 366, 368, 371, 373, 375
  - Two speed 366, 367, 373, 374
- Testing, photo-elastic Oc 32
- Trailer, progress 440

B

Batteries
- Location 430
- Progress 430
- Starting requirements 133
- Testing standardization Jn 30; Mr 19

Bearings
- Axle, rear 432, 433
- Ball and roller
  - Automotive use of Jn 39
  - Axle, rear 432, 433
  - Progress Ap 27
  - Standardization Mr 19; 266; De 28
- Engine
  - Aircraft 269; 400
  - Diesel De 39
- Metal
  - Babbitt, non-crystallizing 427, 428
  - Bronze Mr 20; 269; 400
  - Cadmium 427; De 39
  - Copper-lead De 29, De 39
  - Standardization Fe 43; Mr 20; De 29
- Wheel 434

Blowers
(See Superchargers and Supercharging)

Bodies
- Body Designing Procedure Jl 20, Jl 35; 358
- Practical Noise Treatment of Automobile Bodies Jl 23, Jl 34; 388
- Safety in Body Design Through Chassisless Construction Jl 21, Jl 35; 480
- Aluminum used in 482
- Appearance
  - Functional effects Se 26
  - Sales value 359
- Carbon monoxide in Ap 26; No 26
- Chassis unit construction with Fe 35, Fe 37, Fe 51, Fe 54; Mr 34; Jl 22, Jl 35; 480, 481, 483
- Cooperative development Jl 20
- Cost Fe 54; Mr 34
- Design procedure Jl 20, Jl 35; 358
- Dimensions, changes in 438
- Dual shell construction Jl 23; 483
- Fenders, progress 438
- Functional design Fe 37, Fe 54; Mr 34; Se 26
- Future predicted Fe 35, Fe 51
- Hoods, progress 437
- Instrument panels, progress 436; De 18, De 32, De 33
- Motorcoach
  - Aluminum 482
  - Chassis unit construction with Jl 22, Jl 35; Oc 31; 480
  - Heating 440
  - Noise insulation 439
  - Production 483
  - Ventilating 440
- Motor-truck, progress 316
- Mounting 439, 457
- Noise
  - Amount present 386, 389, 392, 393

PAGE

Bodies (Concluded)
- Body-chassis unit construction — Fe 54; Mr 34
- Reduction
  - Absorption materials — Jl 23, Jl 34; 389, 391, 393
  - Diaphragmatic dissipation — 391, 393
  - Extent achieved — 392
  - Insulation, motorcoach — 439
  - Panel damping — Jl 23, Jl 33; 384, 392, 393
  - Panel isolation — 386
- Plastics used in — Ap 20
- Production
  - Motorcoach — 483
  - Upholstery material — Jn 26; Se 26
- Progress — No 13, 436, 437, 438; De 18, De 32, De 33
- Radiator grilles — 437; 511, 512
- Riding-qualities affected by — 102, 103; Jl 14; Ag 21, Ag 30; 407
- Rigidity — Ag 21; 454
- Running boards
  - Elimination — Oc 14; De 18
  - Progress — 439
- Safety features — No 13, 436, 439; De 18
- Seats
  - Cushions, rubber — Jl 14; 407
  - Progress — 439; De 18
  - Riding-qualities affected by — 103; Jl 14; Ag 30; 407
- Steel, usage extent — 438
- Upholstery
  - Color standardization — Oc 32
  - Production — Jn 26; Se 26
  - Progress — 439
- Weight — Fe 54; Mr 34
- Windshields
  - Polaroid — Jl 16; Ag 15
  - Progress — 436, 438; De 33

Bolt and Nut Standardization — Jn 31; 266

Boosters
(See Superchargers and Supercharging)

Brakes
- Air
  - Motor-truck — No 28
  - Progress — No 28
  - Six-wheel vehicle — 369
  - Trailer — No 29
- Drums
  - Iron, malleable — Mr 28
  - Steel — Mr 27, Mr 28
- Hill-holder — 433
- Hydraulic
  - Progress — 433
  - Six-wheel vehicle — 369, 370
- Maintenance — 59, 64
- Motor-truck
  - Air — No 28
  - Braking force — No 28
  - Hand, legal requirements for — Se 18
- Progress — 433, No 28
- Six-wheel vehicle
  - Air — 369
  - Braking force distribution — 369
  - Hydraulic — 369, 370
  - Torque transmission — My 36; 367
- Trailer
  - Air — No 29
  - Vacuum — 433
- Vacuum, progress — 433

Bureau of Air Commerce — Fe 38; Mr 21, Mr 36, Mr 41; 176; 324; 346, 347; Se 27, Oc 18; No 14, No 27, No 30, No 40, No 46

Bureau of Mines — Fe 42; Je 28; Ag 29; De 28

Bureau of Public Roads — 1, 39

Bureau of Standards — 163; Ag 17

Bus
(See Motorcoach)

C

Camshafts
- THE DEVELOPMENT OF "PROFERALL" CAST CAMSHAFTS — My 18; 288
- Cast iron — Mr 28; My 18; 288
- Design features — 291

PAGE

Camshafts (Concluded)
- Production
  - Cast iron — My 18; 288, 290, 291
  - Casting — My 18; 288, 290, 291, 292
  - Cost — My 18; 291, 292
  - Forging — 291, 292
  - Machining — My 19; 291
- Progress — 426
- Steel, cast iron compared with — 289, 290
- Testing
  - Physical properties — 290
  - Tolerances — 292
- Tolerances — 292
- Wear, cast iron vs. steel — 289

(See also Gears, Camshaft)

Carbureters and Carburetion
- DEPOSITS IN WHITE METAL CARBURETERS — Jn 34
- MORE VIEWS ON CAUSES OF DEPOSITS IN WHITE METAL CARBURETERS — Jn 34
- Air consumption testing — Fe 62; 92, 93, 97
- Air-fuel mixture ratio
  - RELATION OF EXHAUST GAS COMPOSITION TO AIR-FUEL RATIO — Fe 39, Fe 60; 90, Mr 37
  - Air filter effects — 511
  - Brake mean effective pressure affected by — 421
  - Combustion products affected by — 410, 411, 412
  - Distribution affected by — Fe 62; 94, 96, 98, 116, Mr 37
  - Dry — Fe 56, Fe 58; Mr 35
  - Efficiency, thermal, affected by — 421
  - Engine wear affected by — Fe 52; 193
  - Exhaust-gas analysis as criterion of — Fe 39, Fe 60; 90, 92, 94, 95, 96, 116, Mr 37
  - Fuel consumption affected by — 66, 67, Fe 56, Fe 58; Mr 35
- Aircraft
  - Air inlet location — 345
  - Air pressure, power affected by — 345
  - Air temperature
    - Ice formation affected by — Fe 40; Mr 39; 344
    - Indicator — 344
    - Power affected by — 278, 279; 304, 306; 344
  - Air-fuel mixture ratio
    - Control, automatic — Fe 64; Mr 39; 189, 190, 196; 239, 244, 248, 251, 256; Se 26; De 33
    - Cylinder temperature affected by — 165, 169; 254
    - Detonation affected by — 255
    - Engine wear affected by — Fe 39, Fe 64; Mr 38; 189, 190
    - Exhaust-gas analysis as criterion of — 242
    - Fuel consumption affected by — Fe 64; 165, 169, 189, 190; 239, 251, 256; Se 26
    - Indicator, exhaust-gas analyzer type — Fe 64; Mr 39; 190, 196; 242; Se 26
    - Operating requirements — Mr 39; 189; 239, 240, 241, 256
    - Power affected by — Mr 39; 165, 169; 254
  - Design requirements — 238
  - Direct injection compared with — 264, 265; No 30
  - Economizer system — 239, 249
  - Ice formation
    - Accident cause — Fe 40, Fe 66; Mr 39
    - Air temperature effects — Fe 40; Mr 39; 344
    - Air preheating as preventive — Fe 40; Mr 39; 344
    - Carbureter design effects — Fe 66; Mr 39; 259, Jl 48; 344
    - Direct injection as preventive — 264, 265; No 30
    - Fuel type effects — 335
  - Progress — 259
- Atomization effects — 266
- Choke, automatic — 429
- Die cast, deposits in — Jn 34
- Direct injection compared with — 264, 265, Jl 36; No 30
- Fuel volatility adjustment — 429
- Functions — 258, Jl 38
- Induction manifold design adaptation to — 68, Fe 38
- Progress — 429
- Temperature
  - Detonation affected by — 255
  - Fuel volatility relation to — 258
  - Power affected by — 266
- Testing, air consumption — Fe 62; 92, 93, 97
- Vapor lock, data on — 353
- Water, corrosion cause — Jn 34, Jn 35

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Clutches
- Cushion plate dimensions 431
- Motorcoach 431
- Progress 431

Collisions
(See Accidents and Accident Prevention)

Commercial Cars
(See Fleet Operation, Motorcoach and Motor-truck)

Connecting-Rods
- Progress 427
- Rigidity 427
- Weight reduction 427

Cooperative Fuel-Research
- Compression Ignition Volunteer Group
  - REPORT OF THE VOLUNTEER GROUP FOR COMPRESSION-IGNITION FUEL RESEARCH Fe 21, Fe 34; Mr 29; 225
  - Progress Jn 38; Fe 21, Fe 34; Mr 29, Mr 30; 217, 225
- Detonation testing
  - RATING AVIATION FUELS—IN FULL-SCALE AIRCRAFT ENGINES Fe 40, Fe 66; Mr 38; 161
  - THE PRECISION OF KNOCK RATING Oc 22
  - Aviation gasoline Jn 30; Fe 40, Fe 42, Fe 66; Mr 38; 161; Je 28, 238; 277, 287, Jl 38; 310, Ag 29; 333; 400; De 28
  - Engine tests, aviation gasoline Fe 40, Fe 42, Fe 66; Mr 38; 161; 277, 287, Jl 38; 310; 333; 400
  - Engine, C.F.R.
  - Improvements suggested Jn 38; De 28
  - Diesel fuels tested in Jn 38; Fe 21, Fe 22, Fe 34; Mr 29, Mr 30; 210, 214, 215, 216; 226; Jl 34; 492
  - Laboratory tests Jn 38; 75, Fe 42, Fe 43; Je 29; Ag 29; Oc 22, Oc 23; De 28
  - Road tests 75, Fe 42
  - Standardization 236; De 29
  - Subcommittee chairman De 29
- Foreign cooperation De 28
- Motor gasoline survey Fe 42; Je 28; Ag 29; De 28
- Progress Fe 42
- Vapor lock research Fe 42; Je 28

Corrosion and Corrosion Prevention
- Aluminum
  - Alclad 395, 399
  - Anodic treatment Fe 53, Fe 55; Mr 32; Jl 39; 399; 450
- Chromate treatment Jn 34
- Cylinders
  - Detonation suppresser effects 236, 238; 309, 310
  - Fuel sulphur content effects 192, 193
  - Lubricant effects Fe 36, Fe 53; 123; 193, 194
  - Wall temperature effects Fe 36, Fe 52; 192, 194
  - Water as factor Fe 36; 192
  - Wear caused by Fe 36, Fe 52; 192, 194

Crankcases
- Rigidity, engine roughness relation to 48, 54, Fe 38, Fe 56; Mr 35
- Ventilation 59

Crankshafts
- ELIMINATING CRANKSHAFT TORSIONAL VIBRATION IN RADIAL AIRCRAFT ENGINES Fe 39, Fe 66; 81, Mr 39
- HOW FORD V-8 CRANKSHAFTS ARE CAST AND MACHINED My 18, My 21
- VIBRATION OF CRANKSHAFT-PROPELLER SYSTEMS Jl 38, Jl 44; 469
- Aircraft engine
  - Elastic characteristics Fe 39; 81, 83
  - Fractures Jl 38; 470, 471, 474
  - Freedom, degrees of 469, 470
  - Gas pressure torque 82
  - In-line engine
    - Fractures Jl 38; 470, 471, 474
    - Freedom, degrees of 469, 470
    - Radial engine compared with Jl 37; 273; 470, 478
    - Rigidity 477
    - Stresses 474
    - Vibration 469, 470, 473, 478
  - Inertia characteristics Fe 39; 81
  - Propeller coupling, flexible Jl 38; 477
  - Radial engine
    - Elastic characteristics Fe 39; 81, 83
    - Gas pressure torque on 82
    - In-line engine compared with Jl 37; 273; 470, 478
    - Inertia characteristics Fe 39; 81
    - Stresses 83, 88
    - Vibration Fe 39; 81; 470, 478
  - Rigidity 477
  - Stresses 83, 88; 474
  - Vibration Fe 39; 81; 469, 470, 473
- Cast iron Mr 28
- Diesel
  - Cast vs. forged My 18; Jl 38
  - Weight My 18; Jl 38

PAGE

Crankshafts (Concluded)
- Elastic characteristics Fe 39; 81, 83
- Freedom, degrees of 469, 470
- Gas pressure torque on 82
- Inertia characteristics Fe 39; 81
- Production
  - Balancing My 19, My 23; Jl 38, Jl 39
  - Casting
    - Forging compared with My 18, My 24; Jl 38
    - Methods described My 18, My 21, My 22; Jl 38
  - Cost My 18, My 24
  - Hardening 427
  - Heat treatment My 22
  - Machining My 18, My 23; Jl 38
- Progress My 18, My 21; 427
- Rigidity 477
- Steel My 22
- Stresses 83, 88; 474
- Testing
  - Production methods My 21, My 22, My 23
  - Vibration Jl 34; 471, 476, 479, 495
- Vibration
  - Aircraft engine
    - Amplitude calculation 474; 479
    - Dampers Fe 40, Fe 66; 83, 84, 85, 88; 476, 478
    - Elastic characteristics affected Fe 39; 81, 83
    - Forms of Fe 39; 81; 470, 471, 472, 474
    - Fractures caused by 470, 471, 472, 474
    - Freedom, degrees of 469, 470
    - Frequencies 470, 473
    - Gas pressure torque effects 82
    - In-line engine 469, 470, 473, 478
    - Inertia characteristics affecting Fe 39; 81
    - Propeller effects Jl 38; 469, 471, 473
    - Propeller hub, flexible, as preventive Jl 38; 477
    - Radial engine Fe 39; 81; 470, 478
    - Resonance effects 469, 470, 473, 479
    - Rigidity as preventive 477
    - Stresses due to 83, 88; 474
    - Testing 471, 476, 479
  - Dampers
    - Dynamic 476, 478
    - Lanchester Fe 40; 84
    - Pendulous Fe 40, Fe 66; 85, Mr 39
    - Progress 427, 428
    - Resonant Fe 40; 84
    - Stresses affected by 88
    - Variable-frequency Fe 40, Fe 66; 85, Mr 39
  - History 47
  - Testing Jl 34; 471, 476, 479, 495
- Wear My 24
- Weight My 18, My 24; Jl 38

Cylinders
- CYLINDER TEMPERATURE Jl 24, Jl 36; 328
- CYLINDER WEAR, WHERE AND WHY Fe 36, Fe 52; Mr 32; 117; My 36
- CYLINDER WEAR IN DIESEL ENGINES Fe 36, Fe 52; Mr 32; 197
- CYLINDER WEAR IN GASOLINE ENGINES Fe 36, Fe 52; Mr 32; 191
- Aircraft
  - Air-cooled
    - Baffle design 245
    - Combustion chamber design Fe 64; 245, 246, 256
    - Cooling design requirements 236
    - Fin design 236, 245; 280, 281, 286; 400
    - Temperature 165, 169; 238, 253, 254, 255; 307; 334
  - Combustion chamber design
    - Aircraft Fe 64; 245, 246, 256
    - Diesel 263
    - Divided 263, Jl 52
    - Dome shaped 245
    - Fuel consumption affected by 256
    - Spark plug location Fe 64; Mr 39; 246
  - Finish, ring wear affected by Fe 36; Mr 33
  - Hardness, wear affected by Fe 36, Fe 54; Mr 33
  - Liquid-cooled
    - Construction Jl 37; 269, 275
    - Temperatures 274
  - Production, cast vs. forged Jl 38; 276, 279
  - Temperatures
    - Air-cooled 165, 169; 238, 253, 254, 255; 307; 334
    - Air-fuel mixture ratio effects 165, 169; 254
    - Fuel consumption relation to 238, 253, 255
    - Fuel type effects, octane number 165, 169; 238, 253, 255; 307; 334
    - Liquid-cooled 274
  - Wear
    - Air-fuel mixture ratio effects Fe 39, Fe 64; Mr 38; 189, 190

PAGE

Cylinders (Continued)
- Hardness effects — Fe 36, Fe 54; Mr 33
- Lubricant effects — Fe 36
- Cast iron — Mr 28
- Combustion chamber design
  - Aircraft — Fe 54; Mr 39; 245, 246, 256; 263; Jl 52
  - Area distribution — Fe 39
  - Copper inserts — Fe 62
  - Divided, direct injection used in — 263
  - Dome shaped — 245
  - Exhaust elimination affected by — 67
  - Fuel consumption affected by — 67, Fe 38; 256
  - Heat loss affected by — 498, 510
  - L-head merits — 498, 510
  - Overhead-valve merits — 498, 510
  - Ricardo — De 33
  - Spark plug location
    - Exhaust path relation to — Fe 64; Mr 39; 246
    - Fuel consumption affected by — 68, Fe 38
    - Projecting — Fe 39; Mr 37, Mr 38
  - Testing — Fe 39, Fe 62; Mr 37
  - Volume distribution — Fe 39, Fe 62; Mr 37
- Corrosion
  - Detonation suppresser effects — 236, 238; 309, 310
  - Fuel sulphur content effects — 192, 193
  - Lubricant effects — Fe 36, Fe 53; 123; 193, 194
  - Wall temperature effects — Fe 36, Fe 52; 192, 194
  - Water as factor — Fe 36; 192
  - Wear caused by — Fe 36, Fe 52; 192, 194
- Diesel
  - Combustion chamber, pre-combustion, merits — 263
  - Wall temperature, wear affected by — Fe 36; 199
  - Wear
    - Air humidity effects — Fe 36, Fe 53; Mr 33; 199
    - Data on — Fe 36; 197
    - Fuel feeding system effects — 199
    - Fuel type effects — Fe 36, 198, 199
    - Load effects — Fe 36; 198
    - Starting effects — 197
    - Wall temperature effects — Fe 36; 199
- Distortion
  - Blowby increased by — 328, 329
  - Cooling effects — 502
  - Design effects — 426
  - Lubrication affected by — 330
  - Production effects — Jl 25
  - Trends — Jl 24, Jl 33; 328
  - Wear affected by — Fe 53, Fe 54; Mr 32, Mr 33, Mr 34; 329
- Finish, piston ring wear affected by — Fe 36, Fe 54; Mr 33; 121, 123
- Hardness, wear affected by — Fe 36, Fe 54; Mr 33
- Heads
  - Aircraft, temperatures — Fe 62; 165, 169; 238, 253, 255; 307; 334
  - Aluminum — 72; 426
  - Bronze — 72
  - Cast iron — 72; 425, 426
  - Composite — 426
  - Copper — 426
  - Fuel consumption affected by — 67
- Production
  - Aircraft — Jl 38; 276, 279
  - Cast, forged compared — Jl 38; 276, 279
  - Machining — My 20; Jl 25, Jl 39
- Scale removal — Jl 25
- Sleeves — Jl 24, Jl 25; 331
- Temperature
  - Aircraft
    - Air-cooled — 165, 169; 238, 253, 254, 255; 307, 334
    - Liquid-cooled — 274
  - Air-fuel mixture ratio effects — 165, 169; 254
  - Blowby affected by — 330, 331
  - Cooling effects
    - Design — Jl 24; 331
    - High-temperature cooling — 274
  - Copper insert effects — Fe 62
  - Corrosion affected by — Fe 36, Fe 52; 192, 194
  - Diesel — Fe 36; 199
  - Engine speed relation to — Jl 24; 329, 331
  - Friction affected by — Fe 37; 202, 204, 205
  - Fuel consumption relation to — 238, 253, 255
  - Fuel type effects, octane number — 165, 169; 238, 253, 255; 307; 334
  - Hot spots — Jl 24; 328

PAGE

Cylinders (Concluded)
- Oil consumption affected by — Jl 24; 330, 331
- Sleeve construction effects — Jl 25; 331
- Testing — 329
- Wear affected by — Fe 36, Fe 52; Mr 33; 121; 192, 194, 199; Jl 24, Jl 33; 329, 330, 331
- Testing
  - Combustion chamber merits — Fe 62; Mr 37, Mr 38
  - Temperature — 329
  - Wear — Fe 36, Fe 52, Fe 54; Mr 33, Mr 34; 192, 193, 194, 197
- Valve seat insert standardization — Jn 31; Je 28; Oc 32; No 28; De 29
- Wear
  - Air humidity effects — Fe 36, Fe 53; Mr 33; 199
  - Aircraft — Fe 36, Fe 39, Fe 54, Fe 64; Mr 33, Mr 38; 189, 190
  - Air-fuel mixture ratio effects — Fe 39, Fe 52, Fe 64; Mr 38; 189, 190, 193
  - Corrosion effects — Fe 36, Fe 52; 192, 194
  - Data on — Fe 36, Fe 39, Fe 53, Fe 54; Mr 32, Mr 33, Mr 34; Mr 38; 117, 120, 121, 122; 189, 190, 197
  - Diesel — Fe 36; 197
  - Dirt effects — Fe 36, Fe 52; Mr 32; 122; My 36
  - Distortion effects — Fe 53, Fe 54; Mr 32, Mr 33, Mr 34; 329
  - Fuel feeding system effects — 199
  - Fuel type effects — Fe 36; 198, 199
  - Hardness effects — Fe 36, Fe 54; Mr 33
  - Load effects — Fe 36; 193, 198
  - Lubricant effects — Fe 36, Fe 53; Mr 32, Mr 33; 118, 124; 192, 193
  - Piston effects
    - Clearance — Fe 36, Fe 53; Mr 33; 195
    - Expansion — Mr 32
    - Plating — Fe 53; Mr 32
    - Rings — Fe 36, Fe 53, Fe 54; Mr 33; 117, 118, 120; 193, 195
  - Starting effects — Fe 53, Mr 32, Mr 34; 123; 192, 197
  - Temperature effects — Fe 36, Fe 52; Mr 33; 121; 192, 194, 199; Jl 24, Jl 33; 329, 330, 331
  - Testing — Fe 36, Fe 52, Fe 54; Mr 33, Mr 34; 192, 193, 194, 197

D

Delivery Cars
(See Motor-trucks)

Detonation
- EFFECT OF DETONATION ON OIL CONSUMPTION — Jl 24; Se 18
- SLOW MOTION SHOWS KNOCKING AND NON-KNOCKING EXPLOSIONS — Jl 35, Jl 41; 297
- Engine affected by, oil consumption — Jl 24; Se 18
- Engine factors
  - Aircraft engine — 236; 255; 278, 279, Jl 56; 310, 312
  - Air-fuel mixture ratio — 76; 147; 255; 307
  - Air-fuel mixture temperature — Fe 42; 255; 278, 279
  - Combustion chamber design — 72, Fe 39; Mr 38
  - Combustion pressure — Fe 39; Mr 37, Mr 38; Jl 34; 493, 494
  - Compression ratio — 72, 73, 76
  - Cooling
    - Air vs. liquid — 72; 278, 279; 310, 312
    - Jacket temperature — 72; 278; 493
    - Radiator condition — Jl 25
  - Cylinder-head material — 72; 279
  - Cylinder size — 272, 278
  - Diesel engine — Fe 34; 213; Jl 34; 459; 492
  - Flame propagation — Jl 35; 301
  - Fuel charge stratification — Jl 54
  - Fuel feeding system, direct injection — 261, 262
  - Ignition
    - One vs. two spark plugs — 278
    - Timing — 73
  - Ignition lag — 459
  - Induction manifold temperature — Fe 42
  - Pressure rise — Fe 39; Mr 37, Mr 38
  - Speed — 72; 278
- Fuel factors
  - Aromatic content — 277, 287, Jl 56; 310, 312; 400
  - Aviation fuel — Jn 29; 190; 238, 254, 255; 304; 333
  - Cracking — 71, 75, 76
  - Diesel fuel — Fe 34; Mr 31; 213; 221
  - Di-ethyl ether — 310; 350
  - Ethyl ether — 338
  - Iso-octane — 305, 306, 307; 337
  - Isopropyl ether — Jl 54; 311; 334, 337
  - Octane number requirements, aircraft — 190; 238, 254, 255; 304; 333
  - Sensitivity factor — 76
  - Toluene — 305, 306, 307; 494

Abbreviations Used:

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

PAGE

Detonation (Concluded)
- Mechanism — Jl 34, Jl 35, Jl 41; 302, 312; 492
- Sound
  - Source of — Jl 41; 491
  - Spectra of — 72
- Suppressers
  - Benzol — 71, 75, 76; 163, 165, 167, 169, 170, 172; 238; 269, 270; 305
  - Cyclo-hexane — 494
  - Di-isobutylene — 494
  - Engine corrosion caused by — 236, 238; 209, 310
  - Iso-pentane — 305
  - Methanol — 270
  - Tetraethyl lead — 71, 76; 163, 165, 169, 170, 172; 236, 238; 269, 270, 271; 305, 306, 309, 310; 494
- Testing
  - RATING AVIATION FUELS—IN FULL-SCALE AIRCRAFT ENGINES — Fe 40, Fe 66; Mr 38; 161
  - THE MEASUREMENT OF ENGINE KNOCK BY ELECTRO-ACOUSTIC INSTRUMENTS — 70; 147
  - THE PRECISION OF KNOCK RATING — Oc 22
  - Army Air Corps — 163, 172; 304; 334
  - Audibility method
    - External — 71, 78
    - Internal — 73, 79
  - Aviation gasoline
    - Army Air Corps — 163, 172; 304; 334
    - British Air Ministry — 277
    - Cooperative Fuel-Research method — Jn 30; Fe 40, Fe 42, Fe 66; Mr 38; 161, 163, 173; Je 28, 238; 277, 287, Jl 38; 310, Ag 29; 333; 400; De 28
    - Engine and laboratory correlation — Fe 40, Fe 42, Fe 66; 161, 162, 169, 171; 277, 287, Jl 38; 310; 333; 400
    - Formula, indexing — 165
    - Navy — 163
    - Reference fuels — 310, Ag 29; De 28
  - Bouncing pin use — 71, 75
  - British Air Ministry — 277
  - Cooperative Fuel-Research method
    - Aviation gasoline — Jn 30; Fe 40, Fe 42, Fe 66; Mr 38; 161, 163, 173; Je 28, 238; 277, 287, Jl 38; 310, Ag 29; 333; 400; De 28
    - Electro-acoustic correlation with — 75
    - Laboratory — Jn 38; 75, Fe 42, Fe 43; Je 29; Ag 29; Oc 22, Oc 23; De 28
    - Road — 75, Fe 42
    - Standardization — 266; De 29
  - Detonation meter — 71
  - Diesel engine — Jn 38; Fe 21, Fe 22, Fe 34; Mr 29, Mr 30; 210, 214, 215, 216; 226; Jl 34; 492
  - Electro-acoustic instruments — 71
  - Engine tests, aircraft — Fe 40, Fe 42, Fe 66; Mr 38; 161, 162, 169, 171; 277, 287, Jl 38; 310; 333; 400
  - Formula, indexing — 165
  - History — 71
  - Indicator, cathode ray — Jl 34, Jl 41; 491
  - Knock intensity effect — 76; Oc 22, Oc 23; 494
  - Laboratory, Cooperative-Fuel Research
    - Accuracy — Oc 22, Oc 23
    - Air condition effects — Oc 22, Oc 24
    - Electro acoustic measurement correlation — 75
    - Engine carbon effects — Oc 22, Oc 24
    - Engine modification — Jn 38; De 28
    - Fuel type effects — Oc 22, Oc 23
    - Knock intensity effects — Oc 22, Oc 24; 494
    - Octane number rating — Je 29
    - Reproducibility checking — Jn 38; Ag 29; De 28
    - Revision — Fe 42; De 28
    - Road test correlation with — Fe 42
  - Navy — 163
  - Oscillograph measurement of — 74
  - Photographic measurement of — Jl 35, Jl 41; 297
  - Reference fuels — Jn 39; Fe 42; Je 28; Jl 34; 310, Ag 29; De 28, 493
  - Road, Cooperative Fuel-Research
    - Electro acoustic measurement correlation — 75
    - Laboratory test correlation with — Fe 42

E

Economics
- WHAT THE MACHINE HAS DONE — De 20, De 22
- Living standards
  - Progress — De 22
  - Machine effects — De 22
- Unemployment, machine effects on — De 25

Engine Design and Construction
- ENGINE ROUGHNESS—ITS CAUSE AND CURE — 47, Fe 38, Fe 56; Mr 35
- TRENDS IN 1937 CAR DESIGN — No 13, 425; De 17, De 30, De 32
- Aircraft compared with — Oc 31

PAGE

Engine Design and Construction (Continued)
- Aircraft use of — Ap 25; No 30
- Aluminum used in — 72; 426, 427
- Compression ratio
  - Brake mean effective pressure affected by — 421
  - Efficiency, thermal, affected by — 421
  - Fuel consumption affected by — Ag 24
  - Fuel type effects — Ap 21
  - Trends — 425, 426
- Cooling
  - RADIATOR DEVELOPMENT AND CAR COOLING — Ap 21; 496
  - Cylinder wall temperature affected by — Jl 24; 331
  - Fans
    - Belt and pulley standardization — Jn 30; Je 30; Oc 32; No 28; De 29
    - Progress — 429
  - Function of — Jn 26, Jn 40
  - Progress — 428
  - Pumps
    - Merits of — Jn 26
    - Progress — 428
    - Suction — 510, 511, 513
  - Radiators
    - Air gap width — 509
    - Air-water passage ratio — 498
    - Construction types — 497, 503, 504, 509
    - Depth — 428; 509, 511
    - Double-center core — 509
    - Fin and tube type — 497, 498, 509
    - Frontal area — 428; 509
    - Grilles — 437; 511, 512
    - Hexagonal core type — 498, 503, 509, 513
    - History — 496
    - Honeycomb type — 497
    - V-type — 509
    - Weight — 503, 509, 513
  - Thermostat location — 513
- Fuel-supply systems
  - Direct-injection, volatility requirements for — 258, 261, 264, Jl 38
  - Gasoline tank progress — 429
  - Progress — 429
  - Pump progress — 429
  - Pumps vs. vacuum system, vapor lock affected by — 351
  - Tube fitting standardization — Fe 43; Mr 20; Se 22
  - Vapor handling capacity, vapor lock affected by — 352, 353
  - Vapor vents, vapor lock prevention — Jl 42; 351, 353
- Future predicted — Fe 35, Fe 51, Fe 52; Mr 32; Oc 13
- Lubrication
  - Force feed vs. splash system — Jl 25, Jl 36
  - Oil filter progress — 428
  - Progress — 428
  - Tube fitting standardization — Fe 43; Mr 20; Se 22
- Makes
  - Buick — 425, 426, 427, 428, 429, 430
  - Cadillac — 425, 426, 427, 428, 429, 430; 499
  - Chevrolet — 425, 427, 428, 429
  - Chrysler — 426, 427, 429
  - Cord — 429
  - Daimler — 497
  - De Soto — 426, 429
  - Dodge — 426, 429
  - Domark — 426, 427
  - Duesenberg — 427
  - Ford — My 18, My 21; 426
  - Graham — 427, 428, 429
  - Hudson — My 19; 291; 426, 427, 429, 430
  - Knight — 49
  - La Salle — 425, 426, 428, 429
  - Lafayette — 426, 430
  - Lincoln — 426, 429
  - Mercedes — 497, 498
  - Nash — 426, 430
  - Oldsmobile — 426, 427, 428, 429, 430
  - Packard — My 20; Jl 39; 425, 427, 428, 429, 430
  - Pierce Arrow — 426
  - Plymouth — 426
  - Pontiac — 426, 427, 428, 429, 430
  - Renault — 497
  - Studebaker — 426, 428, 429
  - Stutz — 427
  - Terraplane — My 19; 291; 425, 427, 429, 430
  - Willys — 427, 429, 430
- Mounting
  - Forward — 434
  - Progress — 430
  - Rear
    - Future predicted — De 32
    - Merits — Fe 35, Fe 37, Fe 51, Fe 54, Fe 55; Mr 34; Jl 14; Oc 14; De 18

PAGE

Engine Design and Construction (Concluded)

Rubber 430
Vibration affected by 430
Progress My 34; No 13, 425; De 17, De 30, De 32, De 33
Racing Je 22
Research contribution to No 31
Rigidity, engine vibration affected by Mr 35
Size trends 425, 426
Weight trends 425, 426
(See also Air Cleaners; Bearings; Camshafts; Carbureters and Carburetion; Connecting-rods; Crankcases; Crankshafts; Cylinders; Detonation; Engine Operation and Performance; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motor-truck; Engines, Railcar; Engines, Tractor; Foreign Design and Operation; Fuels; Gasoline; Generators; Ignition; Induction; Pistons; Springs, Valve; and Valves and Valve-gear)

Engine Operation and Performance

ENGINE ROUGHNESS—ITS CAUSE AND CURE 47, Fe 38, Fe 56; Mr 35
FUEL CONSUMPTION PROBLEMS 66, Fe 38, Fe 56; Mr 35
SAPPHIRE AND OTHER NEW COMBUSTION-CHAMBER WINDOW MATERIALS Jl 34, Jl 41; 448
SLOW MOTION SHOWS KNOCKING AND NON-KNOCKING EXPLOSIONS Jl 35, Jl 41; 297
THERMODYNAMIC PROPERTIES OF THE WORKING FLUID IN INTERNAL-COMBUSTION ENGINES Jl 35, Jl 42; 409
Altitude effects, cooling 499, 510
Blowby
  Cylinder distortion effects 328, 329
  Cylinder temperature effects 330, 331
  Engine speed effects 328, 331
  Piston ring effects Mr 33
Brake mean effective pressure
  Air-fuel mixture ratio effects 421
  Compression ratio effects 421
  Intake-manifold pressure effects 421
  Thermodynamic limitations Jl 35; 417
  Throttling effects Jl 35; 418
Carbon formation, piston ring wear affected by 122
Combustion
  After-burning 300, 301
  Combustion chamber design effects Fe 39, Fe 62; Mr 37
  Dissociation Jl 35, Jl 42; 409
  Flame propagation, temperature changes in 300; 420
  Gas pressure forces 49, Fe 38
  Ignition effects Fe 39; Mr 37, Mr 38
  Internal energy 410, 411, 412, 422
  Pressure rise, roughness relation to 48, 49; Mr 35
  Products, thermodynamic properties of Jl 35, Jl 42; 410, 423
  Temperature
    Combustion products affected by 410, 411
    Cylinder head insert effects Fe 62
    Flame propagation effects 300; 420
  Testing
    Combustion chamber window materials Jl 34, Jl 41; 448
    Indicator, cathode ray Jl 34, Jl 41; 488, 495
    Ionization gap method 488, 495
    Photographic methods Jl 35, Jl 41; 297
  Thermodynamic analysis, graphical methods Jl 35, Jl 42; 409
  Unfired gas properties Jl 35; 412
Cooling
  Air filter effects 511
  Altitude effects 499, 510
  Cylinder wear affected by Fe 36, Fe 52; Mr 33; 121; 192, 194, 199; Jl 29, Jl 33; 329, 330, 331
  Fans
    Blade distortion 513
    Power requirements 498, 509
  Friction affected by Fe 37; 202, 204, 205
  Fuel feeding temperature effects 511
  Leakage importance Jn 26
  License plate effects 511
  Liquid-to-liquid type 514
  Maintenance 59, 62; No 20, No 21; 502
  Power affected by 493
  Pump
    Power requirements 498
    Suction 510, 511, 513
  Radiators
    Air flow through 508, 509, 512
    Air pressure 505, 508, 509, 510
    Air temperature rise 508, 509, 511, 513

PAGE

Engine Operation and Performance (Continued)

  Cleaner merits No 20, No 21
  Efficiency, increased 497, 503, 509, 513
  Heat dissipated by 497, 503, 508, 509, 510, 511, 513, 514
  Heat transfer principles 496, 498
  Pump suction in 510, 511, 513
  Shutter effects 512
  Testing 504, 510
  Water flow through 428, 429; 497, 508, 510, 513
  Water temperature 497, 508, 511
Steam formation causes 513
Vehicle speed effects 498, 508, 509, 510, 511
Water type effects No 20, No 21
Diesel engine compared with Fe 54; Mr 34; Jl 37, Jl 42
Efficiency, thermal
  Air-fuel mixture ratio effects 421
  Compression ratio effects 421
  Exhaust gas analysis of Je 33
  Improvement needed Mr 36; Ap 26
  Intake manifold pressure effects 421
  Supercharging effects Mr 38
  Throttling vs. variable valve cut-off Jl 35; 419
Exhaust
  RELATION OF EXHAUST GAS COMPOSITION TO AIR-FUEL RATIO Fe 39, Fe 60; 90, Mr 37
  Carbon monoxide accident factor Ap 26; No 26
  Gas
    Air-fuel ratio relation to Fe 39, Fe 60; 90, 92, 94, 95, 96, 116, Mr 37
    Analysis methods Fe 39, Fe 62; 90, 92, 94, 97, Mr 37
    Chemical composition Fe 39; 90, 92, 94
    Distribution effects on Fe 62; 94, 96, 98, 116, Mr 37
    Efficiency, thermal, relation to Je 33
    Engine load relation to 93
    Engine speed relation to 93
Expansion ratio, efficiency, thermal, affected by Jl 35; 419
Friction, piston
  Cooling effects Fe 37; 202, 204, 205
  Gas pressure effects Fe 36; 201, 203, 204, 205
  Speed effects 201, 203
Fuel consumption
  Air-fuel mixture ratio effects 66, 67, Fe 56, Fe 58; Mr 35
  Combustion chamber design effects 67, Fe 38; 256
  Compression, constant, effects Mr 35, Mr 36
  Compression ratio effects Ag 24
  Cylinder head material effects 67
  Dry air-fuel mixture effects Fe 56, Fe 58; Mr 35
  Engine speed relation to 67
  Exhaust gas diluent relation to 67, 68, Fe 38
  Fuel feeding temperature effects 353
  Ignition effects
    Spark plug gap 68, 69, Fe 38
    Spark plug location 68, Fe 38
    Spark plug temperature 68
    Timing 67
  Induction effects
    Manifold design 68
    Vacuum Fe 58; Mr 36
  Piston clearance relation to 67
  Reduction needed Ap 26
  Riding qualities relation to 107
  Road effects 107; Oc 26
  Streamlining effects Fe 56, Fe 58; Mr 35; Jl 14; Oc 15
  Testing 92
  Trends 66, Fe 38, Fe 58
  Vapor lock effects Jl 42; 351, 353
  Vehicle speed relation to 66, Fe 38
  Vehicle weight effects Mr 36
Fuel feeding
  THE CORRELATION OF CAR AND FUEL VAPOR-LOCKING CHARACTERISTICS Jl 34, Jl 41; 351
  Pumps
    Maintenance 59
    Vapor lock affected by 351, 353
  Temperature
    Cooling affected by 511
    Vapor lock affected by Jl 42; 351, 352, 353
  Vapor lock
    Carbureter effects 353
    Chart for prediction of 353
    Engine design effects 351
    Engines tested Jl 42; 351, 353
    Fuel consumption affected by Jl 42; 351, 353

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Engine Operation and Performance (Continued)

- Fuel feeding system effects 351, 353
- Idling effects 353
- Temperature effects Jl 42; 351, 352, 353
- Testing Fe 42; Je 28
- Vapor handling capacity relation to 352, 353

Heat loss
- Diesel engine compared with Jl 37, Jl 42
- Radiator, heat rejected to 498
- Speed effects 498, 508, 510

Idling, vapor lock affected by 353
Inertia forces, harmonic analysis 51, Fe 38
Load
- Cylinder wear affected by Fe 36; 193, 198
- Exhaust gas composition relation to 93

Lubricants and lubrication
- Break-in period Fe 17; Mr 25, Mr 26; 133, 145
- Cylinders affected by
  - Corrosion Fe 36, Fe 53; 123; 193, 194
  - Wear Fe 36, Fe 53; Mr 32, Mr 33; 118, 124; 192, 193
- Oil consumption
  - Cylinder wall temperature effects Jl 24; 330, 331
  - Oil drainage period relation to 134, 144
  - Piston ring effects 427, 428
  - Speed effects 328, 331
  - Viscosity relation to Fe 17; Mr 25, Mr 26; 133, 143
- Oil coolers, progress 515
- Oil deterioration Fe 17, Fe 33; Mr 25, Mr 26, Mr 27; 135, 146, 147
- Oil drainage period
  - Ash elimination as criterion Fe 54
  - Oil consumption relation to 134, 144
  - Oil deterioration relation to Fe 17, Fe 33; Mr 25, Mr 26, Mr 27; 135, 146, 147
  - Oil filter effects Jl 25
- Oil filters
  - Oil drainage period affected by Jl 25
  - Improvements needed Mr 27; 147
  - Merits Se 25
- Oil properties
  - Data on 135, 137
  - Oiliness Jn 30; Fe 36, Fe 41, Fe 53; Mr 19, Mr 33; 194; Je 30; Ag 30
  - Oxidation susceptibility 134, 137, 145
  - Solvent processing effects Fe 30
  - Specifications Jn 28; Fe 33; Mr 27; 133, 134, 137, 143, 145
  - Stability Jn 31; Fe 36, Fe 42; Mr 19; Je 30; Ag 30; De 28
  - Viscosity Fe 17, Fe 33, Fe 37, Fe 54; Mr 25, Mr 26, Mr 27; 133, 134, 137, 145, 146, 147; 202, 204, 205; De 29
  - Wear factor Mr 44
- Oil reclamation economics 145
- Piston
  - Side pressure effects 204
  - Wear affected by Fe 36; 118, 123
- Sludge formation
  - Trends Fe 17; Mr 25, Mr 26; 135, 144, 146
  - Viscosity relation to Mr 27; 134, 146
- Solvent processing Fe 30
- Temperature control Jl 25

Maintenance
- Cooling systems 59, 62; No 20, No 21; 502
- Equipment and methods 58, 59, 60, 62, 63
- Scale removal Jl 25
- Tuning procedure Oc 26

Power
- Air-fuel mixture temperature effects 266
- Cooling effects 493
- Cooling requirements 498, 509
- Fuel type effects, liquefied gas Ap 21
- Ignition timing effects Oc 26
- Thermodynamic limitations on Jl 35; 417
- Throttling effects Jl 35; 418
- Trends 425, 426
- Turbulence effects 266

Roughness
- Combustion chamber design effects Fe 39, Fe 62; Mr 37
- Combustion pressure rise effects 48, 49; Mr 35
- Crankcase rigidity relation to 48, 54, Fe 38, Fe 56; Mr 35
- Detonation compared with Fe 39; Mr 37, Mr 38
- Engine rigidity relation to Mr 35
- Gas pressure forces analyzed 49, Fe 38
- Inertia forces analyzed 51, Fe 38
- Speed relation to 51, Fe 38

Speed
- Blowby affected by 328, 331
- Cylinder wall temperature affected by Jl 24; 329, 331
- Exhaust gas composition relation to 93
- Friction, piston, affected by 201, 203
- Fuel consumption relation to 67
- Heat loss affected by 498, 508, 510

PAGE

Engine Operation and Performance (Concluded)

- Oil consumption affected by 328, 331
- Piston rubbing factor affected by 203
- Roughness relation to 51, Fe 38

Starting, cylinder wear affected by Fe 53; Mr 32, Mr 34; 123; 192, 197
Temperature
- Combustion Fe 62; 300; 410, 411, 420
- Cooling water 497, 508, 511
- Fuel feeding Jl 42; 351, 352, 353; 511

Testing
- Combustion
  - Combustion-chamber window materials Jl 34, Jl 41; 448
  - Indicator, cathode ray Jl 34, Jl 41; 488, 495
  - Ionization gap method 488, 495
  - Photographic methods Jl 35, Jl 41; 297
- Cooling, radiators 504, 510
- Exhaust gas 92, 94, 97, Mr 37
- Fuel consumption 92
- Instruments Oc 26
- Standard forms for Jn 30; De 29
- Vapor lock Fe 42; Je 28
- Vibration, indicator, cathode ray Jl 34; 495
- Wind tunnel, radiator 510

Throttling vs. variable valve timing Jl 35; 419
Vibration
- Causes analyzed 47; Mr 35
- Harmonic analysis 50, Fe 38
- Mounting effects 430
- Testing, indicator, cathode ray Jl 34; 495

(See also Air Cleaners; Camshafts; Carbureters and Carburetion; Connecting-rods; Crankcases; Crankshafts; Cylinders; Detonation; Engine Design and Construction; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motor-truck; Engines, Railcar; Foreign Design and Operation; Fuels; Gasoline; Generators; Ignition; Induction; Oil Filters; Pistons; Springs, Valve; Supercharging, and Valves and Valve Gear)

Engineers and Engineering

- Body 359
- Education My 40
- Functions Jn 40
- Opportunity for My 40; Je 20
- Qualifications for Ap 22; 233; 359
- Sales Ap 22; 233

Engines, Aircraft

- Air-Cooled Radial Aircraft-Engine Installation Jl 38, Jl 44; 341
- Air-Cooled Radial Aircraft-Engine Performance Possibilities Fe 39, Fe 64; Mr 38; My 30; Je 31, 234
- Engine Nacelles and Propellers and Airplane Performance Fe 38, Fe 60; Mr 36; 148
- Engine Types and Requirements for Preparation of Fuels 257, Jl 38, Jl 52
- Fuel Economy—The Operator's Viewpoint Fe 39, Fe 64; Mr 38; 189
- Liquid-Cooled Aero Engines Jl 13, 267, Jl 37, Jl 44; 400

Altitude effects
- Cooling, power required for 280, 287; 400
- Drag 156
- Diesel engine No 29
- Fuel consumption 251
- Ignition requirements 285
- Power 280, 287; 341, 345; 400
- Testing 11

Aluminum used in 269
Automobile engine compared with Oc 31
Automobile engine converted to Ap 25; No 30
Bore-stroke ratio, short stroke merits 273
Brake mean effective pressure
- Cooling type effects
  - Air-cooled radial Fe 39; 235, 245; 334
  - Liquid-cooled 268, 269
- Fuel type effects, octane number 162; 269
- Trends 269; 334
- Water injection effects No 29

Combustion
- Gas pressure torque 82
- Pressure 262
- Temperature 262
- Turbulence Jl 54; 261

Compression ratio
- Combustion pressure affected by 262
- Combustion temperature affected by 262
- Cooling type effects
  - Air-cooled radial 235; 334
  - Liquid-cooled 267, 269

PAGE

Engines, Aircraft (Continued)
- Fuel consumption affected by 264, 266; 304, 308; No 29
- Trends 235; 267, 269; 334
- Control installation 347
- Cooling
  - Air
    - Air flow 342
    - Baffles Mr 21; 245
    - Cowling effects Mr 21; Jl 44, Jl 48; 325; 341, 342
    - Design requirements 236
    - Fin design 236, 245; 280, 281, 286; 400
    - Heat disposal limitations 280
    - Power requirements 280, 286; 400
    - Weight 284, 287; 341; 400
  - Altitude effects 280, 287; 400
  - Engine types compared
    - Brake mean effective pressure
      - Air-cooled radial Fe 39; 235, 245; 334
      - Liquid-cooled 268, 269
    - Compression ratio
      - Air-cooled radial 235; 334
      - Liquid-cooled 267, 269
    - Drag
      - Air-cooled radial Fe 38; Mr 21; 159; 287
      - Evaporative-cooled 268, 275, 277
      - Liquid-cooled Fe 38; Mr 21; 159; 280, 281, 287; 400; No 30
    - Exhaust systems
      - Air-cooled radial 345; No 17
      - Liquid-cooled 283; 400
    - Fuel consumption
      - Air-cooled radial Jn 38; Fe 39, Fe 64; Ap 27; My 30, 165, 169, 171, 189, 190; 235, 237, 238, 239, 241, 249, 251, 252, 253, 255, 256; 264, 266, 277; 304, 306, 307, 308; 334
      - Liquid-cooled 264, 266, 268, 269, 275, 277; 305
    - Maintenance
      - Air-cooled radial 235
      - Liquid-cooled 269; 400
    - Power
      - Air-cooled radial Fe 39; Mr 39; My 30, 165, 169, 171; 235, 237, 238, 253, 254, 255; 277; 304, 306, 307, 308; 334, 341, 342, 344, 345
      - Liquid-cooled 268, 269, 270, 272, 275, 277, 278, 279, 280, 287; 400
    - Speed
      - Air-cooled radial Fe 39; 235, 239, 241, 251; 334
      - Liquid-cooled 269, 284
    - Weight
      - Air-cooled radial 235; 284, 287; 341; 400
      - Liquid-cooled 267, 268, 269, 273, 283, 284, 287; 400
  - Evaporative, drag reduction through 268, 275, 277
  - Fuel consumption affected by 235; 268, 269, 275, 277
  - Heat dissipation 271, 273, 280
  - Liquid
    - Drag affected by Fe 38; Mr 21, 159; 281, 287; No 30
    - Exhaust system relation to 283; 400
    - Fuel consumption affected by 268, 269, 275, 277
    - Heat dissipation 273, 280
    - High-temperature 270, 274, 280, 281, 282, 283, Jl 38, 400; No 30
    - Maintenance 269
    - Oil coolers combined with 283; 400
    - Plumbing 283
    - Power affected by 268, 269, 270, 275, 277
    - Power required for 280, 286; 400
    - Progress 267, 269
    - Radiator characteristics 282, 287; 400
    - Weight 283; 400
  - Maintenance 269
  - Power affected by 235; 268, 269, 270, 275, 277
  - Power required for 280, 286; 400
  - Weight affected by 283, 284, 287; 400
- Cowling
  - Cooling affected by Mr 21; Jl 44, Jl 48; 325, 341, 342
  - Drag affected by Fe 38; Mr 21; 148, 155, 156; 281; 325
  - National Advisory Committee for Aeronautics type Fe 38, Fe 58; 148; Jl 44, Jl 48; 341, 342
  - Wright reverse flow type Jl 44; 342
- Cylinder types
  - ELIMINATING CRANKSHAFT TORSIONAL VIBRATION IN RADIAL AIRCRAFT ENGINES Fe 39, Fe 66; 81, Mr 39

PAGE

Engines, Aircraft (Continued)
- In-line, crankshaft vibration 469, 470, 473
- In-line vs. radial
  - Cooling power requirements 281
  - Crankshafts 273, Jl 37; 470, 478
  - Drag Fe 60; Mr 21; Mr 36; 158; 325
- Number of cylinders
  - Increased, merits of 271, 287, Jl 37
  - Vibration affected by No 38
- Radial, crankshaft vibration Fe 39, Fe 66; 81, Mr 39
- Design requirements, privately-owned aircraft Mr 44
- Diesel
  - Altitude limitations No 29
  - Combustion
    - Air temperature effects 263
    - Fuel temperature effects 263
  - Combustion chamber, pre-combustion, merits 263
  - Compression ratio
    - Combustion requirements 263
    - Fuel consumption affected by 264, 266
  - Field for 263; No 29
  - Fuel consumption
    - Compression ratio effects 264, 266
    - Gasoline engine compared with 264, 266
  - Fuel feeding, nozzle design Mr 24
  - Gasoline engine compared with Ap 25; 264, 266
  - Merits Mr 24, Mr 40
  - Pressures, compression 263
  - Throttling effects 263
- Drag
  - Aircraft speed relation Fe 38; 156, 157
  - Altitude effects 156
  - Cooling type effects
    - Air Fe 38; Mr 21; 159; 287
    - Evaporative 268, 275, 277
    - Liquid Fe 38; Mr 21; 159; 280, 281, 287; 400; No 30
  - Cowling effects Fe 38; Mr 21; 148, 155, 156; 281; 325
  - Cylinder type effects, in-line vs. radial Fe 60; Mr 21, Mr 36; 158; 325
  - Interference effects Fe 38; 149, 152, 155, 156
  - Nacelle effects
    - Fairing 155
    - Location Fe 38; 149, 156, 158, 160
    - Size Fe 38, Fe 60; Mr 36; 157
  - Propeller effects
    - Location Fe 38; 149
    - Shaft extensions Fe 38; 160
- Efficiency, volumetric, direct-injection effects 262, 264, 266, Jl 52, Jl 54
- Electrical system installation 347
- Exhaust
  - Back pressure, power affected by 345
  - Collector design 345; No 17
  - Gas
    - Air-fuel mixture ratio relation to 242
    - Analysis methods Fe 64; Mr 39; 242; No 16, No 39
  - Manifold
    - Ram's horn type 283; 400
    - Steels used in 284
  - Noise reduction 284
- Fuel consumption
  - Air-fuel mixture ratio control effects Fe 64; 189, 190; 239, 251; Se 26
  - Air-fuel mixture ratio effects Fe 64; 165, 169, 189, 190; 239, 251, 256; Se 26
  - Air-fuel mixture ratio indicator effects Se 26
  - Altitude effects 251
  - Combustion chamber design effects 256
  - Compression ratio effects 264, 266; 304, 308; No 29
  - Cooling types compared
    - Air-cooled radial Jn 38; Fe 39, Fe 64; Ap 27; My 30, 165, 169, 171, 189, 190; 235, 237, 238, 239, 241, 249, 251, 252, 253, 255, 256; 264, 266, 277; 304, 306, 307, 308; 334
    - Liquid-cooled 264, 266, 268, 269, 275, 277; 305
  - Cylinder head temperature effect 238, 253, 255
  - Decrease necessary Fe 39, Fe 64; 189; 235
  - Economizer system 239, 249
  - Engine speed effects 239, 241, 251; 277
  - Factors affecting Fe 39; 235
  - Fuel feeding, direct-injection, effects 262, 264, 265, Jl 52

Abbreviations Used:

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

PAGE

Engines, Aircraft (Continued)

Fuel octane number Fe 39; 165, 169, 171; 237, 238, 252, 255; 269, 277; 305, 306, 307, 308; 334, 338, 340; No 29
Marine engine compared with Fe 29
Payload relation to Fe 39; Ap 27; 190
Power relation to Fe 64; 238, 251, 253; 277
Transoceanic requirements Jn 38; Ap 27
Trends My 30; 238, 256
Wear relation to Fe 39, Fe 64; Mr 38; 189, 190
Fuel feeding
ENGINE TYPES AND REQUIREMENTS FOR PREPARATION OF FUELS 257, Jl 38, Jl 52
Design described 345
Direct injection
Combustion chamber, divided 263, Jl 52
Compression stroke injection 262
Cylinder injection 261, 264, 265, 266
Efficiency, volumetric, affected by 262, 264, 266, Jl 52, Jl 54
Fuel charge distribution 262
Fuel consumption affected by 262, 264, 265, Jl 52
Intake-manifold injection 260, 264, 265
Merits No 30
Power affected by 262, 264, 265, Jl 52
Spark ignition 260
Starting means 261, 263
Supercharger injection 258, 259; 264
Turbulence requirements 261, Jl 38, Jl 54
Fuel flow requirements 346
Future predicted 264, 265
Temperature 278, 279
Vapor lock, fuel feeding design effects 346
Future predicted 271, Jl 37
Lubrication
Cylinder wear affected by Fe 36
Oil coolers 283, Jl 25; 346; 400, 424
Oil properties
Engine rating No 37, No 39
Specifications No 14
Temperature resistance 286
Oil temperature Jl 25
Maintenance
Cooling type effects, overhaul periods
Air-cooled radial 235
Liquid-cooled 269; 400
Cost 287
Cylinder type effects, number of cylinders 272, 287
Overhaul periods 235; 269; 400; De 31
Makes
Allison No 30
Continental No 30
Fiat 11; Je 34
Junkers 264, 266
Lycoming 169
Pratt and Whitney 169; 308; No 38, No 40
Rolls-Royce 264, 267, Jl 37; 400
Wright Fe 40, Fe 66; 88; 169; My 30; 235, 238, 239, 245; 264, 286, Jl 38; 304, 306, 308; 334, 341; 400
Marine engine compared with Fe 29
Mounting
Air-cooled engine described Jl 48; 342
Biplane 158
Flexible, vibration affected by No 38
Location, drag affected by Fe 38; 149, 156, 158, 160
Rubber used in 342, 344
Nacelles
Drag affected by Fe 38, Fe 60; Mr 36; 149, 155, 156, 157, 158
Fairing 155
Location Fe 38; 149, 156, 158
Size Fe 38, Fe 60; Mr 36; 157
Navy types Oc 31
Noise, exhaust, reduction of 284
Power
Air pressure effects 345
Air temperature effects 272, 279; 304, 306; 344
Air-fuel mixture ratio effects Mr 39; 165, 169; 254
Altitude effects 280, 287; 341, 345; 400
Cooling requirements 280, 287; 400
Cooling type effects
Air-cooled radial Fe 39; Mr 39; My 30, 165, 169, 171; 235, 237, 238, 253, 254, 255; 277; 304, 306, 307, 308; 334, 341, 342, 344, 345
Liquid-cooled 268, 269, 270, 272, 275, 277, 278, 279, 280, 287; 400
Exhaust back pressure effects 345
Factors affecting 277; Se 26
Fuel consumption relation to Fe 64; 238, 251, 253; 277

PAGE

Engines, Aircraft (Concluded)

Fuel feeding effects
Direct injection 262, 264, 265, Jl 52
Temperature 278, 279
Fuel type effects
Aromatic content 277, 287; 400
Octane number rating Fe 39; 165, 169, 171; 237, 238, 253, 254, 255; 269, 277, Jl 54; 304, 305, 306, 307; 340
Future predicted 271, Jl 37
Increase desired Jl 30
Marine engine compared with Fe 29
Propeller, variable pitch, effects 284
Racing engine 270
Trends My 30; 238, Je 34; No 30
Water injection effects 305
Weight relation to Ap 25; 235; 269, 271, 273
Production
Air-cooled engine described No 38, No 40
Cost Ap 25
Inspection No 38, No 40
Plant layout No 38, No 40
Scheduling methods No 38, No 40
Progress Fe 39; Ap 25; 234, 238, 245
Racing engine power 270
Reduction gearing
Design 267, 269
Vibration affected by 81, 83
Size
Air-cooled radial Fe 39; 235
Drag affected by Fe 38, Fe 60; Mr 36; 157
Small types Mr 44; Ap 25; No 30
Trends Fe 39; 235
Speed
Cooling type effects
Air-cooled radial Fe 39; 235, 239, 241, 251; 334
Liquid-cooled 269, 284
Fuel consumption relation to 239, 241, 251; 277
Propeller, variable pitch, effects 284
Trends Fe 39; 235; 269; 334
Starting, direct injection requirements 261, 263
Steels used in 284
Stresses, Diesel engine compared with 266
Temperature
Air-fuel mixture ratio effects 165, 169; 254
Cooling type effects
Air-cooled radial 165, 169; 238, 253, 254, 255; 307; 334
Liquid-cooled 274
Limits permissible 350
Testing
BRINGING ITALIAN SKIES DOWN TO EARTH 11
Altitude effects 11
Instruments 348
Vibration No 38, No 40; 471, 476, 479
Vibration
Aircraft vibration affected by No 14, No 35, No 38, No 48
Cylinder number effects No 38
Mounting, flexible, effects No 38
Propeller vibration affected by 472, 473, 474, 478, 479
Testing No 38, No 40; 471, 476, 479
Wear
Fuel consumption relation to Fe 39, Fe 64; Mr 38; 189, 190
Operating conditions affecting 190
Weight
Cooling type effects
Air-cooled radial 235; 284, 287; 341; 400
Liquid-cooled 267, 268, 269, 273, 283, 284, 287; 400
Power relation to Ap 25; 235; 269, 271, 273
Trends 235; 269, 273

(See also Carbureters and Carburetion, Aircraft; Crankshafts, Aircraft; Cylinders, Aircraft; Detonation; Fuels, Aviation; Gasoline, Aviation; Ignition, Aircraft; Induction, Aircraft; Pistons, Aircraft; Supercharging, Aircraft, and Valves and Valve-Gear)

Engines, Diesel

HEAT REJECTION FROM DIESEL ENGINES Jl 37, Jl 42; 483
PHOTO-ELECTRIC COMBUSTION ANALYSIS Jl 35, Jl 41; 459
Automotive possibilities Ap 26, De 17
Barrel type De 32
Carbon formation, heat loss affected by Jl 42
Combustion
Air flow Jl 37, Jl 43
Fuel spray formation Jl 37, Jl 43
Ignition lag
Fuel feeding effects 212; Jl 35; 463, 467
Fuel type effects Jl 35; 459, 460, 463
Load effects Jl 35; 463
Testing Jl 35; 460, 465; 489
Types analyzed No 29

PAGE

Engines, Diesel (Continued)
- Temperature requirements 258
- Testing
  - C.F.R. engine used Jl 34; 492
  - Indicator, cathode ray Jl 34; 489, 491
  - Photo-electric cell used Jl 35; 460, 465
  - Photographic methods Jl 37, Jl 43
- Turbulence effects 258
- Time required 459

Combustion chamber types
- Pre-combustion merits De 39
- Trends 217, 224

Compression ratio, fuel type effects 219
Cooling
- Design methods Jl 37
- Wear affected by Fe 36; 199

Cylinder types
- Barrel De 32
- Number of cylinders De 39

Efficiency, thermal 483
Electric drive used with 440; De 17, De 40
Exhaust, smoky
- Engine speed relation to 221, 223
- Foreign and American compared De 39, De 40
- Fuel type effects 221
- Testing 220

Field for No 19, No 21
Foreign use of Mr 40; No 20; De 39, De 40
Friction, piston Fe 54; Mr 34
Fuel consumption
- Engine speed relation to 221, 223
- Fuel type effects Mr 31; 221
- Trends Ap 28

Fuel feeding
- Air injection, solid compared with 199
- Combustion ignition lag affected by 212; Jl 35; 463, 467
- Constant-pressure type Jl 37, Jl 42
- Gasoline engine compared with Jl 36
- Injection pressure
  - Engine speed relation to Jl 43
  - Fuel type effects 219
- Injection timing
  - Combustion ignition lag affected by 212; Jl 35; 463
  - Importance of 223, 224
- Nozzles
  - Centrifugal Jl 44
  - Open 221, 224
  - Pintle 467
- Pumps
  - Control means Jl 36, Jl 42
  - One vs. individual pumps Jl 37, Jl 42
  - Progress De 39
- Solid injection, air compared with 199
- Starting affected by 221, 224
- Testing, indicator, cathode ray used Jl 34, Jl 41; 488, 489, 495
- Wear affected by 199

Gasoline engine compared with Fe 54; Mr 34; Jl 36, Jl 37, Jl 42
Heat loss
- Carbon formation effects Jl 42
- Coefficient of Jl 42
- Efficiency, thermal, relation to 483
- Engine speed effects Jl 42
- Gasoline engine compared with Jl 37, Jl 42
- Operating factors affecting Jl 37, Jl 42
- Utilization of Jl 42; 483

Load
- Combustion ignition lag affected by Jl 35; 463
- Cylinder wear affected by Fe 36; 198

Maintenance cost De 39, De 40
Makes
- Gardner De 39
- Hercules 440

Power, thermodynamic limitations Jl 35; 419
Progress No 20; De 19, De 39
Research Ap 22; Se 27
Speed
- Exhaust affected by 221, 223
- Fuel consumption relation to 221, 223
- Fuel feeding pressure relation to Jl 43
- Fuel type effects 219
- Heat loss affected by Jl 42

PAGE

Engines, Diesel (Concluded)
- Starting affected by 221
- Trends Ap 28; De 39, De 40

Starting
- Cylinder wear affected by 197
- Engine speed effects 221
- Fuel feeding system effects 221, 224
- Progress De 39

Temperature requirements, combustion 258
Testing
- Combustion
  - C.F.R. engine used Jl 34; 492
  - Indicator, cathode ray Jl 34; 489, 491
  - Photo-electric cell used Jl 35; 460, 465
  - Photographic methods Jl 37, Jl 43
- Exhaust smoke 220
- Fuel feeding, cathode ray indicator Jl 34, Jl 41; 488, 489, 495
- Standard forms for Jn 30; De 39

Usage extent De 17, De 19, De 39
Vehicle cost affected by De 40
Wear Fe 36; 197, 198, 199

(See also Crankshafts; Cylinders; Detonation; Engines, Aircraft; Engines, Marine; Engines, Motorcoach; Engines, Motor-truck; Engines, Oil; Engines, Railcar; Engines, Tractor; Fuels, Diesel; Oil Filters and Pistons)

Engines, Marine
- Aircraft compared with Fe 29
- Diesel
  - Fire hazard reduction Oc 31
  - Navy type Oc 31
- Fuel consumption Fe 29
- Outboard, racing use of Je 22
- Power Fe 29
- Racing
  - Midget type Je 22
  - Power requirements Fe 29

Engines, Motorcoach
- Cylinder types, horizontal 440
- Diesel
  - Electric drive used with 440; De 17, De 40
  - Foreign use of De 19
  - Usage, examples given 440; De 39
- Fuel consumption, streamlining effects Jl 18, Jl 20, Jl 34; Oc 31
- Makes, Hall-Scott 440
- Mounting, rear Je 33; 440; 481

Engines, Motor-Truck
- Braking action 380
- Diesel
  - Foreign use of My 33; De 17, De 19
  - Fuel consumption My 33
  - Gasoline engine compared with My 33
  - Lubricating oil consumption My 33
  - Maintenance My 33; No 19
  - Overloading evils No 19
  - Production cost My 33
  - Weight My 33
- Dual 373
- Fuel consumption, streamlining effects Jl 18, Jl 20, Jl 34
- Lubrication, water pump 140, 146
- Maintenance 379
- Makes
  - Dodge 427
  - Hercules 428
  - Waukesha 49, 54; 428
  - White 428
- Power trends No 18, No 21
- Six wheel vehicles
  - Braking action 380
  - Dual engine 373
  - Maintenance 379

Engines, Oil, Makes, Hesselman 261, Jl 44, Jl 54; No 19, No 21

Engines, Racing
- Aircraft, power 270
- Automobile Je 22
- Marine Fe 29; Je 22
- Supercharging No 28

Engines, Railcar
- COOLING STREAMLINERS Jl 36, Jl 42; 393
- Cooling radiator progress 515

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Engines, Railcar (Concluded)
Diesel
Cooling
Radiator location Jl 36, Jl 42; 393
Water circulating system Jl 36, Jl 42
Lubricating-oil coolers Jl 36, Jl 42; 393
Power
Fuel type effects Ap 26
Streamlining effects Jl 20, Jl 34
(See also Fuels, Railcar)

Engines, Tractor
Diesel
Fuel consumption My 32; Je 32
Gasoline engine compared with My 32; Je 32
Maintenance cost Je 32
Pressures My 32; Je 32
Production cost My 32; Je 32
Weight My 32; Je 32
Efficiency, thermal, fuel type effects My 31; Je 32
Fuel consumption, fuel type effects My 31, My 32; Je 32
Power, fuel type effects My 31, My 32; Je 32
Standardization 266
(See also Air Cleaners and Fuels, Tractor)

F

Finishes
Anodic, aluminum Fe 53, Fe 55; Mr 32; Jl 39; 399; 450
Cellulose acetate, die casting use of Fe 55; Mr 35
Die casting types Fe 55; Mr 35
Progress Je 21

Fleet Operation
SERVICE PROBLEMS FROM MANUFACTURER AND OPERATOR VIEWPOINTS 55
THE OPERATOR'S WOES ON LUBRICATION Fe 16, Fe 33; Mr 25; 133
Accounting 55
Civilian Conservation Corps My 36
Failures
Causes 58, 62, 63, 64
Maintenance effects 57, 62
Lubricants and lubrication
Charts 58
Problems Fe 16, Fe 33; Mr 25; 133
Specifications 141
Types required Fe 17, Fe 33; Mr 25, Mr 26; 141, 143, 146, 147
Maintenance
Cost 56
Equipment and methods Jn 38; 57
Owners' vs. commercial shop Jn 38
Preventive 56, 57
Records 56, 57
Management problems Jn 29
Speed requirements 315
(See also Motorcoach Operation and Performance; and Motor-truck Operation and Performance)

Foreign Design and Operation
Automobile design progress, France Jl 31
Aviation
Airplane design requirements Fe 30
France No 30
Germany No 30
Cooperative Fuel-Research, cooperation with De 28
Engines
Aircraft, Great Britain 267, Jl 44
Diesel
Progress De 17
United States compared with No 20; De 19, De 39, De 40
Usage extent Mr 40; My 33; De 17
Motorcoach, Diesel De 19, De 39, De 40
Motor-truck, Diesel My 33; De 17, De 19
Research, cylinder wear Fe 36; 191
Legislation, taxation Jl 31; No 20, No 21
Motorcoach operation Mr 40
Racing-car development No 28; De 30
Roads and streets De 30
S.A.E., cooperation with Fe 23; Je 33; De 28
Sales, American products No 20, No 21
Tires
Inflation table 33, 43
Motor-truck, dual No 20, No 21

Frames
THE CHASSIS FRAME—ITS FUNCTIONS AND MEANS FOR INCREASING EFFICIENCY Jl 23, Jl 33; 451
Body attachment to 457
Body unit construction with Fe 35, Fe 37, Fe 51, Fe 54; Mr 34; Jl 22, Jl 35; Oc 14, Oc 31; 480, 481, 483
Motorcoach, body unit construction with Jl 22, Jl 35; Oc 31; 480

PAGE

Frames (Concluded)
Progress No 13, 435
Rigidity
Body movement affected by Ag 21; 454
Design for Jl 23, Jl 33; 451
Merits 481
Section types compared Jl 23; 451, 454, 455
Trends No 13, 435
Weight relation to Jl 23, Jl 33; 454, 455
Section types
Channel 453
I-section 453
Tubular 451, 452
Six-wheel vehicles 372
X-construction merits Jl 33; 452
Weight
Reduction necessary De 18
Rigidity relation to Jl 23, Jl 33; 454, 455

Fuels
Alcohol blends
Aviation use of My 39
Merits Jl 31
Aviation
A NEW HIGH-OCTANE BLENDING AGENT Jl 54; 310; 333
FUTURE POSSIBILITIES OF 100-OCTANE AIRCRAFT-ENGINE FUEL Jl 38, Jl 54; 304; 350
Alcohol blends My 39
Benzene, physical properties 334
Benzol, fuel consumption and power affected by 269; 305
Cost, octane number effects 252, Jl 54; 309, 311; 357
Di-ethyl butane, physical properties 311
Di-ethyl ether, octane number 310; 350
Iso-octane
Fuel consumption with 252, Jl 38; 305, 306, 307, 308; 338, 340
Octane number 337
Physical properties 334, 337, 338, 357
Power affected by 252, Jl 38; 305, 306, 307, 308; 338, 340
Supply available 308, 310
Iso-pentane
Cost **357**
Fuel consumption with 305
Power affected by 305
Isopropyl ethyl
Fuel consumption with 338, 340
Octane number Jl 54; 311; 337
Physical properties 334, 337, 338
Power affected by 340
Storage stability 337
Supply available 339
Water tolerance 335
Octane number
Cost relation to 252, Jl 54; 309, 311; 357
Cylinder head temperature affected by 165, 169; 238, 253, 255; 307; 334
Fuel consumption affected by Fe 39; 165, 169, 171; 237, 238, 252, 255; 269, 273; 305, 306, 307, 309; 334, 338, 340; No 29
High-octane types compared Fe 39; 165, 169, 171; 237, 238, **252, 254, 255; 269, 273, 277,** Jl 38, Jl 54; 304, 310; 333, 350
Payload affected by Jl 54; 309
Physical properties affected by Jl 56; 311, 312; 334, 337, 338, **357**
Power affected by Fe 39; 165, 169, 171; 237, 238, 253, 254, 255; 269, 277, Jl 54; 304, 305, 306, 307; 340
Requirements Jl 38, Jl 54; 304
Supply relation to Jl 38, Jl 54; 308, 310; 333, 339
Vapor pressure relation to 308, 311
Physical properties
High-octane types compared Jl 56; 311, 312; 334, 337, 338, 357
Vapor pressure 308, 311
Volatility 261, 265, Jl 52, Jl 56; 311, 312; 337, 338, 357
Water tolerance **335**
Specifications 337
Supply available, high-octane types Jl 38, Jl 54; 308, 310; 333, 339
Toluene
Fuel consumption with Jl 38; 305, 306, 307, 308
Power affected by Jl 38; 305, 306, 307, 308
Supply available 309
Diesel
CETANE RATING OF DIESEL FUELS Fe 21, Fe 34; Mr 29; 206
DIESEL FUELS—SIGNIFICANCE OF IGNITION CHARACTERISTICS Fe 21, Fe 35; Mr 29; 217
REPORT OF THE VOLUNTEER GROUP FOR COMPRESSION-IGNITION FUEL RESEARCH Fe 21, Fe 34; Mr 29; 225
Cetane number, combustion characteristics affected by Mr 31; 221, 224; Jl 35; 463

PAGE

Fuels (Continued)
- Combustion characteristics Fe 34; Mr 31; 213, 221, 224; Jl 35; 459, 460, 463
- Engine type relation to No 39; De 39, De 40
- Ignition quality
  - Combustion knock affected by Fe 34; 213
  - Compression ratio effects 219
  - Engine speed relation to 219
  - Injection pressure effects 219
  - Viscosity effects 219, 232
- Molecular structure, ignition lag affected by 459, 460
- Rating
  - Air humidity effects Mr 30; 216
  - Air pressure effects Mr 30; 213, 216
  - Air temperature effects Mr 29, Mr 30; 212, 216
  - Aniline point Fe 34; 210, 215
  - Bomb tests 210
  - Bouncing-pin used Jn 38; Fe 34; Mr 29, Mr 30; 207, 213, 215, 216; 226, 230, 232
  - Cetane number Jn 38; Fe 21, Fe 34; Mr 29; 206; 218, 221, 223, 224, 227, 230
  - Cetene number 217, 227
  - Compression ratio effects Mr 30; 212, 214, 219
  - Critical compression pressure 218, 223
  - Critical compression ratio Jn 38; Fe 35; 206, 208, 210; 217, 229
  - Diesel index Fe 34; 210, 215
  - Engine, Cooperative Fuel-Research, used Jn 38; Fe 21, Fe 22, Fe 34; Mr 29, Mr 30; 210, 214, 215, 216; 226; Jl 34; 492
  - Engine speed effects 211, 219
  - Ignition lag indicator Fe 34; Mr 29, Mr 30; 207, 213, 215, 216; 218, 230, 232
  - Ignition lag method Jn 28; Fe 21, Fe 34; Mr 29; 206, 213, 214, 215; 223, 226, 230
  - Injection effects 212; 218, 219
  - Knockmeter used in Mr 29, Mr 30; 206, 208, 210, 215, 216; 230, 232
  - Laboratory and service correlation Fe 22, Fe 35; Mr 30; 209, 214, 215, 216; 220, 224
  - Pennsylvania State College method Fe 21, Fe 22, Fe 34; Mr 29, Mr 30; 208, 210, 214, 215, 216; 223
  - Reference fuels Fe 34; 208; 227
  - Reproducibility Fe 34; Mr 29, Mr 30; 206, 210, 214, 215, 216; 228
  - Required compression ratio Fe 21, Fe 22, Fe 34; Mr 29, Mr 30, Mr 31; 208, 210, 214, 215, 216; 223
  - Starting method Mr 31; 218, 223
  - Viscosity effects Mr 30, Mr 31; 219, 223, 232
  - Viscosity-gravity index Fe 34; 210
  - Viscosity-slope index Fe 34; 210
- Physical properties
  - Specifications No 29
  - Viscosity, ratings affected by Mr 30, Mr 31; 219, 223, 232
  - Volatility range 258
- Starting characteristics Mr 30; 221

Distillate
- Calorific value My 31; Je 32
- Fuel consumption with My 31
- Gasoline compared with My 31; Je 32
- Octane number My 31; Je 32
- Power affected by My 31; Je 32
- Railcar use of Ap 26
- Tractor use of My 31; Je 32

Gas, liquefied
- Power affected by Ap 21
- Railcar use of Ap 26

Kerosene
- Fuel consumption with My 32; Je 32
- Gasoline compared with My 32; Je 32
- Octane number My 31; Je 32
- Power affected by My 32; Je 32
- Tractor use of My 31; Je 32

Propane, distribution problems Ap 26

Railcar
- Distillate Ap 26
- Gas, liquefied Ap 26

Testing
- Diesel Jn 38; Fe 21, Fe 34; Mr 29; 206; 217, 225
- Tractor fuels My 31; Je 32
- Water tolerance 335

Tractor
- Distillate My 31; Je 32
- Gasoline My 31, My 32; Je 32

PAGE

Fuels (Concluded)
- Kerosene My 31; Je 32
- Testing My 31; Je 32

Volatility, engine types determined by 258, 261, 264, Jl 38

Water tolerance testing 335

(See also Detonation, Fuel Factors and Gasoline)

G

Garage Design Requirements Jn 27

Gas Turbines, Power Jl 35; 419

Gasoline

Aviation
- Aromatic content, power affected by 277, 287; 400
- Brake mean effective pressure affected by 162
- Cylinder head temperature affected by 165, 169; 238, 253, 255
- Fuel consumption with Fe 39; 165, 169, 171; 237, 238, 252, 255, 269, 277
- Octane number
  - Brake mean effective pressure affected by 162, 169
  - Cylinder head temperatures affected by 165, 169; 238, 253, 255
  - Data on Jn 29; 269, 270
  - Fuel consumption affected by Fe 39; 165, 169, 171; 237, 238, 252, 255; 269, 277
  - Power affected by Fe 39; 165, 169, 171; 237, 238, 253, 254, 255; 269, 277
  - Requirements 162, 171, 190; 238, 252, 254, 255
  - Speed affected by 269
  - Supercharging affected by 269, 273
- Power affected by Fe 39; 165, 169, 171; 237, 238, 253, 254, 255; 269, 277
- Progress Fe 39; My 31; 237, 252
- Volatility requirements 264

Distillate compared with My 31; Je 32

Kerosene compared with My 32; Je 32

Progress Fe 39; Ap 26; My 31; 237, 252

Sulphur content, cylinder corrosion caused by 192, 193

Survey Fe 42; Je 28; Ag 29; De 28

Taxation, road construction costs paid by Jl 13, Jl 18; Ag 14, 314

Testing
- Vapor locking tendencies 356
- Vapor pressure 351

Tractor use of My 31; Je 32

Vapor locking tendencies
- THE CORRELATION OF CAR AND FUEL VAPOR-LOCKING CHARACTERISTICS Jl 34, Jl 41; 351
- Chart for prediction of Jl 34, Jl 41, Jl 42, 353, 356
- Fuel consumption affected by Jl 42; 351, 353
- Temperature effects 352, 357
- Testing 356
- Vapor pressure as measure Jl 34; 351, 353, 357
- Vapor-to-liquid volume ratio as measure 352
- Volatility relation to Jl 34; 351, 353, 356

Vapor pressure
- Testing 351
- Vapor locking tendencies affected by Jl 34; 351, 353, 357

Vapor-to-liquid volume ratio, vapor lock affected by 352

Volatility
- Survey Fe 42; Je 28; Ag 29; De 28
- Vapor locking tendencies affected by Jl 34; 351, 353, 356

(See also Detonation, Fuel Factors and Fuels)

Gasoline-Electric Drive
- Diesel engine used with 440; De 17, De 40
- Motorcoach use of 440; De 17, De 40

Gears
- METALLURGY OF TRANSMISSION GEARS Fe 36, Fe 56; Mr 35; Je 13
- Backlash, extent permissible Jn 22
- Camshaft
  - Cast iron 289
  - Wear, testing 289
- Cast iron, camshaft 289
- Failure causes analyzed Je 14, Je 16
- Hardening Fe 56; Je 15, Je 18, Je 19
- Heat treatment Je 15, Je 18
- Helical
  - Stress calculations Jn 15
  - Transmission use Jn 14, Jn 17, Jn 19
- Hypoid, rear axle use No 13, 432
- Noise
  - Distortion as cause Je 14
  - Reduction means Jn 17, Jn 19, Jn 22

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Gears (Concluded)
- Production
  - Inaccuracies in — Jn 14, Jn 16, Jn 18, Jn 20
  - Transmission — Je 14, Je 17
- Progress — My 40; Je 13
- Rear axle, hypoid — No 13, 432
- Steel
  - Progress — Je 13
  - Transmission — Jn 16, Jn 18, Jn 21; Fe 56; Je 13
- Stress calculation — Jn 15
- Supercharger — Je 34
- Testing, wear — 289
- Tooth root fillets — Jn 17, Jn 19, Jn 22
- Transmission
  - Backlash permissible — Jn 22
  - Failure causes analyzed — Je 14, Je 16
  - Hardening — Fe 56; Je 15, Je 18, Je 19
  - Heat treatment — Je 15, Je 18
  - Helical — Jn 14, Jn 17, Jn 19
  - Lubrication importance — Jn 21, Jn 22; 137
  - Mounting — Jn 20
  - Noise
    - Distortion as cause — Je 14
    - Reduction means — Jn 17, Jn 19, Jn 22
  - Production — Jn 14, Jn 16, Jn 18, Jn 20; Je 14, Je 17
  - Progress — My 40
  - Steels used in — Jn 16, Jn 18, Jn 21; Fe 56; Je 13
  - Stresses
    - Calculation — Jn 15
    - Extent — Jn 15, Jn 18, Jn 19, Jn 21
- Wear, testing — 289

Generators
- Current regulation — 429
- Maintenance — 62
- Progress — 429
- Types required — No 30
- Voltage control — 429, No 30

German Institute for Aeronautical Research — Jl 38, Jl 40; 469

H

Headlighting
- ELIMINATION OF GLARE — Jl 16, Jl 35; Ag 15
- POLAROID — Jl 16, Jl 35; Ag 15
- Asymmetric, standard laboratory test specification — Fe 43
- Beam pattern
  - Asymmetric — Fe 43
  - Standard laboratory test specification — Fe 43; Oc 32; No 28; De 29
- Glare prevention, polarized light — Jl 16, Jl 35; Ag 15
- Lenses, Polaroid — Jl 16; Ag 15
- Progress — Jl 47; 435; De 18
- Testing, standard laboratory specifications for — Fe 43; Oc 32; No 28; De 29

(See also Lighting)

Heat Treatment
- Aluminum — 394, 396; 446
- Crankshafts — My 22
- Gears, transmission — Je 15, Je 18
- Pistons — 442
- Springs, suspension — 112
- Steel — My 22

Highways

(See Roads and Streets)

I

Ignition
- Aircraft
  - Spark plugs
    - Design requirements — 236
    - Finned — 246
    - Location — Fe 64; Mr 39; 246
  - Voltage requirements, altitude effects — 285
- Coil failure analyzed — No 26
- Distributor progress — 430
- Maintenance — 58, 59, 62, 63
- Spark plugs
  - Aircraft — Fe 64; Mr 39; 236, 246
  - Cooling — 503
  - Design requirements, aircraft — 236
  - Fuel consumption affected by — 68, 69, Fe 38
  - Gap, fuel consumption affected by — 68, 69, Fe 38
  - Location
    - Exhaust path relation to — Fe 64; Mr 39; 246
    - Fuel consumption affected by — 68, Fe 38
    - Projecting — Fe 39; Mr 37, Mr 38

PAGE

Ignition (Concluded)
- Maintenance — 58
- Progress — 430
- Temperature
  - Classification — Ag 31
  - Fuel consumption affected by — 68
- Testing — Fe 42; Je 32; Ag 31

Testing
- Spark plugs — Fe 42; Je 32; Ag 31
- Timing — Jl 34; 495

Timing
- Control, vacuum
  - Fuel consumption affected by — 67
  - Progress — 430
- Fuel consumption affected by — 67
- Power affected by — Oc 26
- Testing, cathode ray indicator used — Jl 34; 495

Voltage
- Aircraft engine requirements — 285
- Variable — 69

Indicators, Engine

DEVELOPMENT AND APPLICATION OF THE CATHODE-RAY ENGINE INDICATOR — Jl 34, Jl 41; 487

Cathode ray — Jl 34, Jl 41; 465; 487

Diesel engine use of — Jl 34; 463; 489, 491

Ionization diagram — 488, 495

Makes
- Farnboro — 487
- Maihak — 461

Photo-electric cell used with — Jl 35, Jl 41; 461, 465

Pressure element — Jl 41; 461; 487, 490

Induction

Aircraft
- Distribution, supercharger effects — 237, 247
- Temperature, supercharger effects — 247
- Water injection, power affected by — 305; No 29

Distribution
- Air-fuel mixture ratio effects — Fe 62; 94, 96, 98, 116, Mr 37
- Exhaust gas analysis as criterion — Fe 62; 94, 96, 98, 116, Mr 37
- Supercharger effects, aircraft — 237, 247

Functions of — 257, Jl 38

Manifolds
- Carbureter effects on — 68, Fe 38
- Progress — 429

Pressures
- Efficiency, thermal, affected by — 421
- Fuel consumption affected by — Fe 58; Mr 36
- Power affected by — 421
- Testing, cathode ray indicator used — 495

Temperature, supercharger effects — 247

Testing, pressures — 495

Water injection, power affected by — 305; No 29

Institution of Automobile Engineers — Fe 36; 191

Instruments

PRACTICAL MEASUREMENT OF RIDING COMFORT — Ag 16

Aircraft
- Air-fuel mixture indicator — Fe 64; Mr 39; 190, 196; 242; Se 26
- Air-speed indicator — No 16, No 39
- Engine testing — Fe 39; 196; 348; No 16, No 19

Air-fuel mixture indicator — Fe 64; Mr 39; 190, 196; 242; Se 26

Air-meter — Fe 62; 92, 93, 97

Balancing machines — My 19; Jl 38, Jl 39

Camera, high-speed motion — 298, Jl 35, Jl 37, Jl 41, Jl 43; 466

Driver skill testing — Jl 17

Engine testing — Fe 39; 196; 348; Oc 26; No 16, No 39

Exhaust-gas analyzers — Fe 62; 90, 92, 97, Mr 37; No 16, No 39

Frequency analyzer — 71

Gages, precision — Je 34

Knockmeter — 71; Mr 29, Mr 30; 206, 208, 215, 216; 230

Lodometer — 112

Oscillograph — Mr 22; Jl 35, Jl 41; 465; 487

Ride-meter — Ag 17

Ride-o-graph — 100

Riding-qualities measurement — Fe 42; Mr 20, 100; Je 29; Jl 14, Jl 33; Ag 16; 401, 403, 405, 407, 408

Smoke meter — 220

Sound measurement — 71; Jl 23, Jl 33, Jl 34; 385, 389

Sound meter — 71

Speedometer standardization — Jn 31; Je 29

Syncrograph — Oc 26

Vibrator — 342

Vibrometer — Ag 16

(See also Accelerometers; Indicators, Engine; and Testing)

Interstate Commerce Commission — Mr 23; Jl 20; De 17, De 40

PAGE

K

Knock
(See Detonation)

L

Laws
(See Legislation)

Legislation
Accident prevention Jn 39; Fe 20; Mr 28, Mr 29; Ap 20; Jl 13, Jl 15, Jl 16, Jl 18, Jl 36; Ag 14, Ag 15, 322
Aircraft, Bureau of Air Commerce Fe 28; Mr 21, Mr 36, Mr 41; 176; 324; 346, 347; Se 27; Oc 18; No 14, No 27, No 30, No 40, No 46
Automobile operation and performance
Drivers' license laws Fe 20; Mr 28; Jl 13, Jl 15, Jl 16, Jl 18; Ag 14, 322
Inspection Jn 39; Fe 21, Fe 42; Mr 29; Ap 20; Jl 18, Jl 36; Ag 15, 317, 322
Brakes, hand Se 18
Enforcement needed Fe 29; Ap 19, Ap 20; Jl 36; Ag 15, 322
Motor Carrier Act Mr 23, Mr 40
Motorcoach operation and performance
Insurance Mr 23
Permits to operate Mr 23
Motor-truck design and construction
How STATE REGULATION HAS AFFECTED TRUCK DESIGN DEVELOPMENT Jl 18, Jl 34; Se 13
Brakes, hand Se 18
Design affected by Jl 18, Jl 34; Se 13
Height Se 15
Length Jl 18; Se 13
Weight My 36; Jl 18, Jl 20; Se 15, Se 16, Se 17, 364, 380
Width Jl 18, Jl 20; Se 15
Motor-truck operation and performance
Grade climbing ability 5, 9, 10; Se 17
Insurance Mr 23
Motor Carrier Act Mr 23
Permits to operate Mr 23
Rates De 17
Speed Se 17
Six wheel vehicle weight Jl 18; Se 16, Se 17, 364, 374
Taxation
Foreign No 20, No 21
Gasoline Jl 13, Jl 18; Ag 14, 314
Road construction cost paid by Jl 13, Jl 18; Ag 14, 314
Trailer
Length Se 13, Se 15
Semi Jl 18; Se 16, Se 17
Weight Jl 18; Se 16, Se 17, 364
Weight distribution No 26
Uniformity desired 322

Lighting
Signal lights
Progress 435
Standardization Oc 32
Tail lights
Progress 435
Standardization Oc 32
(See also Headlighting)

Lubricants and Lubrication
Compound, mineral compared with 294
Extreme-pressure
EXTREME-PRESSURE LUBRICANTS TESTING Jn 39; 293
Abrasiveness, data on 294
Classification No 23, No 28
Chemical composition Mr 26; 137, 145; 293
Conventional replaced by Mr 26; 139, 145
Friction reducing value data 294, 295
Load carrying capacity
Classification No 23, No 28
Data on 138; 294, 295
Loading rate effects 294, 295
Rubbing speed effects 295
Testing Fe 42; Mr 20; 137; Je 28; 294; Ag 30; No 23
Loading rate, load carrying capacity affected by 294, 295
Necessity for Fe 17, Fe 33; Mr 26, Mr 27; 137, 146, 147
Physical properties 137
Rear axle use Mr 26; 137, 145, 146; Se 25; No 23, No 28
Research Jn 30
Rubbing speed, load carrying capacity affected by 295

PAGE

Lubricants and Lubrication (Concluded)
Specifications needed Fe 17, Fe 33; Mr 25; 143
Testing, load carrying capacity
Composition effects 294
Loading rate effects 294, 295
Machines for
Almen 138; 294
Faville-Levally 138
Floyd-hydraulic 138
Rigidity effects 294
S.A.E. Research type Jn 39; Fe 42; Mr 20; 138, 139; Je 28; 296; Ag 30; No 23
Timken 138; 294
Worm gear type 295
Reproducibility Jn 39; 138; 293, 294
Rubbing speed effects 295
Standardization needed Fe 17, Fe 33; Mr 25; 143
Wear data 294, 295
Greases Fe 33; Mr 26; 140, 141, 145, 146
Oil reclamation economics 145
Oil types compared, compound vs. mineral 294
Progress 140; Se 25
(See also Automobile Operation and Performance, Lubricant types required; Axles, Rear, Lubrication; Engine Design and Construction, Lubrication; Engine Operation and Performance, Lubricants and Lubrication; Engines, Aircraft, Lubrication; Engines, Motor-truck, Lubrication; Fleet Operation, Lubricants and Lubrication; Gears, Lubrication; Motor-truck Design and Construction, Lubricating System; Motor-truck Operation and Performance, Lubricants and Lubrication; Oil Coolers; Oil Filters; Springs, Suspension, Lubrication; and Transmissions, Lubrication)

M

Massachusetts Institute of Technology 261

Materials
Combustion-chamber window Jl 34, Jl 41; 448
Ethylene glycol, physical properties 274
Fluorite, composition and properties Jl 35, Jl 41; 448
Glass
LAMINATED SAFETY GLASS My 20; 292, Jl 39
Plate
Production Je 21
Standardization Oc 32
Production Je 21; Jl 39
Safety
History My 20; 292, Jl 39
Production Jl 39
Progress Jl 39
Standardization Je 29; Ag 29; No 28
Standardization Je 29; Ag 29; Oc 32; No 28
Periclase, composition and properties Jl 35, Jl 41; 448
Plastics, usage extent Ap 20; Jl 44; De 31
Quartz, composition and properties Jl 35, Jl 41; 448
Rock salt 448
Sapphire, composition and properties Jl 35, Jl 41; 448
Sound absorption, efficiency Jl 23, Jl 34; 389, 391, 393
Spinel, composition and properties Jl 35, Jl 41; 448
Upholstery Jn 26; Se 26; Oc 32; 439
Woolens and worsteds Se 26
(See also Metals and Rubber)

Metals
Brake drum material Mr 28
Brass die-casting alloy Fe 37
Bronze, cylinder head material 72
Cast iron
Camshaft material Mr 28; My 18; 288
Chemical composition
Camshaft material Mr 28; 288, 289
Crankshaft material Mr 28
Cylinder material Mr 28
Crankshaft material Mr 28
Cylinder material 72; Mr 28; 425, 426
Gear, camshaft, material 289
Physical properties
Camshaft material 289, 290, 291
Gear, camshaft material 289
Testing 290
Steel compared with 289
Wear, steel compared with 289
Copper, cylinder head material 426

Abbreviations Used:

January, Jn
February, Fe
March, Mr
April, Ap
May, My
June, Je
July, Jl
August, Ag
September, Se
October, Oc
November, No
December, De

PAGE

Metals (Concluded)
- Die casting alloys — Fe 37, Fe 55; Mr 35; De 29
- Iron, malleable, brake drum material — Mr 28
- Standardization — De 29
- Testing, cast iron — 290
- Tungsten-carbide cutting tools — My 20; Jl 39
- Zinc die casting alloys — Fe 37; Fe 55; Mr 35; De 29

(See also Aluminum and Aluminum Alloys; Bearings, Metal; Corrosion and Corrosion Prevention; Heat Treatment and Steels)

Motor

(See Engine)

Motorboats, Racing Design — Fe 29

Motorcoach Design and Construction
- Aluminum used in — Oc 31
- Body and chassis unit construction — Jl 22, Jl 35; Oc 31; 480
- Engine mounting, rear — Je 33; 440; 481
- Makes
  - American Car and Foundry — 440
  - General Motors Greyhound — 431, 434, 439, 440
  - Twin Coach — Jl 22, Jl 35; 440; 480
- Propeller shaft mounting standardization — Je 30
- Streamlining, fuel consumption affected by — Jl 18, Jl 20, Jl 34; Oc 31
- Weight, body-chassis unit construction effects — Jl 22; Oc 31; 480

(See also Axles, Motorcoach; Bodies, Motorcoach; Clutches, Motorcoach; Engines, Motorcoach; Frames, Motorcoach; Gasoline-Electric Drive; Motorcoach Operation and Performance; Shock Absorbers, Motorcoach; Springs, Suspension; Tires, Motorcoach, and Transmissions, Motorcoach)

Motorcoach Operation and Performance
- Classes of — Se 27
- Electric street railway compared with — 408
- Garage design and location — Se 25
- Insurance, legal requirements — Mr 23
- Intercity, statistics — Mr 23
- Interstate, legal regulation of — Mr 23, Mr 40
- Life of — Jn 27
- Maintenance
  - Cost — **7**
  - Equipment and methods — Jn 27; Se 25
  - Inspection, compulsory legal — 323
  - Records — Se 25
- Mileage — Mr 40
- Number in operation — Mr 23; Se 27
- Revenue — Mr 23
- Riding qualities — 408
- Stresses — Jl 22; 481
- Tires
  - Balloon, merits — 33, 43, 44
  - Design requirements — 34
  - Inflation pressure — 34
  - Size — 434
- Torque reactions in — Jl 22; 481

(See also Accidents and Accident Prevention, Motorcoach; Axles, Motorcoach; Bodies, Motorcoach; Clutches, Motorcoach; Engines, Motorcoach; Fleet Operation; Frames, Motorcoach; Legislation, Motorcoach Operation and Performance; Motorcoach Design and Construction; Riding Qualities; Shock Absorbers, Motorcoach; Springs, Suspension; Tires, Motorcoach; Transmissions, Motorcoach and Transportation)

Motor-Truck Design and Construction
- Economics of Streamlining in Heavy Transportation — Jl 20, Jl 34; 516
- How State Regulation Has Affected Truck Design Development — Jl 18, Jl 34; Se 13
- Accessibility — 141, 143; My 36 Se 14
- Cabs
  - Location, over-engine — Jl 18, Jl 20; Se 13, Se 14, Se 17, 365
  - Progress — 315
  - Visibility — Se 14
- Camel-back construction
  - Accessibility — Se 14
  - Merits — Jl 18, Jl 20; Se 13, Se 17
  - Visibility — Se 14
  - Weight distribution — Jl 18; Se 14, 365
- Cost, operating costs affected by — 7
- Height, legal restrictions on — Se 15
- Legislation effects on — Jl 18, Jl 34; Se 13
- Length, legal restrictions on — Jl 18; Se 13
- Lubricating system
  - Accessibility requirements — 141, 143
  - Standardization — 140
- Maintenance accessibility requirements — My 36
- Makes, Stutz-Pak-Age — 440
- Propeller shaft mounting standardization — Je 30
- Six-wheel, four-wheel conversion to — 367, 372, 376, 380
- Size, over-loading relation to — 4
- Streamlining, fuel consumption affected by — Jl 18, Jl 20, Jl 34

PAGE

Motor-Truck Design and Construction (Concluded)
- Tanks
  - Army — My 30; Je 31
  - Gasoline
    - Frameless — Mr 21; Se 26
    - Six-wheel type — My 36; 374, 377
    - Strength — Mr 21; Se 26
    - Weight — Mr 21
- Weight
  - "Bridge" formula — Se 17
  - Payload relation to — 1, 6, 8, 10; Se 16
  - Legal restrictions on — My 36; Jl 18, Jl 20; Se 15, Se 16, Se 17, 364, 380
- Weight distribution, camel-back type — Jl 18; Se 13, 365
- Width
  - Legal restrictions on — Jl 18, Jl 20; Se 15
  - Tire size affected by — Je 18; Se 15

(See also Axles, Motor-Truck; Bodies, Motor-Truck; Brakes, Motor-Truck; Engines, Motor-Truck; Legislation, Motor-Truck Design and Construction; Motor-Truck Operation and Performance; Six-Wheel Vehicles; Springs, Suspension; Steering Systems, Motor-Truck; Tires, Motor-Truck; Trailers; Transmissions, Motor-Truck; and Transportation)

Motor-Truck Operation and Performance
- A Study of the Economical Loading and Operation of Motor Trucks — 1
- Cement mixing equipment — No 18, No 21
- Cost
  - Motor-truck life relation to — 8
  - Purchase price relation to — **7**
  - Six and four-wheel vehicles compared — My 36; 374, 377, 380
- Depreciation, purchase price relation to — 7
- Grade climbing ability, legal requirements — 5, 9, 10; Se 17
- Insurance, legal requirements — Mr 23
- Interstate, legal regulation — Mr 23
- Life of, operating costs related to — 8
- Lubricants and lubrication
  - Accessibility requirements — 141, 143
  - Lubricant types required — 143
  - Problems of — Mr 44
- Maintenance
  - Accessibility requirements — My 36
  - Cost — 7; Se 25
  - Equipment and methods — Jn 27
  - Inspection — Se 25
  - Preventive — Se 25
  - Tires — 36, 42, 44
- Number in operation — Mr 40; De 40
- Oil field use of — No 18, No 21
- Overloading — 8, 10, 25, 41; Se 16
- Payload
  - Camel-back construction — Se 14
  - Size relation to — 4
  - Weight relation to — 1, 6, 8, 10; Se 16
- Permits to operate — Mr 23
- Rates
  - Legal restrictions on — De 17
  - Stabilization — De 17
- Rating
  - Ability factor — 5, 9
  - Chassis weight factor — 6, 10
  - Engine speed factor — 6
  - Grade climbing ability — 5, 9, 10
  - Standard suggested — 5, 9
  - Weight relation to — 1, 8
- Speed
  - Legal restrictions on — Se 17
  - Operating requirements — 315
  - Tires affected by
    - Life — 34, 39, 43
    - Temperature — 28, 40
- Tires
  - When Is a Truck Tire Overloaded? — 25
  - Adjustments — 38
  - Balloon merits — 33, 43, 44
  - Cost, size relation to — 31, 41, 42
  - Deflection limits — 26
  - Design requirements — 25, 34
  - Dual — 36; No 20, No 21
  - Failure, overloading effects — 25, 30, 41, 43
  - Inflation pressure
    - Foreign and United States compared — 33, 43
    - Formula for computing — 28
    - Load-inflation tables — 31, 38, 43
    - Over-inflation effects — 29
    - Temperature relation to — 28

PAGE

Motor-Truck Operation and Performance (Concluded)
Life
Balloon vs. high-pressure 34
Overloading effects 25, 30, 41, 43
Speed effects 34, 39, 43
Trends 30, 42, 43
Loading
Formula for computing 28
Load-inflation tables 31, 38, 43
Overloading effects 25, 30, 41, 43
Size relation to 32, 39, 42, 43, 44
Temperature relation to 28, 40
Maintenance 36, 42, 44
Plies, number of 26, 27
Retreading economy 37, 43
Rim width, size relation to 32, 44
Size
Actual vs. nominal 32
Cost relation to 31, 41, 42
Load relation to 32, 39, 42, 43, 44
Width restriction effects Jl 18; Se 15
Temperature, factors affecting 28, 40
Wear
Overloading effects 28
Wheel alignment effects 35
Vehicle selection 1; 315
(See also Accidents and Accident Prevention, Motor-Truck; Axles, Motor-Truck; Bodies, Motor-Truck; Brakes, Motor-Truck; Engines, Motor-Truck; Legislation, Motor-Truck Operation and Performance; Springs, Suspension; Steering-Systems, Motor-Truck; Motor-Truck Design and Construction; Riding-Qualities; Six-Wheel Vehicles; Tires, Motor-Truck; Trailers; Transmissions, Motor-Truck and Transportation)

N

National Advisory Committee for Aeronautics
Aircraft research
Privately owned aircraft Fe 38, Fe 58; Mr 36; 176
Stability Fe 60; Mr 36
Streamlining 325
Annual Aircraft Engineering Research Conference Jl 30
Engine, aircraft, research
Cowling Fe 38, Fe 58; 148; Jl 44, Jl 48; 341, 342
Diesel Mr 24; 258, 261, 263, Jl 37, Jl 43; 460
Exhaust gas analysis 116, Mr 37
Nacelle and propeller location Fe 38, Fe 58; 149
Wind tunnel Mr 24; Jl 30
National Aeronautic Association My 44
National Association of Wool Manufacturers Oc 32
National Conference on Street and Highway Safety 5; Jl 20; Se 18
National Research Council of Canada 163
National Safety Council 316
Navy
Aviation
Extent No 14, No 16
Maintenance methods No 15, No 39
Detonation testing 163
Engines, aircraft Oc 31
Engines, Diesel Oc 31

O

Oil
(See Lubricants and Lubrication)
Oil Coolers
Aircraft engine use of Jl 25, 283; 346; 400, 424
Progress 515
Railcar engine, Diesel, use of Jl 36, Jl 42; 393
Oil Filters
Improvement required Mr 27; 147
Merits Se 25
Oil drainage period affected by Jl 25
Progress 428
Omnibus
(See Motorcoach)

P

Paint
(See Finishes)

PAGE

Passenger-Car
(See Automobile)
Patents, Problems Involved in Je 33
Pennsylvania State College Fe 21, Fe 22, Fe 34; Mr 29, Mr 30; 208, 210, 214, 215, 216; 223

Petroleum Industry
Automotive equipment used by No 18, No 21
Research Je 23
Pistons
MANUFACTURE OF ELLIPTICAL-SKIRTED PISTONS My 20; Jl 39; 441
THE EFFECT OF GAS PRESSURE ON PISTON FRICTION Fe 36, Fe 52; Mr 32; 200
Aircraft
Aluminum, merits 237, 246
Failure causes 236
Rings 246
Thermal conductivity requirements 237, 246
Aluminum
Aircraft use of 237, 246
Anodic treatment Fe 53; Mr 32; Jl 39; 450
Cadmium plating Mr 32
Chemical composition 441
Hardness 442
Progress 427
Clearance
Fuel consumption affected by 67
Trends 427
Wear affected by Fe 36, Fe 53; Mr 33; 195
Diesel
Displacer type Jl 37, Jl 43
Friction, gasoline engine compared with Fe 54; Mr 34
Ring design No 19
Failure causes, aircraft 236
Friction
Cylinder wall temperature effects Fe 37; 202, 204, 205
Diesel and gasoline engine compared Fe 54; Mr 34
Gas pressure effects Fe 36; 201, 203, 204, 205
Oil viscosity effects Fe 37, Fe 54; 202, 204, 205
Rubbing factor relation to Fe 37; 203, 205
Speed effetcs 201, 203
Testing Fe 36; 200
Production
Balancing 427
Casting My 20; Jl 39; 441
Heat treatment 442
Inspection 450
Machining Jl 39; 442
Progress 427
Rings
Aircraft
Cylinder wear affected by Fe 36, Fe 54
Design described 246
Hardness Fe 36
Blowby relation to Mr 33
Clearance Mr 33
Cylinder wear affected by Fe 36, Fe 53, Fe 54; Mr 33; 117, 120; 193, 195
Diesel design No 19
Hardness, aircraft Fe 36
Leaf spring units 427
Metal type, wear affected by 331
Number of 427
Oil consumption affected by 427, 428
Oil control 118
Pressure, radial Fe 36; Mr 33; 195
Progress 427
Sticking, lubricant effects Fe 36
Tapered 427
Wear
Aircraft Fe 36
Air-fuel mixture ratio effects Fe 52; 193
Carbon effects 122
Cylinder finish effects Fe 36, Fe 54; Mr 33; 121, 123
Cylinder wall temperature effects 121; Jl 24; 329, 330, 331
Data on Fe 36; Mr 33; 117, 118, 120, 121
Lubrication effects Fe 36; 118, 123
Pressure, radial, effects Fe 36; Mr 33; 195
Ring metal effects 331
Ring width effects Fe 36, Fe 54; Mr 33; 195
Skirt clearance effects Fe 36, Fe 53; 195

Abbreviations Used:

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

PAGE

Pistons (Concluded)
- Width
  - Trends 427
  - Wear affected by Fe 36, Fe 54; Mr 33; 195
- Rubbing factor
  - Friction affected by Fe 37; 203, 205
  - Gas pressure effects 203
  - Inertia force effects 203, 205
  - Lubrication affected by 204
  - Speed effects 203
- Skirts
  - Clearance Fe 36, Fe 53; 195
  - Cylinder wear affected by Fe 36, Fe 53; Mr 32, 195
  - Elliptical, slotted My 20; Jl 39; 441
  - Expansion Mr 32
- Steel 427
- Testing, friction Fe 36; 200
- Thermal conductivity requirements, aircraft 237, 246
- Tin-plating 427
- Wear
  - Data on 118, 120
  - Lubrication effects 123

Production
- WHAT THE MACHINE HAS DONE De 20, De 22
- Artistry, machine effects on De 24
- Balancing machines My 18; Jl 38, Jl 39
- Casting
  - Aircraft Jl 44; Se 19; 395, 399; No 40
  - Aluminum Jl 44; Se 19; 395, 399; No 40
  - Camshafts My 18; 288, 290, 291
  - Cost My 18; 291, 292
  - Crankshafts My 18, My 21, My 22; Jl 38
  - Cylinders 276, 279, Jl 38
  - Die casting Fe 37, Fe 55; Mr 35; De 18
  - Forging compared with My 18, My 21, My 22, My 24; 276, 279, 291, 292, Jl 38; Se 19; No 40
  - Pistons My 20; Jl 39; 441
- Drop hammer Se 19; No 36; No 40, No 44
- Forging
  - Aircraft Jl 44; Se 19; 395, 399; No 40, No 42
  - Aluminum Jl 44; Se 19; 395, 399; No 40, No 42
  - Casting compared with My 18, My 21, My 22, My 24; 276, 279, 291, 292, Jl 38; Se 19; No 40
  - Cost My 18; 291, 292
  - Crankshafts My 18, My 21, My 22; Jl 38
  - Cylinders 276, 279, Jl 38
  - Gears, transmission Je 14, Je 18
- Gages used in Je 34
- Grinding, cylindrical Se 27
- Labor
  - Employment, machine effect on De 25
  - Health, machine effects on De 24
  - Machine workers, per cent of total De 24
  - Management relation to My 39
- Lubricating oil, solvent processed Fe 30
- Management functions My 39
- Quantity-production
  - Artistry of product affected by De 24
  - Employment affected by De 24
  - Employment in, per cent of total De 24
  - Health affected by De 24
  - Living standards raised by De 22

(See also Aircraft Design and Construction, Production; Automobile Design and Construction, Production; Bodies, Production; Camshafts, Production; Corrosion and Corrosion Prevention; Crankshafts, Production; Cylinders, Production; Engines, Aircraft, Production; Finishes; Gears, Production; Pistons, Production; Tools and Welding)

R

Racing
- Aircraft engine power 270
- Automobile
  - Car design No 28; De 30
  - Engine design Je 22
  - Midget type Je 22
  - Passenger-car influenced by No 28
- Motorboat
  - Boat design Fe 29
  - Engine design Fe 29; Je 22

(See also Engines, Racing)

Railcars
- Power requirements Jl 20, Jl 34
- Speed Ap 25; Jl 37, Jl 42; 393
- Streamlining Jl 20, Jl 34
- Vibration Jl 37, Jl 42; 393

(See also Engines, Railcar, and Fuels, Railcar)

PAGE

Railroads
(See Transportation)

Research
- Engine, Diesel Se 27
- History Ap 28
- Importance of No 27, No 31
- Petroleum industry Je 23
- Progress Jn 29
- S.A.E. contribution to Mr 14

(See also Instruments; S.A.E., Research and Testing)

Riding-Qualities
- HUMAN REACTIONS TO VIBRATION Jl 14, Jl 33; 401
- PRACTICAL MEASUREMENT OF RIDING COMFORT Ag 16
- SPRING, TIRE AND SHOCK ABSORBER TESTING DEVELOPMENT Fe 30; 99
- Aircraft vibration amplitude and frequency 343
- Electric street railway 401, 407
- Factors affecting 100, 102, 103
- Motorcoach
  - Data on 114
  - Electric street railway compared with 408
- Motor-truck
  - Camel back and conventional compared Se 14
  - Data on 107, 109
  - Spring, suspension, effects 104, 109, 114
- Road effects 106
- Testing
  - Instruments for Fe 42; Mr 20, 100; Je 29; Jl 14, Jl 33; Ag 16; 401, 403, 405, 407, 408
  - Human reactions Jl 14, Jl 33; 401
  - Vehicle characteristics 100
  - Vibration effects Jl 14, Jl 33; 401
- Tire effects
  - Importance of 99, 100, 102, 108
  - Pressure Ag 21
- Trends Jn 40
- Vehicle design effects
  - Balance My 20; Jl 38
  - Body rigidity Ag 21
  - Cars compared Jl 14, Jl 33; 405
  - Frame rigidity Ag 21
  - Progress Jn 40; Ag 21
  - Seats
    - Accelerations in 103
    - Cushions Jl 14; Ag 30; 407
  - Shock absorbers
    - Accelerations 110
    - Hydraulic, temperature Ag 21
    - Importance of 99, 100, 102, 108
    - Vibration amplitude 103, 110
  - Springs, suspension
    - Compensated 108, 109
    - Importance of 99, 100, 102, 111
    - Independent wheel 406
    - Motor-truck 104, 109, 114
    - Repairing effects 109
    - Rubber 408
    - Vibrations, forced, in 110
  - Weight distribution Ag 20
- Vehicle movements affecting
  - Accelerations
    - Data on 102, 103, 109, 110, 114
    - Human tolerance for 103; 402, 403, 407, 408
    - Importance of 100
    - Shock absorber effects 110
    - Space-time determinations of 103, 115
    - Spring, suspension, effects 104, 109
  - Amplitude
    - Data on 102, 103, 107, 109, 110, 114
    - Shock absorber effects 103, 110
    - Spring, suspension, effects 104, 109
  - Analysis of Ag 16, Ag 20
  - Axle, data on 103, 104, 105, 107, 109, 110, 114
  - Body
    - Data on 102, 103, 107, 109, 110, 114
    - Spring, suspension, effects 104, 109
    - Testing 100
  - Cars compared Jl 14, Jl 33; 405
  - Frequency, human tolerance for Fe 24; Mr 31; 129; 402, 403
  - Horizontal vs. vertical Ag 21
  - Human tolerance for Fe 24; Mr 31; 129; Jl 14, Jl 33; 401, 403, 405, 407, 408
  - List of 103
  - Longitudinal, human tolerance for 402, 403, 407
  - Seats 103
  - Speed effects Jl 14; Ag 21; 406, 407
  - Standard curves as criteria 113

PAGE

Riding-Qualities (Concluded)
- Testing 100
- Transverse, human tolerance for Jl 14; 402, 403
- Velocity 103
  - Data on 103
  - Space-time determinations of 103, 115
- Vertical, human tolerance for Jl 14; 402, 403
- Wheel
  - Data on 103
  - Spring, suspension, effects 104
  - Testing 100
- Vehicle wear affected by 102, 107, 108, 110

(See also Accelerometers and Instruments)

Rims

(See Tires and Rims)

Roads and Streets
- Construction
  - Costs
    - Distribution of Je 31
    - Foreign De 30
    - Taxation as source of Jl 13, Jl 18; Ag 14, 314
  - Machines used in De 30
  - Tractors used in My 29; Je 31
- Design
  - Divided trunk lines Jl 13, Jl 15, Jl 36; Ag 14
  - Grade separations Ap 26; Jl 15, Jl 36; Ag 14
  - Grades Oc 26; 510
- Lighting Mr 22; Jl 15, Jl 18, Jl 36; Ag 14, 318, 322
- Pan-American Highway De 30
- Riding qualities affected by 106
- Snow removal equipment My 29
- Surface
  - Dual Ap 26
  - Noise affected by 386
- Traffic
  - Congestion evils Fe 34; Ap 14; Ag 13, Ag 14
  - Control
    - Research fellowships Ap 28
    - Safety factor Jl 15, Jl 18; Ag 14, 322

Rubber
- Body seat materials 407
- Engine mounting 342, 344; 430
- Spring, suspension, use of 408

S

S.A.E.
- S.A.E. OBLIGATIONS ARE OPPORTUNITIES TO LIVE UP TO THE BEST TRADITIONS Fe 16; Mr 13
- Accident prevention Fe 19, Fe 23; Ap 13; Jl 26; 313; Oc 27; No 18
- Committees
  - Administrative
    - Constitution Fe 45
    - Finance Fe 45
    - House Fe 45
    - Meetings Fe 41, Fe 45
    - Membership Fe 41, Fe 45
    - Publications Fe 41, Fe 45
    - Sections Fe 43, Fe 45
  - Brake Fe 48
  - Engineering Display Fe 48
  - Engineering Relations Jn 27; Fe 19, Fe 23, Fe 48
  - Foreign Relations Je 23
  - Institutional History and Museum Fe 48
  - Manly Memorial Medal Board of Award Fe 48
  - Motor-Truck and Motorcoach rating Fe 48
  - Nominating Fe 51
  - Ordnance Advisory Fe 48
  - Placement Fe 48
  - Representatives on other organizations and committees Fe 48; My 43; Ag 22
  - Research Fe 23, Fe 41, Fe 46; Mr 19
  - Tractor Testing Code Ag 30
  - Wright Brothers Medal Board of Award Fe 48
- Constitution, by-law changes Jn 29
- Council Fe 26
- Finances Fe 44
- Functions Fe 16; Mr 13
- Meetings
  - Aeronautical Chamber of Commerce cooperation Se 19; Oc 18; No 14

PAGE

S.A.E. (Continued)
- Air Transport Association of America cooperation Se 19; Oc 18; No 14
- American Society of Mechanical Engineers cooperation Mr 24; Ap 21; My 33; No 27
- American Welding Society cooperation Fe 56
- Annual Jn 22, Jn 24, Jn 40; Fe 15, Fe 41; Jl 46; Ag 31; Se 22; Oc 34; No 31; De 27, De 37
- Annual Business Session Fe 15, Fe 51; De 21
- Annual Dinner Fe 41; My 38; Je 33; Jl 46; Ag 31; Se 22; Oc 34; No 25, No 31; De 20
- Attendance Fe 41
- Engineering displays at Fe 23, Fe 41, Fe 53; Mr 41
- Foreign representatives at Fe 23
- National Aircraft Production Mr 25; My 38; Je 21, Je 33; Jl 32 Jl 46; Ag 31; Se 19, Se 22; Oc 18, Oc 34; No 14
- National Production Fe 40, Fe 41; Mr 43; Ap 24, Ap 29; My 17; Jl 38
- National Tractor and Industrial Power Equipment Fe 40, Fe 41; Mr 22, Mr 43; Ap 22, Ap 29; My 29; No 29
- National Transportation Fe 41
- Papers, awards for Fe 41
- Regional
  - Fuels and Lubricants, Dallas Se 22; Oc 34; No 18
  - Meetings Committee cooperation Fe 41
  - Pacific Jn 38
  - Report on Fe 41, Fe 43
  - Transportation and Maintenance, Newark Oc 34; No 31; De 17
  - Transportation and Maintenance, Southern California No 31
- Sections cooperation Fe 41; Se 19; Oc 18
- Sports events Jl 25, Jl 43
- Summer Fe 23, Fe 40, Fe 41; Mr 43; Ap 17, Ap 29; My 25, My 38; Je 33

Membership
- Applicants for membership Jn 32; Fe 32, Fe 41; Mr 18; Ap 23; My 37; Je 27; Jl 45; Ag 28; Se 28; Oc 25; No 22; De 38
- Applicants qualified Jn 32; Fe 32, Fe 41; Mr 18; Ap 23; My 37; Je 26; Jl 45; Ag 27; Se 28; Oc 25; No 22; De 38
- Campaign for increase of Fe 43; Ag 22
- Life, award of Fe 51
- Obituaries Jn 37; 45, Fe 50; Mr 17; Ap 19; My 44; Je 26; Jl 29; Ag 27; Se 21; Oc 21; No 32
- Personal notes Jn 36; Fe 49; Mr 16; Ap 18; My 42; Je 24; Jl 28; Ag 26; Se 20; Oc 20; No 32; De 34

Officers
- Election Fe 15, Fe 25
- Nomination Oc 33; De 21
- President Fe 25; My 34; No 27
- Vice-Presidents Fe 27

Notes and Reviews Jn 42; Mr 46; Ap 32; My 46; Je 36; Jl 58; Ag 32; Se 30; Oc 36; De 42

Placement Service Jn 33; Fe 31, Fe 43; Ap 28; Je 20

Professional Activities
- Aircraft Fe 27, Fe 45
- Aircraft-engine Fe 27, Fe 45
- Diesel engine Fe 27, Fe 45
- Fuels and Lubricants Fe 27, Fe 45; Se 22
- Passenger-car Fe 28, Fe 45
- Passenger-car Body Fe 28, Fe 45; Jl 20
- Production Fe 15, Fe 46, Fe 56; My 17
- Tractor and Industrial Power Equipment Jn 30, Jn 31; Fe 28, Fe 46; Mr 20; Ag 30, Ag 31; No 29
- Transportation and Maintenance 5; Fe 16, Fe 28, Fe 46; Mr 15, Mr 25; Jl 46
- Truck, Bus and Railcar Fe 17, Fe 28, Fe 33, Fe 46; Mr 27; Jl 46

Publications
- Journal Fe 41; Mr 15
- Roster Fe 41
- Transactions Fe 41

Research
- Aims and scope Jn 39
- Body trim Oc 32
- Compression-ignition Fe 21, Fe 34; Mr 29; 225; 460, No 29
- Fuels Jn 34
- Highways Fe 42
- Ignition Fe 42; Je 32; Ag 31
- Lubricants
  - Extreme-pressure Jn 30, Jn 39; Fe 42; Mr 20; 138, 139, 143; Je 28; 294, 296; Ag 30; No 23
  - Oil stability Jn 31; Fe 42; Mr 19; Je 30; Ag 30; De 28
  - Oiliness Jn 30; Fe 41; Mr 19; Je 30; Ag 30

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

S.A.E. (Continued)
- National Association of Wool Manufacturers and Textile Foundation cooperation — Oc 32
- Riding-qualities — Fe 42; Mr 20; Je 29; Ag 16, Ag 30; 408
- Value of — Mr 14
- Wheel alignment — Fe 42; Mr 20; Je 30; Ag 29; Oc 16
- Safety driving contest — Jl 26
- Sections
  - Baltimore — Jn 28, Jn 40; Fe 30, Fe 40, Fe 43; Mr 43; Ap 25, Ap 29; My 33, My 38; Je 33; Ag 22; Oc 26, Oc 27, Oc 34; No 31; De 30
  - Buffalo — Jn 29; Fe 40; Mr 23, Mr 43; Ap 29; My 38; Je 21; Oc 26, Oc 27, Oc 34; No 27; De 30, De 37
  - Canadian — Jn 26, Jn 40; Fe 31, Fe 40, Fe 43; Mr 43; Ap 20, Ap 29; My 38, My 39; Je 21, Je 33; Ag 24; Se 22; Oc 26, Oc 27, Oc 34; No 30, No 31; De 30
  - Chicago — Jn 26, Jn 28; Fe 40, Fe 41, Fe 43; Mr 41, Mr 43; Ap 21, Ap 22, Ap 29; My 38, My 39; Jl 46; Ag 22; Se 27; Oc 26, Oc 27, Oc 34; No 28, No 31; De 30, De 37
  - Cleveland — Jn 29; Fe 41; Mr 21, Mr 43; Ap 27, Ap 29; My 38, My 40; Je 20, Je 34; Se 22; Oc 26, Oc 27, Oc 32, Oc 34; No 31; De 30, De 37
  - Dayton — Jn 28, Jn 40; Fe 31, Fe 40, Fe 43; My 36; Je 34; Oc 26, Oc 27; De 30, De 33, De 37
  - Denver Club — Fe 43; Ap 29; My 34, My 40
  - Detroit — Jn 26, Jn 40; Fe 40, Fe 41, Fe 43; Mr 43; Ap 20, Ap 29; My 38; Je 21, Je 33; Ag 23; Se 26; Oc 26, Oc 27, Oc 34; No 29, No 31; De 30, De 33, De 37
  - Indiana — Jn 26, Jn 40; Fe 40, Fe 43; Mr 21, Mr 24, Mr 43; Ap 20, Ap 29; My 33, My 38; Jl 46; Se 27; Oc 26, Oc 27, Oc 34; No 27, No 31; De 30, De 31, De 37
  - Kansas City — Oc 26, Oc 27; No 27; De 30, De 37
  - Meetings assisted by — Fe 41; Se 19; Oc 18
  - Metropolitan — Jn 28, Jn 40; Fe 29, Fe 40, Fe 41, Fe 43; Mr 23, Mr 40, Mr 43, Mr 44; Ap 22, Ap 27, Ap 29; My 33, My 36, My 38, My 39; Je 22, Je 33; Ag 22; Se 22, Se 27; Oc 26, Oc 27, Oc 31, Oc 34; No 28, No 31; De 17, De 30, De 37
  - Milwaukee — Jn 28, Jn 39; Fe 40, Fe 43; Mr 40, Mr 43; Ap 29; My 38; Je 31; Se 22, Se 26; Oc 26, Oc 30, Oc 34; No 30, No 31; De 30, De 32, De 37
  - New England — Jn 29, Jn 40; Fe 30, Fe 40, Fe 43; Mr 24, Mr 43; Ap 26, Ap 29; My 36, My 38; Je 20, Je 23; Ag 24; Oc 26, Oc 30, Oc 34; No 28, No 31; De 17, De 30, De 37
  - Northern California — Jn 27, Jn 40; Fe 31, Fe 40, Fe 43; Mr 24, Mr 43, Mr 44; Ap 27, Ap 29; My 33, My 34, My 38, My 41; Je 20, Je 22; Se 22, Se 26; Oc 26, Oc 30, Oc 34; No 26, No 29, No 31; De 30, De 31, De 37
  - Northwest — Jn 40; Mr 21, Mr 43; Ap 28; My 38, My 40; Je 33; Jl 30; Se 22, Se 26; Oc 26, Oc 30, Oc 31, Oc 34; No 30; De 30, De 37
  - Officers — Jn 26; Ag 22; Se 22; Oc 26, Oc 27; No 27
  - Oregon — Jn 28, Jn 39, Jn 40; Fe 30, Fe 40, Fe 43; Mr 24, Mr 43; My 34, My 38, My 40; Se 22; Oc 26, Oc 30, Oc 34; No 26, No 31; De 30, De 33
  - Philadelphia — Jn 40; Fe 30, Fe 40; Mr 22, Mr 43; Ap 21, Ap 29; My 36, My 38; Je 22; Oc 26, Oc 30, Oc 34; No 28, No 31; De 17, De 30, De 32, De 37
  - Pittsburgh — Jn 26, Jn 40; Fe 40; Mr 23, Mr 43; Ap 25; Je 23; Jl 30; Ag 22; Se 26; Oc 26, Oc 30; De 30, De 31
  - Placement service — Fe 43
  - Report on — Fe 43
  - St. Louis — Jn 40; Fe 40; Mr 43; Ap 29; Oc 26, Oc 30; De 30, De 37
  - Southern California — Jn 26, Jn 27, Jn 29, Jn 39, Jn 40; Fe 29, Fe 40; Mr 21, Mr 43; Ap 29; My 34, My 36, My 38, My 41; Ag 22; Se 22, Se 27; Oc 26, Oc 30, Oc 34; No 31; De 30, De 33, De 37
  - Southern New England — Jn 26, Jn 40; Fe 29, Fe 40, Fe 43; Mr 22, Mr 43; Ap 25, Ap 29; My 38, My 39; Jl 46; Oc 26, Oc 30; No 31; De 30, De 32, De 33, De 37
  - Syracuse — Fe 40, Fe 43; Mr 22, Mr 43; Oc 26, Oc 30; No 31; De 30, De 37
  - Washington — Jn 27, Jn 40; Fe 30, Fe 40; Mr 24, Mr 43; Ap 25, Ap 29; My 38, My 40; Je 20; Se 25; Oc 26, Oc 30, Oc 34; No 27, No 31; De 30, De 37
  - Wichita — Fe 30, Fe 41
- Student Activities
  - General Motors Institute of Technology — Fe 43; Mr 41; Ap 28; Je 20, Je 33; De 31
  - Massachusetts Institute of Technology — Jn 29; Fe 43
  - New York University — Jn 28, Jn 29; Fe 29, Fe 43; My 39, My 40; Je 20; De 32
  - Ohio State University — Fe 43; Mr 40; Ap 21
  - Oregon State College — Fe 30, Fe 43; Ap 26; Je 20; Jl 30

PAGE

S.A.E. (Concluded)
- Paper competition — Jn 28; Ap 27; My 39, My 40; Je 20; Jl 30, Jl 31; No 31
- Progress — Je 20
- Purdue University — Fe 43; Jl 31
- Value of — Jn 28; Mr 15
- Value of — Jn 23

(See also Cooperative-Fuel Research and Standardization Activities, S.A.E.)

Shock Absorbers
- Accelerations in — 110
- Air, motorcoach use — 114
- Air-spring device — Fe 35; Mr 31; 128
- Hydraulic
  - Temperature effects — Ag 21
  - Wheel movement affected by — 127
- Motorcoach, air — 114
- Movements, amplitude of — 103, 110
- Progress — 436
- Riding-qualities affected by — 99, 100, 102, 108, 110

Six-Wheel Vehicles
- THE CONSTRUCTION AND OPERATION OF SIX-WHEEL TRUCKS — My 36; 362
- Axles, driving, number of — 365
- Drive constructions — My 36; 365, 370, 371, 372, 374, 375
- Engine, dual — 373
- Four-wheel motor-truck compared with — My 36; 374, 377, 380
- Four-wheel motor-truck converted to — 367, 372, 376, 380
- Grade climbing ability — 374
- Heavy-duty type — 374, 380
- History — 362, 364
- Insurance — 363
- Length, legal restrictions on — Se 13, Se 15
- Light type — My 36; 374, 377
- Makes
  - Büssing-Nag — 373
  - Federal — 367
  - Grico — 367
  - Hendrickson — 366, 373
  - International Harvester — 366, 367, 373
  - Krupp — 373
  - Mack — 365, 367, 369
  - Maxi — 364, 367, 376
  - Mercedes-Benz — 373
  - Six Wheels — 364
  - Sterling — 365, 367, 372
  - Thornton — 367
  - Trucktor — 367, 372, 376
  - Truxmore — 367
  - Werner — 373
- Operating cost — My 36; 377, 380
- Rating, weight relation to — 3, 9
- Semi-trailer
  - Camel-back motor-trucks used with — Se 14
  - Merits — 362
  - Rigid type compared with — My 36; Jl 18; Se 16, Se 17, 362, 371
  - Weight — Jl 18; Se 16, Se 17, 362, 364
  - Weight distribution — No 26
- Tanks, gasoline — My 36; 374, 377
- Tires, wear — My 36; 370, 371, 372, 374, 376
- Traction — 367, 371
- Traction devices, removable — 376, 380
- Weight
  - Legal restrictions on — Jl 18; Se 16, Se 17, 364, 374
  - Rating relation to — 3, 9
  - Rigid type and semi-trailers compared — Jl 18; Se 16, Se 17, 362
- Weight distribution
  - Driving axle share — 365
  - Legal restrictions on — No 26
  - Steering affected by — My 36; 371
  - Tanks, gasoline — 378, 379

(See also Axles, Six-Wheel Vehicles; Brakes, Six-Wheel Vehicles; Engines, Motor-Truck; Frames, Six-Wheel Vehicles; Springs, Suspension, Six-Wheel Vehicles; Steering-Systems, Six-Wheel Vehicles and Universal Joints, Six-Wheel Vehicles)

Springs, Suspension
- AIR SPRINGS—TOMORROW'S RIDE — Fe 24, Fe 35; Mr 31; 126
- Air
  - Damping action — Fe 35; Mr 31; 128
  - Deflection rate — Fe 35; Mr 31; 128
  - Design described — Fe 24, Fe 35; Mr 31; 127
  - Frequency — 132
  - Installation — 131
  - Side sway control — Fe 35; 131

PAGE

Springs, Suspension (Concluded)
- Temperature rise in — Fe 24
- Weight — 132
- Coil, usage extent — Mr 27
- Compensated
  - Motorcoach use — 108
  - Motor-truck use — 109
  - Riding-qualities affected by — 108, 109
- Deflection rate
  - Air spring — Fe 35; Mr 31; 128
  - Data on — 127; 434, 435
  - Riding-qualities affected by — 105, 107
- Design requirements — 126
- Durability, factors affecting — 112
- Failure prevention — 60
- Frequencies
  - Air spring — 132
  - Data on — **127**
  - Riding-qualities affected by — Fe 24; Mr 31; 129
- Functions — Jn 40
- Future predicted — Fe 35, Fe 51
- Heat treatment — 112
- Improvements needed — **112**
- Independent wheel
  - Air spring used in — Fe 24, Fe 35; Mr 31; 126
  - Progress — 435
  - Riding-qualities affected by — 406
  - Six-wheel vehicle use — My 36; 373
  - Usage extent — Fe 24, Fe 35, Fe 51
  - Wheel alignment affected by — Fe 24
- Leaf, usage extent — Mr 27
- Lubrication
  - Leaves, pre-lubricated — 434
  - Shackle — 141, 145
- Motorcoach, compensated — 108
- Motor-truck
  - Compensated — 109
  - Riding-qualities affected by — 104, 109, 114
- Progress — No 13, 434, 435
- Repairing, riding-qualities affected by — 109
- Riding-qualities affected by — Fe 24; 99, 100, 102, 104, 105, 107, 108, 109, 111, 114, Mr 31; 129; 406
- Rubber used in — 408
- Shackles, lubrication — 141, 145
- Side sway control
  - Air spring effects — Fe 35; 131
  - Stabilizers, transverse — 127; 230; 434, 435
- Six-wheel vehicles — My 36; 364, 365, 367, 372, 373, 375
- Stabilizers, transverse — 127; 230; 434, 435
- Steels used in — 112, Mr 27
- Vibrations, forced — 110
- Weight, air vs. metal — 132

Springs, Valve
- Steels used in — Mr 37
- Surge damper — 426

Standardization
- International — Je 30; Se 22
- Noise measurement — Je 29

(See also Standardization Activities, S.A.E.)

Standardization Activities, S.A.E.
- Aircraft
  - Bolts and nuts — 266
  - Hardware — Je 30; De 28
- Aircraft-engine, propeller shaft ends — Je 32
- American Standards Association cooperation — Fe 44; Je 28; Je 29; 266; Ag 22; Se 22
- Ball and roller bearing lock nuts and washers — Mr 19; 266; De 28
- Committee
  - Membership — Fe 47; Ag 22; Se 21; Oc 32
  - Report — Fe 43; 266
- Detonation testing — 266
- Diesel engine testing forms — Jn 30; De 29
- Division reports approved — Fe 43; 266
- Electrical equipment
  - Battery rating — Jn 30; Mr 19
  - Fuses and fuse clips — Jn 31; Je 32; De 29
- Foreign cooperation with — Je 33
- Gasoline engine
  - Fan belt and pulley — Jn 30; Je 30; Oc 32; No 28; De 29

PAGE

Standardization Activities, S.A.E. (Concluded)
- Testing forms — Jn 30; De 29
- Valve seat inserts — Jn 31; Je 28; Oc 32; No 28; De 29
- Glass
  - Plate — Oc 32
  - Safety — Je 29; Ag 29; No 28
- Handbook — Fe 43; Mr 15; 266; Ag 31; Oc 32; No 28; De 28
- License plate — Jl 47
- Lighting
  - Headlighting laboratory test specifications — Fe 43, Fe 44; No 28; De 29
  - Lamp — Mr 19
  - Revision of — Jl 47; Oc 32
- Lubricant
  - Extreme-pressure — No 23, No 28
  - Oil viscosity — Oc 32; De 29
  - Sub-division formed — Jl 46; Ag 22; Se 21; Oc 32
- Machine tool — Je 28; 266
- Motorcoach propeller shaft mounting — Je 30
- Motor-truck
  - Propeller shaft mounting — Je 30
  - Rating — 5, 9
- Non-ferrous metal — Fe 43; Mr 20; De 29
- Parts and fittings
  - Bumper — Je 28
  - Fuel and lubrication tube fittings — Fe 43; Mr 20; Se 22
  - Speedometer drives — Jn 31; Je 29
- Production — Fe 43
- Tractor
  - Revision of — Je 28; 266
  - Testing code — Jn 31; Je 28; Ag 30; No 29; De 29
- Trailer coupling — Oc 26
- Value of — Jn 29, Jn 39; Fe 16; Mr 14

Steels
- Aircraft — Jl 44
- Alloy history — Ap 20, Ap 27
- Bodies — 438
- Automotive use of — Fe 17, Fe 33; Mr 27
- Brake drum — Mr 27, Mr 28
- Camshaft — 289, 290
- Case hardening — Jn 16
- Cast iron compared with
  - Camshafts — 289, 290
  - Physical properties — 290
  - Wear — 289
- Chemical composition
  - Crankshaft — My 22
  - Gear, transmission — Fe 56; Je 14, Je 17
- Crankshaft — My 22
- Cyaniding — Mr 28
- Die casting — Fe 55, Fe 56; Mr 35
- Engine, aircraft, exhaust manifold — 284
- Gear — Jn 16, Jn 18, Jn 21; Fe 56; Je 13, Je 14, Je 16, Je 17, Je 19
- Oil hardening — Jn 16
- Physical properties
  - Camshaft — 290
  - Cast iron compared with — 290
  - Crankshaft — My 22
  - Gear — Fe 56; Je 16, Je 19
- Piston — 427
- Production — Je 13
- Progress — Fe 18, Fe 33; Mr 27; Je 13
- Rigidity importance — Mr 28
- Springs, suspension — Mr 27; 112
- Springs, valve — Mr 27
- Stainless, aircraft use of — Jl 44
- Testing — Mr 28
- Valve — Mr 27; 236, 245; 269; 427
- Wear, cast iron compared with — 289

Steering Systems
- Gear reduction ratios, trends — 437
- Geometry
  - Analysis of — Jn 39
  - Six-wheel vehicle — My 36; 371, 372, 374
- Load distribution effects — My 36; 371
- Lubricant requirements — 141, 145
- Maintenance — 58
- Motor-truck, camel-back construction — Se 14
- Progress — No 13, 437
- Six-wheel vehicle — My 36; 371, 372, 374

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Steering Systems (Concluded)
- Wheel alignment effects 434
- Wheels
  - Play Ag 29
  - Progress 439

Streets
(See Roads and Streets)

Superchargers and Supercharging
- Aircraft
  - Air-fuel mixture temperature affected by 247
  - Altitude effects 247; 285
  - Fuel consumption affected by 308
  - Gear ratio effects 285; 308
  - Gears for Je 34
  - Induction improved by 237, 247
  - Power affected by 308
  - Power consumed by Je 34
  - Pressure
    - Fuel type effects 269, 273
    - Requirements 267, 270, 275
  - Regulator, automatic 268, 269
  - Temperature, detonation affected by 278, 279
  - Turbine type merits 285; No 29
  - Two-speed 247
- Automobile
  - Example given 429
  - Fuel consumption affected by Ag 24
  - Power affected by Ag 22
  - Racing engine use of No 28
- Diffuser design 259
- Efficiency, thermal, affected by Mr 28; 421
- Fuel injection into 258, 259, 264
- Function of Ag 22
- Motorcoach 429
- Power affected by Jl 35; 418, 421
- Turbine type merits 285; No 29

T

Tanks
- Army My 30; Je 31
- Gasoline Mr 21; My 36; 374, 377, Se 26

Temperature
- Engine
  - Combustion 420
  - Cylinder Jl 24; 329, 331
- Engine, aircraft
  - Cylinder, cooling types compared
    - Air-cooled 165, 169; 238, 253, 254; 307, 334
    - Liquid-cooled 274
  - Lubricating oil Jl 25
- Tire 28, 40

Testing
- Air cleaner Jn 30; Je 29
- Aircraft
  - Bureau of Air Commerce Mr 41; Oc 18; No 14, No 40, No 46
  - Drag 150
  - Noise Je 29
  - Production inspection Jl 37; Oc 18, 399; No 14, No 40, No 46
  - Propellers 471, 476
  - Time required for No 17
  - Vibration 342; 471, 476
- Automobile
  - Driver skill Jl 17, Jl 26
  - Noise Jl 23, Jl 33, Jl 34; 383, 384, 385, 387, 388, 389, 392, 393
  - Streamlining Jl 20, Jl 34; 516
- Axle, photo-elastic Oc 32
- Battery life Jn 30; Mr 19
- Camshaft 290, 292
- Crankshaft
  - Production methods My 21, My 22, My 23
  - Vibration Jl 34; 471, 476, 479; 495
- Cylinders
  - Combustion chamber merits Fe 62; Mr 37, Mr 38
  - Temperature 329
  - Wear Fe 36, Fe 52, Fe 54; Mr 33, Mr 34; 192, 193, 194, 197
- Engine
  - Air consumption 92, 93, 97; Fe 62
  - Combustion
    - Combustion-chamber window materials Jl 34; Jl 41; 448
    - Indicator, cathode ray Jl 34, Jl 41; 488, 495
    - Ionization gap method 488, 498
    - Photographic methods Jl 35, Jl 41; 297
  - Cooling, radiators 504, 510
  - Exhaust gas 92, 94, 97, Mr 37
  - Fuel consumption 92
  - Instruments Oc 26
  - Standard forms for Jn 30; De 29

PAGE

Testing (Concluded)
- Vapor lock Fe 42; Je 28
- Vibration, indicator, cathode ray Jl 34; 495
- Engine, aircraft
  - Altitude effects 11
  - Instruments for Fe 39; 196; 348; No 16, No 39
  - Vibration No 38, No 40; 471, 476, 479
- Engine, Diesel
  - Combustion
    - Cooperative Fuel-Research engine used Jl 34; 492
    - Indicator, cathode ray Jl 34; 489, 491
    - Photo-electric cell Jl 35; 460, 465
    - Photographic methods Jl 37, Jl 43
  - Exhaust smoke 220
  - Fuel feeding, cathode ray indicator Jl 34, Jl 41; 488, 489, 495
  - Standard forms for Jn 30; De 39
- Fuel
  - Diesel Jn 38; Fe 21, Fe 34; Mr 29; 206; 217, 225
  - Tractor My 31; Je 32
  - Water tolerance 335
- Gasoline
  - Vapor locking tendencies 356
  - Vapor pressure 351
- Gear wear 289
- Headlighting, standard laboratory test specification Fe 43; Oc 32; No 28; De 29
- Ignition timing, cathode ray indicator used Jl 34; 495
- Induction pressure, cathode ray indicator used 495
- Lubricant
  - Extreme-pressure, load-carrying ability, machines for
    - Almen 138; 294
    - Faville-Levally 138
    - Floyd-hydraulic 138
    - S.A.E. Research type Jn 39; Fe 42; Mr 20; 138, 139; Je 28; 296; Ag 30; No 23
    - Timken 138; 294
    - Worm gear type 295
  - Oil, engine rating of No 37, No 39
- Metals, cast iron 290
- Noise, standardization Je 29
- Piston
  - Friction Fe 36; 200
  - Production inspection 450
- Riding-qualities
  - Instruments for Fe 42; Mr 20, 100; Je 29; Jl 14, Jl 33; Ag 16; 401, 403, 405, 407, 408
  - Human reactions Jl 14, Jl 33; 401
  - Vehicle characteristics 100
  - Vibration effects Jl 14; Jl 33; 401
- Spark plug Fe 42; Je 32; Ag 31
- Steel Mr 28
- Tires Je 28; Ag 30; No 29; De 29
- Tractor, farm Jn 31; Je 28; Ag 30; No 29; De 29
- X-rays used in No 40, No 44

(See also Detonation, Testing; Fuels, Diesel, Rating and Instruments)

Textile Foundation Oc 32

Tires and Rims
- Adjustments, size relation to 38
- Cost
  - Size relation to 31, 41, 42
  - Trends Ap 25
- Failure causes 25, 41
- Life
  - Balloon vs. high pressure 34
  - Overloading effects 25, 30, 41, 43
  - Speed effects 34, 39, 43
  - Trends 30, 42, 43
- Loading
  - Load-inflation tables 29, 31, 33, 38, 43
  - Overloading effects 25, 30, 41, 43
  - Size relation to 32, 39, 42, 43, 44
  - Temperature relation to 28, 40
- Maintenance 36, 42, 44
- Pneumatic
  - Balloon
    - Life, high pressure compared with 34
    - Motorcoach and motor-truck use 33, 43, 44
  - Carcass, plies, number of 26, 27
  - Deflection limits 26
  - Inflation pressure
    - Formula for computing 28
    - Operating effects 40
    - Over-inflation effects 29
    - Riding-qualities affected by Ag 21
    - Tables 29, 31, 33, 38, 43
    - Tire temperature relation to 28

PAGE

Tires and Rims (Concluded)
- Motorcoach
  - Balloon merits 33, 43, 44
  - Design requirements 34
  - Inflation pressure 34
  - Size 434
- Motor-truck
  - Balloon merits 33, 43, 44
  - Design requirements 25, 34
  - Dual 36, 40; No 20, No 21
  - Failure causes 25, 41
  - Overloading effects 25, 41, 43
  - Size, width restriction effects on Jl 18; Se 15
- Retreading economy 37, 43
- Tractor
  - Parts breakage decreased by My 32
  - Size standardization Jn 31; Mr 20
  - Testing Je 28; Ag 30; No 29; De 29
  - Traction decreased by My 31
- Tubes, puncture proof 38
- Riding-qualities affected by 99, 100, 102, 108; Ag 21
- Rim width
  - Overloading effects 29
  - Tire size relation to 32, 44
- Size
  - Actual vs. nominal 32
  - Adjustment relation to 38
  - Cost relation to 31, 41, 42
  - Load relation to 32, 39, 42, 43, 44
  - Motorcoach 434
  - Motor-truck Jl 18; Se 15
  - Passenger-car 434
  - Rim width relation to 32, 44
  - Tractor standardization Jn 31; Mr 20
- Temperature, factors affecting 28, 40
- Testing Je 28; Ag 30; No 29; De 29
- Wear
  - Overloading effects 28
  - Six wheel vehicle effects My 36; 370, 371, 372, 374, 376
  - Wheel alignment effects 35; 58

Tools
- Cutting, tungsten carbide My 20; Jl 39
- Design engineer's relation to Mr 22
- Machine
  - Aircraft production use of 396; 445; No 35, No 39
  - Flanging 396; 445
  - Forging, age of My 19; 292
  - Riveting Jl 44; 397; 447
  - Standardization Je 28; 266

Tractors, Army, Tracklaying Type My 30; Je 31

Tractors, Farm
- Standardization My 30; 266
- Testing, standard code for Jn 31; Je 28; Ag 30; No 29; De 29
- Tires, pneumatic
  - Parts breakage reduced by My 32
  - Size standardization Jn 31; Mr 20
  - Testing Je 28; Ag 30; No 29; De 29
  - Traction decreased by My 31
- Transmission, progress Jn 19

(See also Engines, Tractor and Fuels, Tractor)

Tractors, Industrial
- Road construction type My 29; Je 31
- Snow removal My 29

Traffic
(See Roads and Streets)

Trailers
- Coupling standardization Oc 26
- Semi-trailers
  - Camel-back motor-trucks used with Se 14
  - Insurance 363
  - Length, legal restrictions on Se 13, Se 15
  - Rigid six-wheel vehicles compared with My 36; Jl 18; Se 16, Se 17, 362, 371
  - Weight
    - Legal restrictions on Jl 18; Se 16, Se 17, 364
    - Rigid six-wheel vehicles compared with 362
  - Weight distribution, legal restrictions on No 26
- Tanks, gasoline Mr 21; My 36; 374, 377; Se 26
- Tires, dual 36

PAGE

Transmissions
- Some Thoughts on Present Day Automobile Transmissions Jn 13
- What Variable Speed Transmissions Must Do Jn 28; 224
- Automatic
  - Design described My 29
  - Design requirements Jn 28; 224; Se 26
  - Merits Oc 14
- Four wheel drive, motor-truck No 18, No 21
- Front wheel drive
  - Merits Fe 55; Mr 34
  - Universal joints for 432
- Gear mounting, importance Jn 20
- Gearshifting, electro vacuum No 28
- Life of Jn 15
- Lubricant requirements 137, 145, 146
- Makes
  - Falk Se 26
  - Transitorq My 39
  - Warner 431
- Motor-truck
  - Four wheel drive No 18, No 21
  - Life of Jn 15
- Multiple-meshing merits Jn 17
- Overdrive Oc 14; 431; De 19
- Progress Jn 13, Jn 18, Jn 21; My 40; No 13, 431
- Shaft deflection Jn 21
- Six-wheel vehicles My 36; 365, 370, 371, 372, 374, 375
- Stresses Jn 15, Jn 18, Jn 19, Jn 21
- Synchromesh
  - Friction cone and drum type Jn 13
  - Inertia check type Jn 13
  - Progress Jn 13; 431
- Temperature reduction means Jn 21
- Tractor, progress Jn 19

(See also Gasoline-Electric Drive and Gears, Transmission)

Transportation
- Electric street railway
  - Motorcoach compared with 408
  - Riding-qualities 401, 407
  - Trackless trolley compared with 408
- Railroad, aviation competition with Jl 50; 387
- Trackless trolley
  - Electric street railway compared with 408
  - Riding-qualities 408

Trucks
(See Motor-Truck)

Tubes
(See Tires and Rims)

U

Universal Joints
- Failure prevention 60
- Front wheel drive requirements 432
- Lubrication
  - Lubricant requirements 141, 145, 146
  - Progress 432

V

Valves and Valve Gear
- Aircraft
  - Cooling
    - Salt 236
    - Sodium 245
  - Exhaust 236, 245; 269
  - Inlet, design 246
  - Steels 236, 245; 269
- Clearance, failures affected by 58
- Cooling
  - Salt 236
  - Sodium 245
- Exhaust
  - Aircraft 236, 245; 269
  - Steels 236, 245; 269; 427
- Failure causes 58; 502
- Inlet
  - Aircraft design 246
  - Combustion turbulence affected by 261
- Progress 426
- Seat insert standardization Jn 31; Je 28; Oc 32; No 28; De 29
- Shrouded, merits 261, Jl 54
- Steels Mr 27; 236, 245; 269; 427
- Tappet design 426

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Valves and Valve Gear (Concluded)
Timing
Efficiency, thermal, affected by Jl 35; 419
Fuel consumption affected by 68, Fe 38
Variable Jl 35; 419
(See also Springs, Valve)

W

Welding
Aircraft use of Jl 44; Se 19; 398, 399; No 14, 447, No 36, No 39
Aluminum Jl 44; Se 19; 398, 399; No 14, 447, No 36, No 39
Body Jl 22; 483
Die and electrode material Je 22
Progress Ap 28

PAGE

Wheels
Alignment
1936 WHEEL ALIGNMENT DATA BY RESEARCH COMMITTEE Oc 16
Definitions Fe 42
Specifications Mr 20; Je 30; Oc 16
Spring, suspension, effects Fe 24
Tire wear affected by 35; 58
Trends 433, 434
Conical disc type 434
Lubricant requirements 140, 141, 145, 146
Progress 434

Wrecks
(See Accidents and Accident Prevention)